



INEXPENSIVE, VERSATILE

Wood Windows FOR

COMMERCIAL BUILDINGS





Entrances / Doors / Frames / Sash / Blinds / Screens
Casements / Glider Windows / Combination Doors
Sliding Doors / Storm Sash / Mouldings / Sash Units
Interior Trim / Stairwork / Louvers / Cabinet Work
Kitchen Cabinet Units / Disappearing Stairs
"Farlite" Laminated Plastics

These economical Qualitybilt wood windows are just the ticket for budget-minded businesses. Developed from a basic group of SINGLE SASH and TWO-SASH units, they can be used as Awning, Hopper, Casement, or Fixed units . . . providing hundreds of interesting and functional arrangements. Although economically priced, each unit is of highest quality throughout . . . carefully and completely weatherstripped, chemically treated for long service, and with a wide choice of hardware and glazing. We'll be happy to send you architectural details and other pertinent data. Ask for

AIA File No. 16-L.

Horseshoes at 30 feet?



CORROSION RESISTANCE — Made of modified epoxy resin, Durcon exhibits almost complete resist-

ance to wide range of acids, alkalies, salts, solvents, and other organic chemicals.

WIDE SELECTION—Table sinks, end sinks, drain-

board-sink units, double compartment sinks, cylindrical sinks, cup sinks,

LIGHT WEIGHT— Approximately 40% as heavy as competitive sinks. Normally thickness of stone or porcelain sinks is at least 1" while Durcon is but ½" thick.

LOWER COST—Besides lower initial cost, there are savings on freight and installation.

EASIER INSTALLATION— One man can easily install a Durcon sink either under table top or free standing. No hydraulic jack required as for ceramic or stone sinks. Less weight means less complicated supports.

HEAT RESISTANCE — Unlike other plastic laboratory sinks, Durcon will not warp nor soften when exposed to boiling solutions. Neither will Durcon support combustion.

SHOCK RESISTANCE—No failure due to thermal shock need be feared. Wide range of tests also assure many years' service without cracking, spalling or other forms of mechanical or fatigue failure.

MOISTURE ABSORPTION—Durcon sinks are impermeable to liquids. The percentage of moisture absorption over an extended period is a maximum of 0.06%.

To prove ruggedness of Durcon Laboratory Sinks, one laboratory conducted a test, admittedly unusual, in which steel horseshoes were pitched at and into the sink from a distance of thirty feet. The sink survived with only a few scratches which were quickly smoothed out with emery paper and an oily cloth.

Of course, seldom will horseshoe pitching be practiced in laboratories, but this is only one of a wide range of tests that have proven that Durcon Lab Sinks, made of epoxy resin modified by the Duriron Company, will provide years of service. No cracking, no spalling nor other forms of mechanical failure.

Why not take a look at the many other good reasons why you should specify Durcon Lab Sinks. For further information and prices, contact your Laboratory Furniture Manufacturer, or write for new Bulletin PF/5a.

THE DURIRON COMPANY, INC.


Get two-way corrosion resistance plus greater

VIN-COR...new vinyl protected




Granco Vin-Cor is a new concept in protected metal -corrugated steel panels protected on both sides by a generous galvanized coating, plus a tough threecoat vinyl finish. Permanent protection against weathering and corrosive atmospheres. Permanent color proved by Weatherometer tests. Vin-Cor's durable vinyl surface requires no maintenance. Won't craze, chip or peel. The zinc coating provides important secondary galvanic protection when Vin-Cor is drilled or cut.

Granco Vin-Cor is made from tough-temper steel. Strong. You can specify lighter gages than ordinarily required or use fewer supports. Reduce costs. Vin-Cor is classified noncombustible by NFPA Std. No. 220.



RESISTANT COATINGS

1. Steel • 2. Zinc • 3. Prime Coat 4. Vinyl Coat • 5. Vinyl Finish Coat



WIDE VARIETY OF PATTERNS AND GAGES IN ANY LENGTH TO 12' 0"

Granco Vin-Cor is available in the widest variety of beautiful, nonfade colors ever offered in a protected metal. Furthermore, you can have a different color on opposite sides of the Vin-Cor panel!















strength, beauty and economy with ...

galvanized steel panels



WIN-GOR

VINYL PROTECTED STEEL PANELS

The new protected metal for industrial and commercial construction-siding, roofing, insulated wall panels, fascia, canopies and other applications.



Cotar®
Corrutorm®
Tutcor®
Roof Deck
Utility Deck
Structur - Acoustic
Stay-In-Place Bridge Forms
Guard Rail
Pavement Joints



GRANCO STEEL PRODUCTS COMPANY 6506 N. Broadway, St. Louis 15, Missouri


A Subsidiary of GRANITE CITY STEEL COMPANY

MAIL FOR VIN-COR MANUAL . . . Just sign coupon . . . clip to your company letterhead . . . mail today. Attn.: Dept. R-606.

NAME

OUR CATALOGS ARE FILED IN SWEET'S!

4-D WROUGHT IRON PIPE



FOR SNOW MELTING AND RADIANT HEATING SYSTEMS

PROPOSAL FOR HIGH STRENGTH, CORROSION-RESISTANT INSTALLATIONS

New 4-D Wrought Iron has increased corrosion-resistance, improved mechanical and physical properties. It was achieved by substantially increasing the deoxidation of the base metal, slightly increasing the phosphorous content and using a more siliceous iron silicate.

Write for new 4-D Wrought Iron literature and specific technical information. A. M. Byers Company, Clark Building, Pittsburgh 22, Pennsylvania. PIPE: THE MOST IMPORTANT SINGLE COMPONENT—Pipe for snow melting and radiant heating systems *must* resist corrosion. It is only accessible for repairs at considerable cost and inconvenience. Any leaks that might result are frequently difficult to locate with any accuracy. It is also virtually impossible to avoid some rough handling during the course of fabricating and installing such systems. So, strength is another piping must.

EXPANSION COEFFICIENTS AND WORKABILITY—Pipe is exposed to wide temperature ranges in these services. So there's always the possibility of unequal expansion damaging surrounding material. The coefficients of 4-D Wrought Iron and concrete are identical. This minimizes the possibility of concrete cracking due to thermal expansion. Additional advantages of 4-D are: good bending properties and the sound, durable welds that can be obtained as a result of its self-fluxing action.

SUITABILITY OF 4-D WROUGHT IRON—4-D Wrought Iron is corrosion-resistant, strong, compatible with structural materials over wide temperature ranges, and easy to fabricate. There is no "or equal." Historically, the first snow melting system in the U.S. was Wrought Iron: designed 34 years ago for Rochester Gas & Electric Corporation, Rochester, N. Y. No failures, ever. The first radiant heating system in the U.S. was likewise Wrought Iron: designed in 1938 for Frank Lloyd Wright's famed S. C. Johnson & Son Office Building in Racine, Wisconsin.



BYERS 4-D WROUGHT IRON

ARCHITECTURAL RECORD

June 1960

THE RECORD REPORTS:

1960 A.I.A. Convention Buildings in the News Arena Stage Washington, D. C. Harry Weese, Architect Meetings and Miscellany C.S.I. Convention Washington Report by Ernest Mickel Washington Topics by Ernest Mickel 70 Construction Cost Indexes 80 Required Reading 84 Calendar and Office Notes Current Trends in Construction

ARCHITECTURAL GRAPHICS 149

Letter Forms on Architecture by Norman Ives Study for an IBM Sign Design Program by Eliot Noyes

INDUSTRIAL BUILDINGS

Barber-Greene (Canada) Ltd. Don Mills, Canada John B. Parkin Associates, Architects and Engineers Pioneer Saws Div., Outboard Marine Corp. Waukegan, Ill. 168 Ralph Stoetzel, Architect and Engineer Nice Ball Bearing Co., Div., Channing Corp. Kulpsville, Pa. Carroll, Grisdale & Van Alen, Architects 171

Seattle, Wash. Ralph Anderson and Dale Benedict, Architects 175 Pancoast House Miami, Fla. Pancoast, Ferendino, Skeels & Burnham, Architects

DOWNTOWN COMPLEX FOR CARACAS

El Recreo Center Caracas, Venezuela Marcel Breuer, Architect

IMAGE OF THE ARCHITECT IN PRACTICE

Office Organization and Procedures for Present-Day Practice Organization for Efficient Practice-Daniel, Mann, Johnson & Mendenhall

BUILDING TYPES STUDY 283: Churches

Modern Churches in Postwar France by Peter Hammond

ARCHITECTURAL ENGINEERING

Lighting for Architecture by William M. C. Lam A Performance Study of Conductive Flooring

PRODUCT REPORTS 233

OFFICE LITERATURE 234

TIME-SAVER STANDARDS:

Specification of Paints for Various Surfaces and Conditions by Ray E. Cumrine, A.I.A. 237 Solar Screens of Clay Masonry: 1, 2 by Howard P. Vermilya, A.I.A. 239, 241

ADVERTISING INDEX

U.S. Possessions and Canada: Second-class mail privileges authorized at Concord, N. H.

2877 Shasta Road, Berkeley 8, California.

\$5.50 per year in U.S.

(National Edition)

except May 1960
when semimonthly,
by F. W. Dodge Corporation,
10 Ferry Street,
Concord, New Hampshire.
Editorial and executive offices:
119 West 40th Street,
New York 18, New York.
Western editorial office,
9277 Shouth Read

Cover:

Dominican

Dominican Priory, Lille, France. Pinsard and Hutch-

ARCHITECTURAL RECORD June 1960 Vol. 127 No. 7

© 1960 by F. W. Dodge Corporation, with all rights reserved. ARCHITECTURAL RECORD

(combined with AMERICAN ARCHITECT and ARCHITECTURE) is published monthly, except May 1960

Architects. Photo by

Coming in the Record

MASTERPIECE DE LE CORBUSIER

With much less publicity than is usual, Le Corbusier's latest has been building at Eveux, France: La Tourette, or, more properly, the Couvent d'Etudes. Those who have seen this Dominican priory have been so entranced that they call it his greatest work. Our photographer outdid himself to produce an uncommonly handsome set of photographs, which we shall give feature treatment in July.

CRITICISM: PROFESSIONAL LEVEL

The peripatetic John Ely Burchard, who is likely to turn up any place on the globe where architecture is seriously done or discussed, has done another of his scholarly evaluations of contemporary architecture, this time in Italy. Yes, he recently spent a great deal of time there, more perhaps than some of the English critics who have been so glib about architectural trends in Italian cities. His report is as thoughtful as his appraisal of Unesco House and its art. (ARCHITECTURAL RECORD, May, 1960).

MORE AND MORE MOTELS

Highway hotels (the favored term) are, as everybody knows, appearing in every village, every highway if not every lane. They are appearing in every concept, from roadside rest to Miami Beach monstrosity. Appearing in Dodge statistics to the tune of about 3,000 a year. They will appear in our July number, lots and lots of them.

OTHER P. W. DODGE SERVICES: Dodge Reports—Dodge Construction Statistics—Sweet's Catalog Services—Dodge Books—Dodge Mailing Service—The Modern Hospital—The Nation's Schools—College and University Business—Hospital Purchasing File—Chicago Construction News—Daily Pacific Builder (San Francisco)—The Daily Journal (Denver)—Real Estate Record & Builders Guide—Dow Building Cost Calculator.

Members of Audit Bureau of Circulations and Associated Business Publications. ARCHITECTURAL RECORD is indexed in Art Index, Industrial Arts Index and Engineering Index.

Every effort will be made to return material submitted for possible publication (if accompanied by stamped, addressed envelope), but the editors and the corporation will not be responsible for loss or damage.

Subscription prices: Published monthly except May 1960 when semimonthly. U. S., U. S. Possessions and Canada: \$5.50 per year; other Western Hemisphere countries, to those who by title are architects and engineers, \$9.00 per year. Single copy price except Mid-May 1960 issue \$2.00; Mid-May 1960 issue \$2.95. Beyond Western Hemisphere, to those who by title are architects and engineers, \$9.00 per year for 12 monthly issues not including Mid-May 1960 issue. Subscriptions from all others outside U.S., U.S. Possessions and Canada for 12 monthly issues, not including Mid-May issue, \$24.00 per year. Change of address: subscribers are requested to furnish both the old and new address, sending if possible stencil impression from magazine wrapper and to include city delivery zone number, where such is used, for the new address. Allow four weeks for change.

Staff of Architectural Record

Emerson Goble, A.I.A.

CONSULTING EDITOR John E. Burchard

SENIOR EDITORS
James S. Hornbeck, A.I.A., Features
William Dudley Hunt, Jr., A.I.A.
Elisabeth Kendall Thompson, A.I.A., West

ASSOCIATE EDITORS
Robert E. Fischer, Engineering
Florence A. van Wyck, Production
Jeanne M. Davern, Assistant to the Editor
Herbert L. Smith, Jr., A.I.A., Houses
Mildred F. Schmertz, Design
Grace M. Anderson
Margaret F. Farmer, Engineering

CONTRIBUTING EDITORS
Ernest Mickel, Washington
Dan Street, Washington

EDITORIAL ASSISTANT Caroline F. Brady

DESIGN
Eugene H. Hawley, Director
Sheila Dressner
Julia Lee

CONSULTANTS
George Cline Smith, Economics
Clyde Shute, Statistical
Clifford G. Dunnells, Jr., Field Research
Daniel J. Howe, Jr., Public Relations
Edwin W. Magee, Jr., Industry Relations
Sigman-Ward, Drafting

PUBLISHER Robert F. Marshall

PUBLISHING ADVISER H. Judd Payne

CIRCULATION MANAGER Marshall T. Ginn

Officers of F. W. Dodge Corporation

HONORARY CHAIRMAN OF THE BOARD James McV. Breed

CHAIRMAN OF THE BOARD Paul Abbott

VICE CHAIRMAN OF THE BOARD Chauncey L. Williams

PRESIDENT Irving W. Hadsell

EXECUTIVE VICE PRESIDENTS
Julius T. Little, Robert F. Marshall,
T. Oliver Morgan, O. O. Paulsell

EXECUTIVE VICE PRESIDENT AND TREASURER Howard M. Thompson

VICE PRESIDENTS
Robert M. Cunningham, Jr., William H.
Hatch, Jr., H. Judd Payne, Richard H.
Ray, George Cline Smith

REGIONAL VICE PRESIDENTS
Miles W. Beatty, Carl S. Bennett, Robert G.
Bingham, Clinton C. Bennett, Roy J. Hard,
Alton W. Kitchens, Arthur D. Prior

ASSISTANT VICE PRESIDENT AND COMPTROLLER Edwin H. Freed

ASSISTANT VICE PRESIDENTS
Walter F. DeSaix, Clifford G. Dunnells, Jr.,
Gault Eastman, Clyde Shute

SECRETARY John S. Brittain

ASSISTANT SECRETARIES William C. Breed, Jr., George W. Morgan

ASSISTANT TREASURER Irving B. Satin

STRESSING DESIGN

Prestressed Concrete Double Tees Standing on End Provide Imaginative New Wall Treatment

• Double tee beams of prestressed concrete, best known for their value in roof and floor systems, are now finding an attractive new use. A recently completed switching station of the Public Service Electric & Gas Company of Newark, N. J. has two walls made of side-by-side 10-ton vertical double tees running the full height of the building—nearly 61 feet—and creating an interesting pattern.

A third wall, featured in the photograph above, is topped by tees 39½ feet tall. The bottom section of this wall employs removable flat concrete slabs, to facilitate the replacement of major equipment.

The architect found that using prestressed double tees in this manner had economic as

well as design advantages—including off-site fabrication and stockpiling, fast erection with minimum personnel, no scaffolding, and lower heating costs due to better insulation.

To produce the 5,000-psi concrete specified for this job, the prefabricator chose dependable 'Incor'* 24-hour cement.

Owner
PUBLIC SERVICE ELECTRIC & GAS COMPANY
Newark, N. J.

Consulting Architect
OFFICE OF ALFRED EASTON POOR
New York City

General Contractor

EDWARD M. WALDRON, INC. Newark, N. J.

'Incor' Prestressed Members


ATLANTIC PRESTRESSED CONCRETE CO.

(division of The Warner Company)

Trenton, N. J.

Glass fibre insulation was sandwiched between layers of concrete in the crossbar of the double tee unit to provide an excellent thermal barrier.

HORIZONTAL SECTION



LONE STAR CEMENT CORPORATION

100 Park Avenue, New York 17, N. Y.

ONE OF THE WORLD'S LEADING CEMENT PRODUCERS. OFFICES IN 17 MAJOR CITIES

AMERICA'S FIRST HIGH-EARLY STRENGTH PORTLAND CEMENT


GLOBE

sprinkler system guards Goodall School against fire

Goodall School, a three-story building that houses kindergarten through Grade 6 in Webster Groves, Missouri, is now completely protected by a Globe Sprinkler System. It dependably guards the lives of 450 pupils and 17 teachers . . . protects 16 classrooms and other facilities against all fires! A total of 518 sprinklers is distributed throughout 37,500 square feet and integrated with the school alarm system. Goodall School thus observes a strong recommendation of The National Fire Protection Association that all school buildings of combustible construction have automatic sprinkler protection.

Globe Sprinkler Systems are a product of The Fyr-Fyter Company, which also offers SAFA alarm systems, fire hose and extinguisher cabinets, and a complete line of lightweight, easily-operated fire extinguishers. Be positive your present school buildings are completely fire-protected by consulting an experienced Fyr-Fyter representative! He also offers analysis and recommendations, at no obligation, if you are planning a new school or additional facilities.

Don't let a disaster like the recent Chicago school fire strike your community! Write today to The Fyr-Fyter Company, Dayton 1, Ohio.



Main building of Goodall School and separate two-story facility are both protected with Globe Sprinklers. Globe sidewall sprinklers were utilized in classrooms and corridors—completely effective, yet architecturally unobtrusive!



Branches: Atlanta, Baltimore, Boston, Chicago, Dallas, Dayton, Detroit, Los Angeles, New York, Newark, Philadelphia, Pittsburgh, Portland, Rochester, San Francisco, Toronto (Ontario). Representatives and Distributors in all principal cities.

Sidewall

sprinkler

Change Is the Keynote at A.I.A.'s San Francisco Convention

The changing role of the architect in a changing world was the concern of architects in and out of formal sessions of the 92nd annual convention of the American Institute of Architects, April 18-22 in San Francisco. "Expanding Horizons" was the official theme; and a series of distinguished speakers from disciplines outside the profession of architecture brought messages which were testimony of change present and to come and of the stunning complexity of the problems which confront the planners of today and tomorrow. The A.I.A. had a lengthy and solemn dissertation from its own Committee on the Profession calling for sweeping changes in education, registration and standards of practice to equip the profession to meet the new challenges. And in his brief inaugural address, the A.I.A.'s new president, Philip Will Jr. of Chicago, saw "the profession at a crossroads" and suggested





DR. J. ROBERT OPPENHEIMER (seated far left in top photo) called "the profession which spans the great arch from the techniques and sciences to the arts and the meanings and the hopes of man" to "look with very wide angle lenses at the sites in which you are working." Dr. Oppenheimer's address, received with prolonged applause and a standing ovation, was the high point of an outstanding program

NEW FELLOWS pose at the foot of the grand staircase in the Rotunda of the City Hall, where they were invested in an impressive and moving ceremony. Two were women



LUDWIG MIES VAN DER ROHE received the 27th Gold Medal of the A.I.A. from retiring President John Noble Richards at the annual dinner in the Garden Court of the Sheraton Palace Hotel. "We are not at the end but at the beginning of an epoch," Mies said; "an epoch which will be guided by a new spirit, which will be driven by new forces, new technological, sociological and economic forces, and which will have new tools and new materials. For this reason we will have a new architecture"





Dr. Ralph Tyler, director of Center for Advanced Study in Behavioral Sciences, Palo Alto, who introduced the program



Dr. Wendell Bell, professor of sociology and anthropology, UCLA: "Sociological Horizons"



Dr. J. Robert Oppenheimer, director of the Institute for Advanced Studies, Princeton: "Houses of Science"



Dr. C. Northcote Parkinson, Raffles Professor of History, University of Malaya: "Political and Economic Horizons"

Dr. Morton White, professor of philosophy, Harvard University: "Philosophical Horizons"



"the time has come when we must redefine the mission of the architectural profession"—with the profession accepting, and equipping itself to accept, the kind of responsibility for the total environment the nation has historically entrusted to the medical profession in matters of health and the clergy in matters of religion and morals.

Wonderful Town!

On a less lofty level, the corridor conversations and the cocktail party chatter tended to get around to the same theme—the problems of practice in a day when the problems are changing almost daily.

It was a big convention—at a total registration of 2525 the second biggest in A.I.A. history—and this was undoubtedly in part attributable to the attractions of that wonderful town, San Francisco-one subject on which there was entire and enthusiastic agreement. Weather was perfect, clear and bright; and the program was so organized that it left time for sight-seeing and the architectural tours and eating in San Francisco's famous restaurants (there were no programmed luncheons and only the annual dinner). With the Mark Hopkins as the official "convention headquarters," meetings were held in the new Masonic Temple just a bit farther up Nob Hill.

Will Succeeds Richards

With no political excitement, and no surprises, new officers were named and the business of the convention was covered. Mr. Will was elected without opposition to succeed John Noble Richards of Toledo as the 38th president of the A.I.A.

In the only two contests, James M. Hunter of Boulder, Colo., was named second vice president over I. Lloyd Roark of Kansas City and L. Bancel LaFarge of New York; and Raymond S. Kastendieck of Gary, Ind., was returned as treasurer over a renewed bid by Gerson T. Hirsch of Pleasantville, N. Y.

Henry L. Wright of Los Angeles was elected first vice president (moving up after two years as second vice president); and J. Roy Carroll Jr. of Philadelphia was re-elected secretary.

New regional directors (nominated by their districts and elected at the convention) are: Central States
—Oswald H. Thorson, Waterloo, Io-

wa (succeeding I. Lloyd Roark, Kansas City); Florida—Robert M. Little of Miami (succeeding Clinton Gamble, Fort Lauderdale, Fla.); California—Malcolm D. Reynolds of Oakland, Calif. (succeeding U. Floyd Rible, Los Angeles); and Texas—Reginald Roberts, San Antonio (succeeding R. Max Brooks, Austin).

New Structure Postponed

The two major matters of business put before the convention related to adjustment to the changing context of practice: a proposal, which had been presented to the membership in brochure form months before the convention, and as the result of long study by an A.I.A. Board committee, headed by the then first vice president, Philip Will Jr., to revise radically the organization of the Institute itself; and another proposing the broadening of national Institute membership by the addition of three new national membership classifications-student, associate and "professional affiliate" (consulting engineer, landscape architect or "land planner" and artist).

Both proposals (in the form of by-law changes offered by the Board of Directors) were referred back to the Board for further study; and it is likely that next year's convention in Philadelphia will produce fuller discussion and some action on them.


Mies Accepts the Medal

The convention had no more poignant moment than that at which the A.I.A.'s Gold Medal, its highest honor, was presented to Ludwig Mies van der Rohe. Now 74, Mies (like Frank Lloyd Wright and Walter Gropius) has had to wait longer than some less distinguished colleagues for this recognition of his "distinguished contributions to architecture"; and the storm of applause when the presentation was made as the climax of the annual dinner (while the band played "Chicago"!) suggested that the audience was trying in thunderous ovation to make up for the delay.


Mies finally was able to gesture the assembly to silence, and it sat in an almost breathless hush to hear his brief speech of acceptance:

"To receive the Gold Medal of the American Institute of Architects is indeed a great honor.

> text continued on page 32 more photos on pages 12-15



FIRST TO
CURB ROOF
EXHAUSTER
NOISES
WERE
ENGINEERS
AT PENN!



Penn's SONOTROL CURB for all roof ventilator installations provides 3 IMPORTANT BENEFITS to the Specifying Engineer

Putting the curb on prevailing problems that accompany roof ventilator installations was no easy task. Roof fan sounds had to be hushed. Field constructed curbs were often haphazardly put together; they overloaded roofs and lacked dimensional coordination for ventilators and dampers. But, engineers working at Penn developed the industry's first solution . . . the Sonotrol Curb!

EXTRUDED ALUMINUM, an exclusive in Penn's Sonotrol design features structural "I" beam lifetime construction; reinforced seamless outside wall; loading capability of more than 700 lbs. per lineal ft. with a minimum safety factor of 2.5; provides stabilized dimensions for all dampers and ventilators . . . and everything fits!

ACOUSTICAL-THERMAL INSULATION reduces decible build-up of exhauster at the source; attenuates resonance and reverberation; minimizes sone values; no reduction in air movement.

SELF-FLASHING eliminates the problem of field flashing over the Curb; installation is simplified; flashing flange incorporates V-groove serrations for maximum gripping power.

Get complete facts now on how Penn Ventilator can be your one source for the universally accepted Sonotrol Curb, Damper and Ventilator. Contact your local representative or write direct.



A leading manufacturer of Powered and Gravity Roof Exhausters and Accessory Equipment for over 30 years.

Charter Member of AMCA

Penn Ventilator products are available throughout the Free World.

One of many direct factory representatives at your service;

Barrow & Daugherty, Atlanta, Ga.













PRESIDENT RICHARDS PRESENTS:

1. Architectural Photography Medal to Roger Sturtevant, San Francisco. 2. Craftsmanship Medal to William I. DeMatteo, silversmith, Colonial Williamsburg. 3. Allied Professions Medal, for Naval Architect William Gibbs Cox, New York, to partner Rear

Admiral Kniskern. 4. Edward C. Kemper Award, for Service to the Institute, to Philip D. Creer, architect and director of University of Texas School of Architecture. 5. Honorary Membership to Dr. Shirley Cooper, A.A.S.A., Washington, D.C. 6.









Mies with Minnesota's architecture dean, Ralph Rapson; and (in leis) incoming president Philip Will Jr. of Chicago with first V. P. Henry Wright of Los Angeles and John Lyon Reid of San Francisco

Minoru Yamasaki of Detroit and panelist Harry Weese of Chicago; and RECORD Western Editor Elisabeth Kendall Thompson of Berkeley with George Vernon Russell and William Pereira of Los Angeles







Francis Joseph McCarthy of San Francisco, F. W. Dodge Corporation vice president H. Judd Payne of New York and Henry Wright of New York; Dean Henry L. Kamphoefner of North Carolina State School of Design and George Matsumoto, also of Raleigh

Switzerland's Jean Tschumi, winner of the 1960 Reynolds Award, discussing exhibit of his successful entry in the \$25,000 competition: award was presented at the convention; and Paul James Huston of Palo Alto with Edgar Tafel of New York







New Orleans duo-Solis Seiferth and James Lamantia; Executive Director Edmund R. Purves and Mrs. Purves of Washington, D.C., and Everett E. Parks, Santa Ana, Cal.

Harris Armstrong of St. Louis and Robert Fitch Smith of Miami; and New Yorkers Giorgio Cavaglieri (left) and Robert S. Cutler of SOM (right) with Great Lakes Director Linn Smith of Birmingham, Mich.





Sculptor Costantino Nivola of New York and the youngest architect Weese-Ben; Joseph L. Johnson of Los Angeles and Theodore Ber-





Wolf von Eckhardt and Polly Shackleton of the A.I.A. staff with North Central Regional Director Harold Spitznagel, Sioux Falls, S. D.; San Francisco's Gardner Dailey and John Carl Warnecke Jr.

nardi of San Francisco















Honorary Membership to Mayor Raymond R. Tucker of St. Louis. 7. Honorary Membership to Sir Leslie Munro of New Zealand, Permanent Representative to the United Nations. 8. Citation of an Organization, for General Motors Corp., to V. P. Philip

J. Monagan. 9. Citation of an Organization, for Providence City Plan Commission, to Director Frank F. Malley. 10. Citation of an Organization, for IBM, to Western Regional Manager L. E. Clark. 11. Not Mr. Richards but Vice President C. E. Manning,

Reynolds Metals Co., presents 1960 Reynolds Awards to Prof. Jean Tschumi of Switzerland. 12. Honorary Fellowship to Santiago Agurto Calvo of Peru. 13. Fine Arts Medalist—Thomas Hart Benton of Kansas City, mural painter



At the President's Reception at City Hall (following the Investiture of Fellows): Vernon DeMars, Berkeley, Samuel Zisman of San Antonio, Yama and Arch B. Swank Jr. of Dallas





Robert A. Alexander of Los Angeles with John Cabot of the National Park Service, Philadelphia; RECORD Publisher Robert F. Marshall and Robert F. Hastings of Smith Hinchman & Grylls, Detroit.



New president and first lady: the Wills of Chicago. Right: the group of Mexican architects who brought with them a proposal (under study) for a joint U. S. Mexican Planning Commission to be sponsored, at least in its initial stages, by architects of the two



nations—President Ramon Corona Martin of the Commission of International Affairs, Hector Mestre, Guillermo Rosell de la Lama (head of the delegation), Carlos Reyes Navarro, Gustavo Struck Bulnes and Jose Luis Reyes



New Yorkers Daniel Schwartzman, Geoffry N. Lawford, Arthur Holden and Gordon Lorimer caught by the camera at a moment of not too serious caucus





RECORD senior editor James S. Hornbeck of New York and George Fred Keck of Chicago; another convention snapshot at right, Walter Netsch of SOM's Chicago office



President's Reception again, this time the receiving line: first vice president Henry L. Wright and Mrs. Wright, Secretary J. Roy Carroll Jr. and Mrs. Carroll



Retiring president John Noble Richards and Mrs. Richards, new president Philip Will Jr. and Mrs. Will. A.I.A. had first non-public event at City Hall

1960 A.I.A. Convention Camera's Eye View





A.I.A. Director of Staff Administration (and convention manager) J. Winfield Rankin, with Dean Thomas Mackesey of Cornell's School of Architecture and Prof. Gorm Hansen of Yale; Treasurer Raymond S. Kastendieck, Gary, Ind., and W. Newell Reynolds of Buffalo





New Yorkers Robert S. Hutchins, Geoffry N. Lawford and L. Bancel LaFarge; and—on one of the benches in the lobby of the Masonic Temple—Charles Graves, Kentucky's architecture chairman, and Earl H. Reed of Chicago, A.I.A.'s chief guardian of historic buildings





Two new Fellows at the President's Reception after their investiture—Hugh Stubbins Jr. of Cambridge, Mass., and O'Neil Ford of San Antonio; and—back in the lobby of the Masonic Temple—Mr. and Mrs. Matthew Del Gaudio of New York with New England Regional Director Alonzo J. Harriman, Auburn, Maine





Two more between-sessions groups in the lobby—Kenneth Kassler of Princeton, another new Fellow, with Arthur Holden of New York; George Vernon Russell of Los Angeles with John Carl Warnecke Jr. of San Francisco, public relations chairman for the convention, and Paul Thiry of Seattle





Jack Warnecke again, this time with Neil Conner, director of architectural standards for the Federal Housing Administration, Washington, D.C., and San Francisco FHA Director Robert Macduff; and Sam Cooper and Chlothiel W. Smith, one of two new women Fellows





Old Cornell schoolmates Bob Alexander of Los Angeles, Shigeo Hirata of Tokyo and Lawrence Perkins of Chicago; and Emerson Goble, editor of the RECORD, with Polly Shackleton of the A.I.A. staff and panelist Henry D. Whitney of New York





Florida's new regional director, Robert M. Little of Miami, with Dean Turpin C. Bannister of the University of Florida and Linus Burr Smith of the University of Nebraska; retiring California Regional Director U. Floyd Rible with architectural students Richard T. Wedseltoft and Charles H. Shaffner, College of San Mateo





Edwin H. Lundie of St. Paul with Earl H. Reed of Chicago, chairman of the A.I.A. Committee on Preservation of Historic Buildings, and Paul Thiry of Seattle; and Wolf von Eckhardt and Ketchie Brassell of the A.I.A. staff with Edwin B. Morris Jr. of United States Steel, former assistant to the Executive Director of the A.I.A.





Richard Koch of New Orleans and Mr. and Mrs. Morris Ketchum of New York; Dr. C. Northcote Parkinson (center) with RECORD Publisher Robert F. Marshall, an executive vice president of F. W. Dodge, and Dr. George Cline Smith, vice president and chief economist





John M. Morse of Seattle, Vincent G. Kling of Philadelphia and George Fred Keck of Chicago; and George F. Pierce Jr. of Houston, former A.I.A. secretary Edward L. Wilson of Fort Worth and Albert S. Golemon of Houston





Two of New York's new Fellows, Geoffry N. Lawford and Lathrop Douglass, with the New York Chapter's executive secretary, Mrs. Margot Henkel; and Mrs. Roy Leibsle of Houston, Burdette Higgins of Des Moines and Western Mountain Regional Director Frederick H. Porter of Cheyenne, Wyo.



Architecture's singer of folk songs, Robert W. Schmertz of Pittsburgh, in his favorite role, and a lot of happy listeners crowded around him. Mr. Schmertz became a Fellow at this year's convention, but the more important news was that there are some new songs; one, called "Walter and Mies and Corbu," explains everything





San Francisco skyline from one of those terraces high up in the Mark, with Henry Wright of New York, Miami's Bob Little, and Edgar Tafel of New York; Prof. Gorm Hansen of Yale and Ralph Rapson, architecture head at the University of Minnesota





Happy trio of Californians—John Carl Warnecke Jr. and Mrs. Neil Smith, both of San Francisco, with William Pereira of Los Angeles; and a rather sober twosome, Robert Berne of Denver and Vincent G. Kling of Philadelphia





More program highlights—left, panelists Maynard Lyndon, Los Angeles, Walter Netsch, Chicago, and Robert Alexander, Los Angeles; right, John Richards and panelists Dean William Wurster of California, Henry D. Whitney, New York, and Harry Weese, Chicago





Robert W. Schmertz again, this time with Mrs. Schmertz and lei presented by an admirer; and Wayne S. Herzka of San Francisco, Mr. and Mrs. Robert Ingle Hoyt of Santa Barbara, Cal., Lee B. Kline of Pasadena, and Melton Ferris, executive director of the California Council, A.I.A.

Zonolite®


WATER-REPELLENT

Masonry Fill Insulation

First material to meet <u>all</u> requirements of insulation in


BRICK CAVITY WALLS

If brick cavity walls are indicated for the job you're planning—whether it's a home, commercial, or industrial project—now you can include this new kind of water-repellent masonry insulation in your specifications. Walls filled with this remarkable material have much greater insulating value. Zonolite Masonry Fill cuts heat transfer as much as 50%, slashing fuel bills. Air-conditioning and refrigerating costs are reduced as much as 25%. Unit size of heating and cooling equipment can be sharply reduced in most cases.



- 1 Ease of Installation—High speed installation on any job.
- 2 Cuts Heat Loss Substantially—Doubles wall insulation value, saves fuel.
- 3 Water-Repellent—Actually sheds water, retains insulating efficiency permanently.
- 4 Reduces Cooling Costs—Saves up to 25% in cooling costs, often permits smaller units.
- 5 Non-Settling—Retains uniform, tamper-proof density.
- 6 Economical—Lower initial cost, less expensive to install.
- 7 Increases Comfort—Minimizes condensation, increases inside wall temperatures for increased comfort, livability.






LOW IN COST...SAVES TIME, MONEY!

Zonolite Masonry Fill is the lowest cost insulation for masonry walls. It is installed with ease and speed. Pours freely from bags, fills around obstructions... won't sag or ball up...no uninsulated voids...no measuring, cutting or fitting. An exclusive process* makes it water-repellent...keeps walls dryer; often makes elaborate interior decorative treatments unnecessary. For complete technical information, including U-Factor data, contact your Zonolite Sales Engineer or nearest Zonolite district office.

*U.S. Patent No. 2,824,022 Canadian No. 569.677



ECONOMY-WITH-BEAUTY—These cavity walls are still another example of the new ideas in practicality combined with good looks that Zonolite Masonry Fill makes possible in virtually any type of building.



EASY INSTALLATION—Easy-to-install because of its light weight, free-flowing qualities, Zonolite Water-Repellent Masonry Fill saves installation time, thereby cutting labor costs as much as 60%!

—Zonolite Masonry Fill lets you take full advantage of new design concepts available with modern brick interior wall treatments. Only Zonolite makes these new designs as practical as they are beautiful.

ZONOLITE MASONRY FILL INSULATION IS READILY AVAILABLE...EVERYWHERE

When specified, you can be assured of ample supply. Zonolite Masonry Fill is readily available from over 40 Zonolite plants throughout the U.S. and Canada.



PHONE YOUR ZONOLITE SALES ENGINEER

Information and technical assistance are as close as your telephone. Call your Zonolite Representative now...or write

ZONOLITE COMPANY

135 South La Salle St., Dept. AR-60, Chicago 3, Illinois



NEW (Patent Pending) FINGER ADJUSTING HANGER **ENDS COSTLY CALL-BACKS!**


Sensationally different. Astoundingly simple. A new KENNATRACK triumph that permits INSTANT adjustment and alignment of all by-passing and open or closed pocket doors. See illustrations.

Specify Kennatrack FA (Finger Adjusting) Hardware and even the "all thumbs" homeowner won't be bothersome by demanding unprofitable call-backs. It is actually easier for him to raise or lower a Kennatrack-hung door 5/8" himselfor to re-align it for minor adjustments—than it is for him to phone for service.


QUIET! Besides being finger-adjusting and instant-mounting, Kennatrack Hardware gives you the quietest, most easily gliding pocket and by-passing doors ever known. Write for details on this money and time-saver as well as complete information on budget "Scottie" hardware for by-passing, pocket, and folding doors.



FINGER-TIP ADJUSTMENT mere finger-tip pressure on ratchet-type adjuster gives im-mediate and perfect door align-ment, and raises or lowers the door as required.




INSTANT DOOR MOUNTING . imple retainer lock engages, disengages at flick of a finger, yet never loosens in use. No need to remove stops or trim when removing door!



NEW SERIES 600 FA KENNATRACK . . . for quick, simple installation of 1" to 1½" By-passing Doors. Kennatrack's exclusive top mount hanger eliminates extra millwork, permits maximum adjustment as well as instant removal and replacement of door without disturbing adjustment. Two hangers per door with eight floating wheels attached to grease-grooved axles that automatically compensate for door warpage. For doors up to 100 lbs.



KENNATRACK CORPORATION . Elkhart, Indiana . A SUBSIDIARY OF (EKO) PRODUCTS CO.



Beauty and Structure Become One

Through Facing Tile. From the highlands of Peru springs a rich new sculpture, sophisticated and exotic. From the kilns of the United States come structural facing tile, beautiful, flexible, durable. Clay is parent to both; the medium of art and utility.

FACING TILE INSTITUTE


1520 18th St. N.W., Washington 6, D.C.

Ceramic, Courtesy, Visual Arts Section, The Pan American Union, Washington, D. C.





In the interests of better Facing Tile construction, these companies have contributed to this advertisement. Charleston Clay Products Co., Charleston 22, W. Va. • THE CLAYCRAFT CO., Columbus 16, Ohio • HANLEY COMPANY, INC., Pittsburgh, Pa. • METROPOLITAN BRICK, INC., Canton 2, Ohio • McNEES-KITTANNING CO., Kittanning, Pa. • NATCO CORPORATION, Pittsburgh 22, Pa. • STARK CERAMICS, INC., Canton 1, Ohio • WEST YIRGINIA BRICK CO., Charleston 24, W. Va.

Buildings in the News



Arena Stage: Theater Designed to Link Actor and Audience





A theater described by its architect as "an expression in architecture of the principles of arena staging" has been designed for Arena Stage, the ten-year-old resident theater company of Washington, D. C., and will be built (for occupancy in September 1961) on a triangular site adjoining Maine Avenue at Sixth Street Southwest within Washington's new Southwest Redevelopment Area. Harry Weese is the architect.

Key to the design is the arenaform itself, and, Mr. Weese says: "Unique to this form is its emphasis on the acting area and the audience as one, both in the same 'room' and joined in an equal relationship, the life of the stage and of the audience inextricably linked, thus comprising the essential difference between arena and the picture-frame."

Thus a basic parti which puts stage and audience in one building—"distinct, separate and centrally important"—and all supporting facilities in another.

The auditorium surrounds a rectangular playing area 30 by 40 ft with tiers eight rows deep, themselves surrounded by a circulation aisle. Behind and above the aisle is a ring of boxes. The central stage is trapped in sections 3 by 6 ft, lighting grid hung from over central playing area. Structure is concrete and brick with rectangular fireproofed steel truss compression "ring" over stage with struts at four corners to steel H-beam tension ring over ceiling of perimeter boxes, concrete columns to footings.

7

1-PART Tremco formulation permits immediate use of factory-mixed 100% liquid polymer sealant.

2

1-PART Tremco formulation eliminates failure hazards and higher cost of on-the-job mixing.

reasons why
you should consider
TREMCO
1-PART 100%
LIQUID POLYMER
SEALANT!

3

1-PART Tremco formulation assures exceptional adhesive qualities and long-life elasticity.

4


1-PART Tremco formulation prevents staining on all types of masonry.

5

1-PART Tremco formulation offers wide range of colors.

6

1-PART Tremco formulation provides caulking gun consistency, in cartridge or bulk.



LIBERTY MUTUAL INSURANCE COMPANY Office Building

LOCATION: Boston, Massachusetts
ARCHITECT: Perry, Shaw, Hepburn and Dean —
Boston, Massachusetts
GENERAL CONTRACTOR: Turner Construction
Company — Boston, Massachusetts
PANELS & SASH FABRICATOR: H. H. Robertson
— Pittsburgh, Pennsylvania
GLASS AND GLAZING: Empire Plate and Window
Glass — Cambridge, Massachusetts
CAULKING: Brisk Waterproofing — Boston, Mass.

TREMCO MONO LASTO-MERIC® has this important basic superiority over conventional sealants; it is formulated with Tremco-developed and Tremco-manufactured pure 100% liquid polymers. Conventional sealants require the use of ingredients that will migrate or disappear in time, thus lowering sealant life and efficiency. The desired requirements of exceptional adhesion and enduring elasticity are *inherent* and *permanent* parts of the Tremco basic polymer.

Tremco 1-Part 100% Liquid Polymer supplies the difference that assures absolute weathertightness for controlled joints, expansion joints and conventional caulking joints. Ask your TREMCO Man for a Mono Lasto-Meric data sheet or write: The Tremco Manufacturing Company, Cleveland 4, Ohio, or The Tremco Manufacturing Company (Canada) Limited, Leaside, Toronto, Ontario.

FOR INFORMATION ON TREMCO PRODUCTS, CHECK SWEET'S




"When you specify a Tremco Product
...you specify a Tremco Service!"



EXTERIOR LATEX PAINTS

free you from weather worries. Easy to apply, they're moisture resistant in minutes, completely dry within the hour, with a tough water-proof film that resists fog, wash-offs or streaks, dust, sunlight, mildew, insects, and salt air. Paint schedules can be tightened and painting time greatly reduced. These paints go on previously painted or oil-primed wood, or on masonry, and most other surfaces. They are selfleveling and flow smoothly. Clean-up is with soap and water. And their durability in all climatic areas measures up to any other type of exterior paint. Exterior Latex Paints are available in a wide selection of colors from leading paint manufacturers and are formulated with latex supplied after many years of testing by Monsanto and major paint manufacturers. For information on exterior latex paints formulated by paint manufacturers with Monsanto Plastics, use coupon below. Monsanto Chemical Company, Plastics Division, Springfield 2, Mass.





MONSANTO ACTIVATOR IN PLASTICS


MONSANTO	CHEMICAL	COMPANY
----------	----------	---------

Plastics Division, Room 734, Springfield 2, Mass.

Please send me information and sources of supply on EXTERIOR LATEX PAINTS

Company.

Address



Attention to detail

Careful architectural detailing results in the much-admired articulated design. This attention to detail applies in the manufacture of machinery, too. Years ago the people of Dover's Electric Elevator Division (formerly The Shepard Elevator Division) took a long, hard look at the accepted method of making a worm gear assembly, "heart" of traction elevator machines. They found it could be improved . . . made more uniform and thus reduce wear and vibration in the elevator machine. The result: a worm and gear unequalled for precision in the elevator industry. For building owners this means better elevator performance, less maintenance, longer life. Give your clients the benefit of this attention to detail by inviting a Dover Elevator bid on your next job.




DOVER CORPORATION
Electric Elevator Division
5050 Brotherton Road, Cincinnati, 9, Ohio

DOVER Elevators

Fine elevators since 1861

Meetings and Miscellany



-Drawn for the RECORD by Alan Dunn

Can't you think of other ways of having fun?

New Conference Pattern Found By South Atlantic A.I.A.

Departures from the norm for architects' meetings were the rule at the South Atlantic A.I.A. conference in Winston-Salem, N. C., May 12-14. Instead of the usual speeches and panel discussions, there were ten seminars whose subjects ranged from "Psychological Aspects of Color" (given by a psychiatrist) to "Prestressed Extruded Concrete" (by an engineer). The seminars ran concurrently, but the whole program was repeated four times, so that it was possible for an individual to sit in on four different sessions.

All seminars and the business meeting were held in a tobacco warehouse (no tobacco was in sight). Many of the architects and their guests made their headquarters—not at hotels—but in the homes of local architects and others in the area. The meetings were leisurely. Distractions for the frivolous were many—among them a performance of Cole Porter's Anything Goes, an art film program, and a costume Beaux Arts Ball.

The high point of the program was A.I.A. President Phil Will's speech on the opportunities and challenges ahead of the profession and the steps required if architects are to take advantage of them and assume their full roles in society.

The awards jury, Gordon Bunshaft, Ralph Rapson, and Hugh Stubbins, gave an Honor Award to Thomas T. Hayes Jr., for his office building, Sanford, N. C., and Awards of Merit to Edwards and Portman for their Coggins Medical Building, Marietta, Ga.; J. Bertram King for Country Day School, Asheville. N. C.; and two awards to George Matsumoto for houses in Richmond, Va., and Chapel Hill, N. C.—William Dudley Hunt, Jr., A.I.A.

Walter Taylor Becomes a Dean

Ohio University at Athens, Ohio, this fall will inaugurate a School of Architecture in its College of Fine Arts, with Walter A. Taylor, F.A.-I.A., as ics director. Mr. Taylor has been, since 1946, director of education and research for the American Institute of Architects at its national headquarters in Washington, D. C. The Ohio degree of Bachelor of Architecture will require completion of a five-year program. The University now has a four-year curriculum leading to a degree in fine arts, with a major in architecture. Expansion of this program already has begun, so that several students will be well on their way to a five-year degree next fall; the first Bachelor of Architecture degree is expected to be awarded in 1963.

Honors for Architects

Four American architects among 116 Fellows and 37 foreign honorary members elected to the American Academy of Arts and Letters May 11. The four: Wallace K. Harrison and Edward D. Stone of New York; William McIntyre Jewell of Boston; and Minoru Yamasaki of Detroit. Italy's Pier Luigi Nervi was made a Foreign Honorary Member. . . . Hugh Ferriss of New York has been elected to Academicianship in the National Academy of Design, Ralph Griswold of Pittsburgh and L. Bancel LaFarge and Geoffry N. Lawford, both of New York to Associate Membership. . . . Hugh W. Brown, III, of Shawnee, Okla., has been awarded the LeBrun Fellowship of \$3000 for six months' travel in Europe, the New York Chapter of the A.I.A. has announced. . . . John James Carlos, architect and editor of Architectural and Engineering News, has been awarded the \$3000 annual Arnold W. Brunner Scholarship of the New York Chapter, A.I.A. Mr. Carlos will use the award to complete a unit lesson plan for the teaching of architecture in secondary schools. Harold Edelman and Stanley Salzman, associate professors of architecture at Pratt Institute, also received \$1000.

more news on page 28

FROM KNOXVILLE, TENNESSEE A NEW DIMENSION IN CITY PLANNING

with added convenience and safety for shoppers!



Stephens-Adamson SPEEDWALK and SPEED-RAMP Passenger Conveyor Systems like the one shown at the Gay Street Promenade, Knoxville, Tennessee have added a new dimension to city planning. In an all out effort to modernize and beautify their stores, the merchants and property owners of Downtown Knoxville in cooperation with the Downtown Knoxville Association, Inc., have combined their

efforts and ingenuity in the planning of the over one half million dollar Knoxville Promenade and Parking Plaza. Pedestrian shopper traffic now moves smoothly with added convenience and safety of SPEEDRAMP Passenger Conveyor Systems from Parking Plaza to the Promenade area. A colorful canopy protects shoppers from the weather. Passengers are carried up a 15 degree incline.

SPEEDWALK and SPEEDRAMP Passenger Conveyor Systems provide for greater economy—20% to 30% less initial cost than 'Moving Stair' type conveyances. Simplicity of construction and less moving parts assure less "downtime" and lower maintenance cost. Utilizing exclusive Stephens-Adamson safety features, SPEEDWALK and SPEEDRAMP Passenger Conveyors are unmatched for convenience, safety and economy.



SPEEDWALK DIVISION

STEPHENS-ADAMSON MFG. CO.
GENERAL OFFICE & MAIN PLANT-53 RIDGEWAY AVE., AURORA, ILL,
Planto located in Loc Angeles California

Plants located in: Los Angeles, California Clarksdale, Mississippi • Belleville, Ontario

SEE THE MONTGOMERY ELEVATOR COMPANY REPRESENTATIVE OR THE STEPHENS-ADAMSON REPRESENTATIVE IN YOUR AREA



FILL IN AND MAIL FOR DATA FILE


Speedwalk Division Stephens-Adamson Mfg. Co. 53 Ridgeway Avenue Aurora, Illinois

STATE	

New floor tile discovery from Romany · Spartan...



rubber-cushioned ceramic mosaics in 9"squares



It's flexible and resilient!

Ceramaflex, because of its unusual flexibility,


adjusts automatically to minor imperfections in sub-floor. But the rubber grid which makes

this possible serves other functions, too. Ceramaflex floors are quiet because they are


mounted in resilient rubber which acts as a

cushion between the ceramic mosaic tiles and

the sub-floor, and they are easy on the feet. Heavy furniture and appliances can be moved without denting or harming the surface.



Each of the 64 ceramic mosaics that make up one 9" x 9" unit is permanently bonded in a pre-formed rubber grid. Because the edges of Ceramaflex 9" x 9" units are beveled, they lay up so tightly that joints are unnoticeable in the finished job.



Because Ceramaflex is pre-grouted, installation is simple and fast. It's ready for use the instant it's laid. Ceramaflex is installed with a special adhesive as quickly and easily as conventional resilient floor tile. It can be installed satisfactorily on or below grade as well as above grade, over proper sub-flooring. Simple, rapid installation results in application cost substantially lower than that of conventional ceramic mosaic floors.

To You, Mr. Architect, CERAMAFLEX opens a broad new field for floor application of ceramic mosaics. This labor-saving, high quality product embodies all the most-wanted qualities of ceramic tile, plus two important additions: floors that are both quiet and easy on the feet. This makes Ceramaflex a superior flooring material for many areas in schools, institutions, retail, commercial and industrial establishments. And in residential work resilient Ceramaflex can be used advantageously in kitchen and family rooms as well as the more frequently tiled areas.

Ceramaflex is as new as tomorrow, so if you don't yet have samples and information...call your nearby Romany Spartan sales representative or distributor, or write for Bulletin RS-228. United States Ceramic Tile Co., Dept. AR-15, Canton 2, Ohio.

ROMANY

SPARTAN®

CERAMIC TILE



construction. Made of Romany Spartan unglazed 1"x 1"ceramic tiles which are securely bonded in a flexible rubber grid.

Plate No. 1099

pimensions. Ceramaflex flooring units are 9"x 9" squares...and ½2" thick. Each Ceramaflex floor unit is composed of 64 ceramic mosaic tiles approximately 1"x 1".

FINISH. The surface of Ceramaflex is sealed at the plant with a protective coating to prevent wearing-in of dirt and grime.

colors. Random medley patterns in twelve handsome color combinations.



*Trade Mark. Ceramaflex is the exclusive product of United States Ceramic Tile Company.

UNITED STATES CERAMIC TILE COMPANY

continued from 25

C.S.I. ANNUAL CONVENTION EMPHASIZES THE TECHNICAL

That the prime objective of the Construction Specifications Institute is to encourage and provide better technical information was made plain at the C.S.I. Fourth Annual Convention, April 25-27 in Palo Alto, California. Of the six program sessions, four were technical, dealing with contract documents, control of construction quality, manufacturers' technical information, specification methods and the technical program of the Institute.

In his keynote address, Presidentelect Glen Abplanalp told the convention that for the year ahead he anticipated a budget exceeding \$100,-000, the appointment of a full time technical director, increased cooperation with technical and professional societies, and more technical information through increased activity by the chapter technical committees.

From another quarter, James W. Cawdry, past president of the Associated General Contractors of America urged C.S.I. to stay in the realm of technical specifications. Mr. Cawdry stated earlier at the A.I.A. convention that the contractors feel C.S.I. should not get involved in the matter of general and special conditions which historically have been the province of A.I.A. and A.G.C.

This year's convention took account of the fact that quality construction depends not only on clear, accurate specifications, but also on the specification writer's awareness of the influences of codes, inspection and testing procedures and the realities of the construction process.

Getting accurate, complete technical information from manufacturers came up in several sessions. Panelists made the point that the specifier, of necessity, must rely on the manufacturer for accurate information on the quality, application and performance of his product.

Recognition of the contribution of the manufacturer to better specifications came in the form of floor discussions urging greater representation for the associate membership. A resolution was passed to permit associate members to serve as directors-at-large. Another resolution which would have given associate members equal voting rights was tabled, however.



Opening session: Robert W. Harrington, convention general chairman, presiding; Seated (l. to r.) George Lamb, Executive Secretary; Leonard Tivol, President San Francisco Chapter; Harry C. Plummer, Treasurer C. S. I.



Contract documents panel (Dallas and Houston chapters): David C. Baer, William P. Dunne, Terrell R. Harper, H. L. Murchison and Henry T. J. Martin



Construction quality panel (Los Angeles and San Diego chapters): Victor Wulff, Floyd Finnerty, Herman C. Light, LeRoy Crandell, E. L. MacDonald, Max W. Strauss





Left: David Todd, President New York Chapter, panel on manufacturers' technical information. Right: Ex-president J. Stewart Stein, Chicago and Vice-President Elect, James C. Bort, Chicago



Left to right: President-elect, Glen Abplanalp, New York; luncheon speaker Colonel Archie Higdon, Air Force Academy; Vincent G. Raney, San Francisco committee

What is the function of Armstrong Acoustical Fire Guard Tile in a time-design-rated assembly?

Armstrong Acoustical Fire Guard is the first time-design-rated acoustical ceiling tile. It has been tested in a number of different floor-ceiling assemblies. Both the tile and the assemblies have received time-design ratings from Underwriters' Laboratories, Inc., of one to four hours.


To earn a rating, the acoustical tile and its floor-ceiling assembly must do two things. First, they must resist the passage of heat. This is a function of the entire assembly—the tile, the concrete slab, the air space in the plenum chamber, and the structural steel supporting the slab.

Second, the floor-ceiling assembly must support a maximum load. This depends upon the structural steel supports. If they buckle, the assembly will cave in. The protection of these steel members is the function of the acoustical tile, and the acoustical tile alone. Only the tile stands between the intense heat and the structural steel.

Official assembly hourly ratings are established when the assembly fails on either count. Structural failure never has ended a test on Armstrong Acoustical Fire Guard. (This, in spite of the fact unprotected open web steel joists have buckled in the test chamber in seven minutes.)

Tests on Acoustical Fire Guard always have been terminated because of temperature rise above the entire assembly. This factor could be improved with a thicker concrete slab. Variations from tested assemblies which will improve the fire-retardant rating obviously are permissible.

Before you specify your next ceiling, consider Armstrong Acoustical Fire Guard. It will help you give your client a safer building—often at a savings in cost. For more information, contact your Armstrong acoustical contractor or your nearest Armstrong district office. Or write to Armstrong Cork Company, 4206 Rock Street, Lancaster, Pennsylvania.



1860-1960 Beginning our second century of progress



Sentinel showers

. . . the finest in the world, with balanced pressure, give showering enjoyment to families in many modern apartment buildings.

Once the bather sets the shower temperature... Sentinel holds it there. No danger from sudden surges of "icy cold" or "steaming hot" water.



This SENTINEL SWITCH-BAK SHOWER with an Anystream Shower Head is a combination shower and tub filler. The ideal type for large apartment buildings. A turn of the handle on the Sentinel Valve permits water to run into the tub which can be diverted to the shower by lifting the knob on the Switch-Bak nozzle. Instantly, when the Sentinel Valve is shut off, the nozzle automatically again diverts the water supply to the tub.



Investigate these Speakman products for proven performance and functional design













For 90 YEARS: Manufacturers of fine shower and plumbing fittings

SPEAKMAN COMPANY



Harris BondWood Flooring-Par Oak

Many combinations of Oak, Maple, Walnut and Cherry are available.

ADDS HAND-CRAFTED RICHNESS AT NO EXTRA COST

and sometimes at less cost than ordinary parquet

The beauty of Harris BondWood is centuries old — yet the cost of this distinguished hardwood flooring is often *less* than the cost of the common, the usual.

Recreated here is the craftsmanship of the old masters in Harris BondWood — an example of the beautiful geometric patterns in parquet. Sturdy Oak . . . durable Maple . . . fashionable Walnut . . . and distinctive Cherry are easily and perma-

nently installed in adhesive on concrete or wood sub-floor. And the beauty is deep — a lifetime of service — slats are 5/16" of solid hardwood, not tongued and grooved.

Write for booklet illustrating the possibilities. See our catalog in Sweets'. HARRIS MANUFACTURING COMPANY, Dept. AR-60, Johnson City, Tenn. The Finest in Flooring since 1898.

WITH DIVIDER STRIPS



CHECKERBOARD DESIGN



INSETS



HARRIS



A new concept of flooring beauty

1960 A.I.A. convention

continued from page 10
"It is a sign that my work has been understood and appreciated by my colleagues.

"I am very grateful and very thankful for this distinguished token of esteem.

"May I also express, on this occasion, the deep gratitude I have always felt, and shall always feel, that I could come to this country and have the opportunity to teach and work here. "The teaching forced me to clarify my architectural ideas.

"The work made it possible to test their validity.

"Teaching and working have convinced me, above all, of the need for clarity in thought and action.

"Without clarity, there can be no understanding.

"And without understanding, there can be no direction—only confusion.

"Sometimes it is even a confusion of great men, like the time around 1900, when Wright, Berlage, Behrens, Olbrich, Loos and Van de Velde were all at work, each taking a different direction.

"I have been asked many times by students, architects, and interested laymen: 'Where do we go from here?'

"Certainly it is not necessary or possible to invent a new kind of architecture every Monday morning.

"We are not at the end, but at the beginning of an Epoch; an Epoch which will be guided by a new spirit, which will be driven by new forces, new technological, sociological and economic forces, and which will have new tools and new materials. For this reason we will have a new architecture.


"But the future comes not by itself. Only if we do our work in the right way will it make a good foundation for the future. In all these years I have learned more and more that architecture is not a play with forms. I have come to understand the close relationship between architecture and civilization. I have learned that architecture must stem from the sustaining and driving forces of civilization and that it can be, at its best, an expression of the innermost structure of its time.


"The structure of civilization is not simple, being in part the past, in part the present and in part the future. It is difficult to define and to understand. Nothing of the past can be changed by its very nature. The present has to be accepted and should be mastered. But the future is open—open for creative thought and action.

"This is the structure from which architecture emerges. It follows, then, that architecture should be related to only the most significant forces in the civilization. Only a relationship which touches the essence of the time can be real. This relation I like to call a truth relation. Truth in the sense of Thomas Aquinas: as the adequatio intellectus et rei. Or, as a modern philosopher expresses it, in the language of today: truth is the significance of facts.

"Only such a relation is able to embrace the complex nature of civilization. Only so will architecture be involved in the evolution of civilization, and only so will it express the slow unfolding of its form.

"This has been, and will be, the task of architecture. A difficult task, to be sure. But Spinoza has taught continued on page 44





economical ways to use sound and communications...

to enrich school curricula and improve administration


Few architectural means at your disposal can do more to broaden a school's educational program and improve its management than functional sound and communications. Several such services are described on the following pages. You will also find an unusual offer of technical assistance in pre-planning a system to fill any set of needs.

This kind of pre-planning provides you with expert guidance in layout and specification . . . helps you present to your client a variety of useful functions based on aptness of design rather than additional expense . . . assures easy maintenance, good appearance, and any degree of expandability . . . to fit any budget.


How to get the most out of

The console shown here is the central control of an Executone sound-communication system for an average-sized K-8 or secondary school. Located in the General Office, it handles switching, programming, transmission and power amplification for all the services described belowand others that your client's special requirements may suggest. Its 5-channel capacity eliminates the need for more than a single conduit for signals or communication between any two points

in the system. Identical functions are available in a vertical console, for use where office space is at a premium.



1. Supplement the teaching program with sound



Educators today attach great importance to audio-aids in the class room. They wish to exploit sources of special teaching materials...to place each class in closer relation to the school and the world around it . . . to develop each student's critical faculties. They value the availability of:

Radio broadcasts: speeches; music; coverage of special events; interviews; important dramatic presentations; sessions of Congress; etc.

Recordings: from an ever-increasing fund of educational material on tape and discs.


Transmissions from other parts of the school: student musical programs; sports events; etc.

Recording and play-back facilities: for classes in choral and instrumental music; language and speech courses; drama workshops; etc.

All these audio-aids can be supplied by a single Executone classroom reproducer . . . the same instrument that handles time signal, alarm and intercom functions. With a standard Executone system, any combination of rooms chosen by selector-switches - can receive either of two simultaneous sound transmissions. Reproduction is of unusually high quality. Where recording and play-back are desired, rooms need only be supplied with microphone and tapedeck jacks. Amplification takes place at the main control console.




3. Speed administrative action: relieve over-burdened staff




Freedom to teach—and to work more productively—is one of the best answers to the chronic shortage of teachers and administrative personnel. Time savings increase in direct proportion to the staff's communication capabilities. Today, these can economically include: A) 2-way electronic voice intercom . . . between the office and any classroom . . . with complete privacy safeguards, B) Privateline room-to-office and room-to-room intercom . . . with call origination from any point. The Executone system offers all the above, providing 2-way remotereply intercom through each classroom speaker . . . optional private-line handset communication using an independent channel carried by the same wiring.

2. Preserve student discipline during unsupervised intervals

When teachers must leave their classes. the maintenance of discipline usually depends on the presence of a substitute. Faculty members may now be relieved of this non-productive extra duty. Unattended students can be monitored from the Office-through the Executone speaker-and notified by its open-line signal light that they are under remote supervision.




4. Save money & space in providing variable time programs



Classes with varying time requirements need no longer be subject to an inflexible set of signals. But conventional time-programming equipment—including independent crossconnect panels, relay racks, classroom buzzers and wiring systems—is bulky and expensive.

The Executone system includes a remarkably compact, easily accessible peg-board programmer—which allows each classroom to be placed on any one of six different time programs within seconds. This function is built directly into either standard console! The costly conventional system is eliminated.




5. Control student transportation

Teachers find it especially difficult to keep order—and prevent delays—when restless students must await loadings of homeward-bound school buses. This condition is relieved when children are permitted to play freely—until summoned to the loading area in proper groups and directed to their buses.

This can be achieved through an inexpensive adjunct to the Executone system: a microphone jack at the loading area and speakers at loading and congregation areas. Both microphone and speaker wiring run in the same conduit. The amplifiers at the main console are utilized. Any available microphone can be plugged in at dismissal time.

6. Preserve the continuity of classroom activities



Communications in the modern school go a long way toward assuring uninterrupted class activities. But care must be taken that the facilities which make this possible are not themselves a disruptive influence. This is the case where calls make it necessary for teachers to drop what they are doing, to approach or handle equipment...or where a call interrupts a sound transmission.


Executone removes both of these contingencies. Through-the-speaker calls, for brief conversations, can be answered by the teacher from any point in the room—without raising her voice. And use of the optional handset channel for longer conversation prevents interference with concurrent sound programs.

7. Prevent confusion and panic in emergencies

Leading administrators have long felt the need for greater control of student bodies in emergencies. They seek alarm signal facilities to augment standard fire alarm systems—for such special contingencies as air raids. To control student movements in critical situations, they wish to make it possible for any staff member to broadcast voice instructions—without having been trained in the use of sound equipment.



In the Executone system, the same components used to produce time signals will also provide supplemental alarms. Executone furnishes duplicate signal generators—for fail-safe standby duty. For follow-up voice instructions, after an alarm, a staff member need only touch the 'emergency' bar at the Executone console. This overrides all other transmissions . . . allows him to speak immediately to the entire student body.



8. Provide quality-controlled sound for audience activities

No audience facilities are so intensively used as those in the modern school. Auditoriums and gyms serve not only during the school day—but also for adult and community activities . . . for socials and special events. Sound reinforcement equipment must be designed to high standards. And controls must be efficient. Conventional microphone mixing units—because of A-C power, ventilation and space needs can seldom be situated where they do most good.

An Executone system provides not only sound reproduction of highest quality, but also new flexibility in the location of controls. Transistorized preamplifiers and mixers are compact enough for concealment anywhere . . . have no special installation requirements.

On the next page . . . an offer of unusual benefit to you and your client!



How to get the most out of communications and sound

FXECUTORE OFFERS YOU SIX STAGES OF SERVICE



STAGE A PERSONNEL INSTRUCTION

Executone representatives will train and-when necessary-re-train your client's personnel in the proper operation of the system. This planned program assures maximum benefits through full utilization and correct care of the equipment.

STAGE 5 MAINTENANCE ON THE PREMISES

To assure uninterrupted performance from any Executone system, prompt and reliable maintenance service, and complete stocks of factory replacement parts are always available locally. Each distributor is staffed with skilled technicians trained on a continuous basis at Executone's Factory Technical School . . . to provide your client with expert service on his own premises . . . for the life of the building.

STAGE 6 FULL YEAR FACTORY GUARANTEE

Every Executone system and component is guaranteed by the Executone factory for a full year.

STAGE 1 DESIGN STANDARDS

Executone's service-tested design standards-mechanical, electronic and acoustical—are your assurance of trouble-free system performance. Design ingenuity—resulting in simplification, miniaturization and increased capability-keeps the cost of an Executone installation competitive . . . reduces maintenance costs.

STAGE @ CONSULTATION OR SURVEY

To help you plan an optimum system, your local Executone Systems Engineer will assist in a comprehensive study of your client's needs recommend the equipment designed to meet them within his budget . . . suggest ways of implementing a system through modular purchases where funds are severely limited . . . provide you with full information on a professional level. You will find him thoroughly conversant with specialized practices in your client's field.

STAGE (3) INSTALLATION AND SUPERVISION

Your Executone distributor will assume full responsibility for the final and satisfactory operation of the system-whether installed by a contractor or by a factory-trained Executone crew. An Executone Field Engineer will co-ordinate and supervise all phases of the installation, and check it out thoroughly on completion.



THIS COUPON WILL BRING YOU UP-TO-THE-MINUTE INFORMATION OR ASSISTANCE...WITHOUT OBLIGATION

Executone, Inc., Dept. N-3 415 Lexington Avenue, New	York 17, N. Y.
I would like my local Executone S I would like detailed literature or following building types: schools hospitals churches plants	ystems Engineer to call, intercom and sound systems for the offices retail stores fransportation terminals other
Name	Title
Firm	
Address	
City	ZoneState



A factory-assembled wall panel in one foot modules . . . one that is self-sealing for life by mere installation. You never caulk it. And there are no visible outside joints or fasteners to mar the surface. This is Monopanl, the most unusual curtain wall. Tongue-and-groove joints with double vinyl gaskets provide the seal. The cross section sketch shown below tells the story.

Spanning ability is exceptional, as you can see from the configuration. Glass fiber insulation will not settle.

Beautiful Monopanl is furnished in a range of gauges. Exterior and interior faces can be specified in aluminum or galvanized steel. Choose from a selection of factoryapplied colors. Integral fenestration is available.

For further information refer to Sweet's 1960 Architectural File. For complete technical details and actual samples of Monopanl, contact your Butler Builder. He's listed in the Yellow Pages under "Buildings" or "Steel Buildings." Or write direct for a descriptive brochure and data sheets.



"See Sweet's Architectural File-Section 8-B"

Manufacturers of Metal Buildings • Equipment for Farming, Oil Transportation, Outdoor Advertising • Contract Manufacturing
Sales offices in Los Angeles and Richmond, Calif. • Houston, Tex. • Birmingham, Ala. • Kansas City, Mo. • Minneapolis, Minn. • Chicago, III.
Detroit, Mich. • Cleveland, Ohio • Pittsburgh, Pa. • New York City and Syracuse, N. Y. • Boston, Mass. • Washington, D. C. • Burlington, Ont. Can.



1960 A.I.A. Convention

continued from page 32 us that great things are never easy. They are as difficult as they are rare."

"Expanding Horizons"

The "professional program"—i.e., speeches and discussions aside from business—was this year arranged by a committee of the host (Northern California) chapter headed by John Lyon Reid.

Unquestioned high point was the address "Houses of Science" by Dr.

J. Robert Oppenheimer in which the noted physicist and director of the Institute for Advanced Studies at Princeton suggested that "a profession which spans the great arch from the techniques and sciences to the arts and the meanings and the hopes of man" may be especially sensitive to the increasing difficulty of communication among people increasingly isolated from each other by specialized traditions which multiply, in this scientific age, too often at the expense of the "common tradi-

tion" that should unite "the human community."

"It seems to me that the greatest hope I can express for your profession," Dr. Oppenheimer said, "is that you will find it possible to look with very wide angle lenses at the sites in which you are working. Ideally, perhaps, the city itself, the megalopolis or the province, and perhaps in reality, anyway at the very least in areas physically large enough to encompass what naturally meets the eye, what one sees in one vision. I think that this may promise the possibility of doing justice to the unique and intimate in the structures you design, that which makes them unlike any other, that which makes them works of art fit for their purpose at the same time that it bears a physical mark of the actual multiple relatedness of human institutions and of human lives, and that in recognizing this relatedness one will not lose but enhance the beauty of its inward, inner quality."

"Give Us a City!"

From Dr. C. Northcote Parkinson ("Political and Economic Horizons"), Raffles Professor of History at the University of Malaya and author of that insouciant best-seller "Parkinson's Law", came a plea for the revival of city life "as an effective background for intellectual discussion and constructive thought."

"If I dared speak for the intellectuals and artists of the world," said Dr. Parkinson, "I should say to you architects, 'Ours is an age in which the many rely more and more upon the abilities of the few. Give us a city in which we can live and work and argue and compete!"

If this seemed like an undemocratic subservience to the needs and wishes of a few eggheads, Dr. Parkinson remarked with careful impertinence, in today's world the Einsteins and the Marilyn Monroes may matter more than all the bankers and car salesmen who yearn for suburbia.

In conclusion, Dr. Parkinson cheerfully raked his hearers over the coals by listing the architect's temptations"—one, "to think himself a god"; two, "to use the word 'functional'"; three, "to read architectural journals" (so "all buildings look the same" and are designed not for the client but for publication).

continued on page 49



ARE ON THE PAYROLL

One of the outstanding advantages of an Autocall Property Protection System is the day-in-day-out savings... enough to pay off the initial cost in a short period of time. At the Fairbanks-Morse Beloit Works, Wisconsin for example, only half the normal security patrol personnel is required.

All trouble signals are automatically funneled into the Control Center. Here they are immediately printed (in plain English) on the Autocall-Howe Print Recorder, giving time, location and cause of the signal.

Automatic sensing devices are the "watchmen" of the system that detect and signal dangerous or irregular conditions. Signals are positive, non-interfering and successive. If two or more transmitters are actuated at the same time, each operates in its proper turn.

A money-saving system can be tailored to fit the size and nature of your property. Security personnel can be held to a minimum while protection can be brought to a high level. Get the full story. Phone, write or wire now.




FIRST IN PROPERTY PROTECTION

THE AUTOCALL COMPANY . SHELBY, OHIO . SALES OFFICES IN PRINCIPAL CITIES



No. C-720-W Single Horizontal UNITRON Closet Fitting and Carrier



No. C-715-W Double Horizontal UNITRON Closet Fitting and Carriers




No. 835-W Single Vertical UNITRON Closet Fitting and Carrier




No. C-858-W Single "Close" Vertical UNITRON Closet Fitting and Carrier




No. C-850-W Double "Close" Vertical
Offset UNITRON Closet Fitting
and Carriers



No. C-745-W Long Barrel Single UNITRON Closet Fitting and Carrier



No. C-011 Residential UNITRON Closet Carrier with vertical cast iron fitting



No. C-015 Adapter Type Residential UNITRON Closet Carrier for 3" standard brass drainage fitting

PORTRAIT OF COMPLETE SATISFACTION FOR EVERY TYPE OF WALL-HUNG FIXTURE

Josam Unitron Carriers are the choice companions to modern off-the-floor closets because they portray a "portrait of complete satisfaction" for every type of installation — commercial or residential! Because of their special design features that save installation time . . . save valuable space . . . and meet all construction requirements, they make the use of wall-hung closets more desirable than ever before! The facts showing why Josam Unitron Carriers are the most advanced in the field today are given in Manual F-2. Write for your copy now.



also for SINKS • HOSPITAL FIXTURES URINALS • LAVATORIES



JOSAM MANUFACTURING CO.

General Offices and Manufacturing Division MICHIGAN CITY, INDIANA REPRESENTATIVES IN ALL PRINCIPAL CITIES

West Coast Distributors
JOSAM PACIFIC CO.

765 Folsom Street

San Francisco 7, Calif.

Josam Products are sold through plumbing supply wholesalers.



Why so many Birmingham schools heat with LO-BLAST GAS burners

"With the style of architecture we want here in Birmingham, we find that it's more practical to have small gas-fired boilers in each school building rather than build a central plant and pipe heat to each building," says Mr. Fred J. Kelley, Business, Manager of the City Board of Education.

"That's one of the reasons why we specified Lo-Blast Power Gas burners for many of our new schools. These units adapt most easily to the boilers we use. What's more, they have a very good record here in Birmingham for safe, consistent performance plus low-cost installation and operation." Gas heating can give your schools safe, economical service—especially with the new Lo-Blast burners made by Mid-Continent Metal Products. For complete information, check with your local gas company's Heating Specialist, or write Mid-Continent Metal Products Co., 1960 N. Clybourn Ave., Chicago 14, Illinois.

AMERICAN GAS ASSOCIATION

Economite and Lo-Blast Power Gas Burners operate silently, cost less to install, are well suited for down-draft boilers, and are available in capacities from 70,000 to 20,000,000 BTU.

FOR HEATING GAS IS GOOD BUSINESS!

SHRINE OF THE IMMACULATE CONCEPTION, Washington, D. C.

The largest Roman Catholic Church in the Western Hemisphere

ARCHITECTS: Maginnis and Walsh and Kennedy, Boston, Mass.


ROOFING CONTRACTOR:

The J. Edw. Linck Sheet Metal Works, Philadelphia, Pa.

DOME:

Ludowici shingle tile full glaze blues, yellow, gray and red

LOWER ROOFS: Ludowici Special Tapered Mission tiles pans and covers reds, fireflashed buffs and browns



Roofs by Ludowici

FIRST METHODIST CHURCH POMPANO BEACH, FLORIDA

ARCHITECT:

Robert E. Hansen, Ft. Lauderdale, Fla.

ROOFING CONTRACTOR:

Broward Sheet Metal Works, Ft. Lauderdale, Fla.

ROOF:

Interlocking shingle light blue

LUDOWICI-CELADON COMPANY
75 East Wacker Drive - Chicago 1, Illinois





Newest expression in the fine art of creative construction / Designed to use Haskelite Building Panels

An outstanding architectural concept in fully exploiting the advantages of modern construction materials is shown above. This three-story office building, designed by the architectural firm of Begrow and Brown, would consist of a reinforced concrete structure with exterior panels and sash combined to form the curtain wall. Natural light is provided through transparent, tinted glass set into the panels.

Haskelite Curtain Wall Panels were incorporated in this design because they provide an exterior surface that is permanently insulated, moistureproof and corrosion-free . . . there is also the extra beauty appeal of facing color and texture. Haskelite panels are versatile, lightweight and exceptionally easy to handle on the job. A wide selection of panel facings (porcelain enamel, fiberglass, aluminum,

stainless steel, cement asbestos and others by request), and insulating and non-insulating core materials are available.

Since Haskelite Curtain Wall Panels require minimum upkeep, a substantial saving is made in over-all building maintenance. Detailed information will be sent you promptly if you simply address your request to:



HASKELITE MANUFACTURING

Master Laminators for over 40 years

HASKELITE

INSTITUTIONAL

ARCHITECTURAL DOORS







Now . . .

Particle-Boar

everything you need tailored to your needs!

Complete factory fabricating, prefinishing and prefitting of all standard and special size Haskelite doors are available per architectural specifications. This assures the architect greater freedom of design and simplification of installation.

In addition, all Haskelite doors are Thermo-Bonded using pressure and heat to assure maximum resistance to distortion . . . Quality-Controlled Unitized Frame Construction provides outstanding structural rigidity plus 100% adhesion at all points of contact with face . . . Velvetized Surface brings out the full natural beauty of Haskelite face veneers.

Light openings, louvers and door moldings are provided according to architectural specification or in accordance with Haskelite manufacturing detail list. Constructed weathertight. Available in solid or hollow core doors.

(See also Sweet's Architectural File 16c/Has.)



HASKELITE MANUFACTURING

DIVISION EVANS PRODUCTS COMPANY Grand Rapids, Michigan

The Record Reports

1960 A.I.A. Convention

continued from page 44


Of Hostility and Power


Dr. Morton White, professor of philosophy at Harvard University, and Dr. Wendell Bell, professor of sociology and anthropology at the University of California at Los Angeles, discussing "Philosophical Horizons" and "Sociological Horizons" respectively, found somber phenomena to report. Dr. White thought a certain feeling of disorientation on the part of the contemporary city planner and urban reformer might be at least partly accounted for by the long history of "highbrow hostility to urban life" in American literature from Jefferson on (and not forgetting Sullivan and Wright). And Dr. Bell warned of the "problem of power" in American democracy and asserted that a study of those occupying positions of power in public affairs in this country does not reveal a "proportionate representation" of various social groups.

Architect participants on discussion panels following each of the major speakers were: Sociological Horizons—Harry Weese, Henry D. Whitney and William W. Wurster; Technological Horizons—O'Neil Ford, Burnham Kelly and George Fred Keck; Political and Economic Horizons—Walter Netsch Jr., Robert E. Alexander and Maynard Lyndon; Philosophical Horizons—Louis Kahn, Lawrence B. Anderson and John MacL. Johansen.

Products Exhibit Winners

Award-winning booths for the 1960 Products Exhibition were selected as follows: for the effective manner in which it displayed its products-1. The American Brass Company, 2. E. I. du Pont de Nemours & Co., 3. Kaiser Aluminum & Chemical Sales, Inc., 4. Crane Company; for the outstanding attractiveness of its booth-1. Libbey-Owens-Ford Glass Company, 2. Cold Spring Granite Company, 3. Portland Cement Association, 4. American Air Filter Company, Inc., Herman Nelson School Air System. Jurors were Architects Raymond S. Kastendieck (chairman), William Cranston and Martin L. Beck.





Bethcon Galvanized Sheets used in 9,000-ton air conditioning system

The Chase Manhattan Bank's new main office building towers 810 ft into the lower Manhattan skies. Its 60 stories of office space were designed to house 15,000 workers in year-round, air-conditioned comfort.

The 9,000-ton system, believed to be the largest ever installed in a commercial office building, employs various shapes and sections of ductwork, including square and spiral, as well as specially fabricated risers like those shown above. Bethcon continuously galvanized steel sheets were used in all types of ducts.

Bethcon sheet steel is just right for this kind of sheet-metal work. Strong and rigid, it permits long spans with minimum support. Bethcon is neither too hard nor too soft, making shopwork easy and the end-product sturdy. Bethcon's zinc coating is second to none for its refusal to flake or peel off.

Steel For strength ...economy ...eye-appeal


Bethcon is available in a wide variety of gages, with either plain open hearth or copper-bearing (Beth-Cu-Loy) steel. Just get in touch with the nearest Bethlehem representative for whatever details you need.

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA.

Export Distributor: Bethlehem Steel Export Corporation

BETHLEHEM STEEL





The Chase Manhattan Bank Building, New York City. Architect: Skidmore, Owings and Merrill; consulting mechanical engineers: Jaros, Baum and Bolles; general contractor: Turner Construction Company; mechanical contractors: Raisler Corp. and Kerby Saunders, Inc., a joint venture; ductwork fabricated by National Sheet Metal Works, Universal Sheet Metal Corporation, and Carrier Corporation.



HAKO floor tile projects your texture ideas

Wood, glass, metals, stone . . . see for yourself how Hako tile works as the unifying design element between the surface characteristics of architectural materials . . . how Hako tile's infinite design possibilities readily adapt themselves to the

structural, aesthetic, and functional demands of the architect's original idea. For full specifications and information on Hako tile products, just drop us a note on your letterhead.

ASPHALT TILE . VINYL-ASBESTOS TILE . CORONET PLASTIC WALL TILE

HAKO, a product of MASTIC TILE DIVISION . The RUBEROID Co. . Houston, Tex. . Joliet, III. . Long Beach, Calif. . Newburgh, N.Y.



HA 43

141"Low!

NEW MODINE FAN-COIL UNITS PERMIT FULL-ROOM DECORATING


IN BUILDINGS WITH CURTAIN WALLS



MODINE LOW-BOY

HUNGHIONES

Special, nonstandard adaptations of the Low-Boy AIRditioner include provision for above-the-floor concealment of supply and return piping and for uninterrupted wall-to-wall installations. Because quantity, delivery and price are determined on an individual basis, please contact your Modine sales representative or write to the company.



No scaling · No drop-off in rated efficiency · No fuel waste · No on-the-job assembly · No complicated maintenance · No limitations on placement · Fully automatic · Copper heating surface

P-K SCALEFREE 230* is a unique rugged unit backed by P-K's 80 years of experience in building and designing quality water heating equipment. It heats water through hot intermediate distilled water. Transfer occurs below the temperature at which minerals that cause scaling precipitate. Efficiency remains unimpaired throughout service life. Linings of pre-Krete or copper are available

to keep the unit free of rust and corrosion regardless of water conditions.

SCALEFREE 230 features a new P-K gas burner. It operates at maximum practical efficiency. Yet it gives almost noiseless service—does not rumble or boom on startup. This permits location almost anywhere in office buildings, institutions, schools, motels, etc.

SCALEFREE 230 is a complete fully automatic package that can be quickly set in place, hooked up and checked out. It is available in more than 100 storage and recovery combinations. Storage capacities range from 250 to 4000 gallons. Recovery sections range from 390,000 to 2,215,000 Btu. Write for catalog with full information.

Patent pending



\$25.5 Billion for Schools in the Decade Ahead?—U.S. Sets Some Goals

Broad Criteria as well as Construction Needs Discussed at Washington Conference of Educators Called by Office of Education

National goals which would involve expenditure of an estimated \$25.5 billion for school construction over the next ten years were outlined by U.S. education officials and discussed by representatives of more than 100 national organizations concerned with education at a meeting convened in Washington in April by the Department of Health, Education and Welfare.

The goals were set forth in a new report prepared by the Department's Office of Education "to clarify the dimensions of a national problem in such a way as to determine the need for action," according to the foreword written by Lawrence G. Derthick.

General "Standards" Defined

The report laid down certain broad criteria for these school plant facilities that are needed in the decade ahead. Every school, it said, should:

- 1. Safeguard students and teachers against physical hazards.
- Provide ample protection for the health of the students and teachers.
- Provide adequate space and facilities properly arranged for the current and anticipated curricular program.
- Be sufficiently flexible to permit functional adaptation to an everchanging educational program.
- 5. Be economical in original cost and operation, and contribute to the operation of an economical program of construction.
- Have appealing esthetic values for students and teachers.
- Be properly located and designed to permit expansion to predetermined optimum sizes to care for anticipated increases in enrollment.

How Many Schools?

The report also dealt with requirements for school construction and teacher supply. For the construction of elementary and secondary schools, the national goal was outlined as follows:

"To complete a construction program during the five school years after 1958-59 which will supply satisfactory school housing for every public school child by the fall of 1964; and a construction program during the second five years of the 10-year period through 1968-9 to maintain the status of a satisfactory classroom for every child."

Attainment of this goal, the report said, will require the construction of some 607,000 classrooms during the 10-year period, 416,300 of them during the first five years; or, estimating in terms of 1959 purchasing power, a capital outlay of \$25.5 billion.

How to Do It

Falling just short of proposing any specific program for achieving the needs outlined, the introduction and summary of the findings on goals stated: "Capital outlay expenditures for schools are traditionally financed by issuing long-term obligations. If these same methods are used to finance the schools needed in the decade ahead, the total revenue that must be raised to provide these schools and to serve the debt already existing may be estimated at \$26.8 billion over the decade. Of this \$26.8 billion, about one-half is needed for debt service on classrooms already constructed by 1958-9."

The goals and proposals for their achievement must be considered on

their own, the report asserted. If the ends are held absolutely necessary, it added, there can be no political or economic issue as to whether means should be provided.

Changes That Spur Need

After outlining the familiar historical background influencing the current backlog of school plant needs, the report cited a number of additional considerations it said were closely related.


On top of the continuing enrollment increases, the reorganization of schools and school districts heightens the demands, particularly for high schools. These high schools, it was noted, should be large enough to permit a suitable curriculum offering and a proper class division at the highest grade offered.

Course offerings are continually expanding and are a heavy consideration in school plant needs. It is not unusual today, the report pointed out, to find libraries, handicraft shops, provisions for audio-visual education, and in some cases special art centers, even in the elementary schools.

Changes in methods of instruction were noted as additional influences. Instruction by teacher telling and pupil listening did not require much space; much more is required by the newer instructional methods which involve pupils working in cooperative groups combining participation and learning.

Other factors mentioned included school equipment requirements; increasing pupil mobility—movement from one district to another and from rural to city areas; school organizational patterns such as introduction of junior colleges, kinder-

continued on page 64



WOODGRAIN® RUBBER PLANKS

another exclusive style in

KENTILE° FLOORS

... especially designed to create an atmosphere of natural wood in combination with the quiet luxury and superior wearing qualities of rubber flooring. Available plain, or pre-pegged at factory in contrasting color of your choice. For color selection, call your Kentile Representative for samples, or consult Sweet's File.

In New York, visit the Kentile Floors Showroom: Suite 3119, 31st Floor, Empire State Building, 350 Fifth Avenue.


SPECIFICATIONS Size: $4^{\prime\prime}$ x $36^{\prime\prime}.$ Thicknesses: .080 $^{\prime\prime}$ and $^{\prime\prime}8^{\prime\prime}.$

* * *

Woodgrain Planks also available in Solid Vinyl. Woodgrain Tiles $(9'' \times 9'')$ available in Solid Vinyl, Vinyl Asbestos, Rubber, and Asphalt.

News about

B.F. Goodrich Chemical raw materials





Florida Power & Light Company uses anode racks made of Geon vinyl pipe manufactured by Colonial Plastics, Cleveland, Ohio, fabricated by Southeast Distributing Company, Miami. B.F.Goodrich Chemical Company supplies the rigid Geon vinyl. These photos show intake structure at Palatka plant on St. John River, one of many places anode racks of Geon are used.



FP&L fights underwater corrosion with anode racks of rigid GEON

Underwater steel structures corrode when they are attacked by ground currents. Florida Power & Light engineers solve the problem two ways. They reduce effect of ground currents with an opposing voltage, and they suspend anodes of magnesium to bear the brunt of any continuing flow. These anodes rest in frames made of rigid Geon pipe.

Vertical side frames are 11/4" Geon pipe and trays are open sections of 8" pipe. The only effect on the racks of Geon is the marine growth shown in the photo at upper right. This growth is easily washed off, as photo at lower right shows.

Here's another example of the way Geon vinyl can solve corrosion problems for utilities. As pipe, as conduit, or as coatings, you'll find Geon vinyl is often the answer to your corrosion problems. For more information, write Dept. GF-3, B.F.Goodrich Chemical Company, 3135 Euclid Avenue, Cleveland 15, Ohio. Cable address: Goodchemco. In Canada: Kitchener, Ontario.



B.F.Goodrich Chemical Company a division of The B.F.Goodrich Company



GEON vinyls . HYCAR rubber and latex . GOOD-RITE chemicals and plasticizers

Since HOPE'S 1818

STEEL WINDOWS HAVE THE STRENGTH AND RIGIDITY THAT NO OTHER WINDOW CAN MATCH



ACADEMY AVENUE ELEMENTARY SCHOOL, WEYMOUTH, MASSACHUSETTS

Coletti Brothers, Architects

Louis Proia Construction Co., Inc., Contractors

FOR THIS SCHOOL (twelve classrooms, offices, cafeteria and an all-purpose meeting room) the only available site was one broken by a steep ledge. To solve the problem of economical construction, while providing the best possible land use, the architects' design uses two stories on one side and one on the other. The long walls on both sides are Hope's

steel framed Window Wall units supporting Hope's Heavy Intermediate ventilator sash above porcelain enameled insulated panels. Their strength, rigidity and assurance of positive operation throughout the life of the building are the reasons why Hope's Windows and Window Walls are selected in school buildings that are planned with the greatest care.

Write for catalog No. 166.

HOPE'S WINDOWS, INC., Jamestown, N.Y.

THE FINEST BUILDINGS THROUGHOUT THE WORLD ARE FITTED WITH HOPE'S WINDOWS



Kim fountains range in size from single jet patterns to massive complex systems—utilizing electronically controlled water and light patterns synchronized to music.

Field engineering agents in every state and several foreign countries.

For catalogue on fountain kits and custom fountains-write:

KIM LIGHTING & MANUFACTURING CO., INC.

1467 North Lidcome Ave.

El Monte, California

garten and nursery schools and evening classes for adult work.

Washington Report

Finally, other trends creating demands for school plant improvement and change were said to include the community use of buildings for various activities and the introduction of new educational media such as TV and radio; the new stress on mathematics and science programs requiring new laboratories and teaching areas.

Three Reasons for Building

The new statement of classroom needs embraced three components of need—existing backlog, increased enrollment and current replacement.

Combining all three categories, HEW placed the total need at 607,600 classrooms during the decade, assuming a continuation of the 1955-57 birth rates. The increase in the total number of classrooms in service over the decade will approximate 370,000, it said. This is composed of the 308,000 rooms to be built for increased enrollment, plus some 60,000 classrooms included in the backlog to relieve overcrowding. (The number of rooms needed for increased enrollment is computed by allowing one room for each en-

LOOK...no repeat

GENERAL ELECTRIC CO De	pt. AR-60, Coshocton, Ohio
------------------------	----------------------------

- Please send Danish and Gunstock Walnut samples.
- (textured) (conventional)

Name______

Title_____

Address Zone State

Textolite announces 2 new woodgrain laminates especially suited for the surfacing of large areas

rollment increase of 30 in grades K-8 and one secondary classroom for each enrollment increase of 25 in grades 9-12.) The other factor in the backlog, replacement of unsatisfactory facilities, and the allowance for current replacement do not add to the total stock of classrooms in service.

But classroom construction in the last two years has averaged but 70,600 a year. If this rate were to continue (which is considered doubtful now) and if construction were redistributed among the states as needed, then a rate of 70,600 a year for five years would produce 353,000 classrooms, leaving a backlog of 63,000 rooms in the fall of 1964, the report noted.

Financing of construction was mentioned in a discussion devoted mainly to method. Cost aspects are being studied and it is hoped there will be firm recommendations by fall.

In discussing the report at the Washington meeting, Secretary of Health, Education and Welfare Arthur S. Flemming noted that it had been prepared by the Office of Education for discussion purposes. He said the Department would not determine the next step in "seeking consensus in this area" until results of the initial meeting had been thoroughly evaluated.



in over 5ft.





TX-9541



TX-9542

DANISH WALNUT GUNSTOCK WALNUT

Patterns shown are 1/6th actual size.

Exactly like the natural wood

General Electric introduces Danish and Gunstock Walnut with a distinct advantage to you. These patterns feature a non-repeating grain over a distance of 63 inches, making them ideal for quality desks, furniture, wall paneling. Each laminated woodgrain installation you design will have a still more realistic appearance.

These natural walnut woodgrains are also available in the revolutionary new G-E Textured Textolite. They look and feel like real wood, yet have the durability and ease of maintenance of a high-pressure melamine laminate.

Get all the details soon. Contact your nearest G-E Textolite distributor or sales representative. They're listed under PLASTICS in your Yellow Pages.

Progress Is Our Most Important Product



Coshocton, Ohio

Refer to Sweet's Architectural File 14a/Ge

the latest lighting advancement from ...



electric company

lighting unit to give you top operating performance from the amazing Quartzline lamp!

Only the Appleton Intenso "Quartzlite 500" is precision engineered to meet the lamp manufacturer's efficiency and operating standards for the new 500-watt, filament type, iodine cycle lamp.

Its new, compact design was specially developed for this powerful lamp to give you 19% greater, constant light output of 21 lumens per watt...and twice the average life of a conventional 500-watt lamp.

That's not all! For the first time, attractive lighting installations can be made in very small space areas - easily, economically. The special weatherproof unit design also puts light where you want it. Its extremely sharp cutoff-in a rectangular beam spread-eliminates the usual need for beam overlap, yet provides adequate, uniform light for innumerable applications indoors and out.

For increased lighting efficiency in Industry • Business • Recreation · Transportation, buy or specify the versatile Intenso "Quartzlite 500"...ideal for signboards, displays, outdoor sports, building security, mobile equipment, storage areas and many other uses.

WRITE TODAY FOR COMPLETE DETAILS



Sold through franchised distributors only

electric company 1701 Wellington Avenue, Chicago 13, Illinois

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEV NEW NEW NEW NEW NEW NEW NEW NEW NEW

NEW

NE'

NE


NEW NE

NEW

NEW

NEW NEV

NEW NEW



SOLIDLY IN PLACE





UNI-CHECK DOOR CLOSERS

Best suited - best situated for controlling singleacting interior doors.

Completely out-of-the-way and out-of sight, Unichecks make their presence known only by the consistent, gentle but firm way they close doors... or hold them open at a full 180° plus any one of five other specified positions—85°, 90°, 100°, 110°, or 120°.

For double acting light interior doors, RIXSON DUO-CHECKS offer the same advantages of rigid floor installation and complete concealment, and are available with or without 90° hold-open.

THE OSCAR C. RIXSON COMPANY


9100 w. belmont avenue • franklin park, illinois
CANADIAN PLANT: 43 racine rd. (rexdale p. o.) toronto, canada

4 spring capacities offer a choice of the right closer mechanism for the specific door weight and size, and to accommodate for unusual draft conditions.

pivotal hanging style puts the entire weight of the door on the closer spindle; places jamb screws at right angles to door opening leverage so that door is not apt to pull away from jamb.

for fire doors Uni-checks without hold-open are UL approved when equipped with special BB primed iron top pivot. Also UL approved when equipped with primed iron top pivot and No. 36 Fusible Link hold-open arm to hold door open at choice of 85°, 90°, 95°, 100° or 105°.

write for complete information and template details



Concrete "pleats" and precast "lace" create a temple of delicate beauty



From the air, it's a lacy, shimmering fan. Congregation B'nai Israel Synagogue of St. Petersburg, Fla. Architect: Frank G. Bonsey, St. Petersburg. Structural Engineer: Joseph C. Russello, Tampa, Fla. General Contractor: R. M. Thompson Company, Clearwater, Fla.

Only concrete could have inspired it. The serrated roof line and sunscreen façade bring to this contemporary house of worship a stimulating, yet reverent beauty.

And despite its dainty, fragile look, the structure is built to endure. All of concrete's lasting strength is there.

Today's architects find the versatility of concrete gives endless opportunity for structural design that is economically practical and dramatically different.

PORTLAND CEMENT ASSOCIATION

A national organization to improve and extend the uses of concrete

Sparkman Bill Would Encourage Advances in Housing Design

The Federal Housing Administration is willing to undertake a limited program of insuring mortgages on housing incorporating new and untried materials and methods if Congress will give it authority to do so.

This was brought out last month in testimony before the Senate housing committee. As the law now reads, the agency cannot insure mortgages involving construction based on materials, design or building methods that have not been tested and proved to be acceptable. This is because of statute wording that employs the phrases "economically sound," and "acceptable risk."

The explanation was given the subcommittee by FHA Commissioner Julian T. Zimmerman, who said that in addition, the plan would be inconsistent with the mutuality provisions of Section 203. Commissioner Zimmerman was testifying on a provision in the new bill of Senator John J. Sparkman (D-Ala.), subcommittee chairman, which would compel the agency to give "careful and sympathetic consideration" to the insurance of mortgages on homes using advanced design and techniques—design and techniques that would reduce cost without sacrificing quality or livability.

FHA Pledges Support

The witness left no doubt that the agency is in accord with the Sparkman proposal, and would support a limited program along these lines. He suggested that such authority should limit the aggregate amount of insurance on such homes and provide that expenses of the program would not be charged to the Mutual Mortgage Insurance Fund.

There was agreement that no program exists now to permit technical advances, developed either by government or industry, to be tried on an experimental basis in full scale housing.

FHA Takes Lenient Policy on Nursing Home Program

The Federal Housing Administration has adopted a lenient policy in its administration of the new nursing home program.

The amendment covering this activity provided for the insurance of loans to proprietary nursing homes—privately owned homes operated for profit. Thus FHA cannot accept applications under this plan for mortgage insurance from non-profit groups or municipally-owned homes. They would get assistance through the Hill-Burton program administered by the U. S. Public Health Service of the Department of Health, Education, and Welfare.

FHA says Congress was very definite in indicating its desire that the two agencies—FHA and U. S. Public Health—should not overlap in administering the aid.

Local Initiative Encouraged

FHA has instructed its field offices that applications will be accepted continued on page 324



"We bank on Gulistan,"

says WALTER R. WILLIAMS, Jr., President, Union Dime Savings Bank, New York, N. Y.



Main office, Union Dime Savings Bank. Custom carpet by Gulistan Design Department. Carson and Lundin, New York, Architects.

"Six years ago, we said: Wall-to-wall carpeting for the depositors, not just the vice-presidents! And we opened our new 39th Street branch with Gulistan Carpet in the whole banking area—the first bank in town to take such a step.


"Naturally, we chose Gulistan again when it was time to cover the floors of our new main office. With Gulistan economy and lasting luxury, we'll always bank on Gulistan Carpet!" With all these advantages—beauty, long wear, mothproofing, soundproofing, safety—Gulistan needs so little care it cuts costs of floor maintenance up to 50% over other kinds of flooring. In limitless colors and original designs. Ask your Gulistan dealer about them. Or let us work out a one-of-a-kind design carpet for you.

More distinguished banks, hotels, restaurants, theaters, choose Gulistan than any other carpeting.


Write: Commercial Department AR-6, A. & M. Karagheusian, Inc., 295 Fifth Avenue, New York 16, N. Y.




START OF TEST LOADING on two 80-foot prestressed girders. Each contains 26 Leschen Prestress Strands under tension.



153-TON LOAD—more than four times design load. Deflection was 24 inches with no failure of concrete or strand. Test made for acceptability of 1400 girders for South Vietnam construction project.




LOADS REMOVED—approximately 85% recovery of deflection immediately. Only hairline cracks evident. Designer—Capital Engineering Corp.; General Contractor—Johnson, Drake & Piper of Vietnam, Inc.; Technical Assistance—Freysinnet Co., Inc.



TALK WITH A NEARBY PRODUCER OF PRESTRESSED CONCRETE

He can discuss technical problems, point to examples of prestressed construction in your area, and advise on costs and delivery of beams from his yard.



OR WRITE LESCHEN

Leschen supplies producers with the tensioning material—prestress strand. To insure uniform production of highest quality tensioning steel, Leschen has installed the world's newest and most modern wire milland other specialized equipment. Write for literature giving typical uses and engineering data.

Leschen Wire Rope Division, H. K. Porter Company, Inc., St. Louis 12, Missouri.

PRESTRESSED BEAM WITHSTANDS 4X DESIGN LOAD!


Prestressed concrete is unique. Its properties are a delight to creative architects and engineers. Thinner sections, longer spans, lower depth-to-span, longer cantilevering without ballast beams, reduction in weight, economy, architectural beauty. These and other advantages are a challenge to creative designers.

LESCHEN WIRE ROPE DIVISION



H. K. PORTER COMPANY, INC.

PORTER SERVES INDUSTRY with steel, rubber and friction products, asbestos textiles, high voltage electrical equipment, electrical wire and cable, wiring systems, motors, fans, blowers, specialty alloys, paints, refractories, tools, forgings and pipe fittings, roll formings and stampings, wire rope and strand.



HUNTINGTON CONCRETE SEAL

eliminates the problems of dusting, staining and blooming . . . assures proper curing!

Without waiting or etching, you can apply Huntington Concrete Seal as soon as the concrete sets. It slows drying and assures better curing.

On new or old concrete, Huntington Concrete Seal seals the pores with a permanent, colorless film. Won't wrinkle, check or chip; prevents discoloration from improper cleaning methods or chemicals. Exceedingly durable, impervious to water, unaffected by alkalies or alkali salts. Eliminates blooming and dusting.

Specify a floor finishing job which will serve your client well for many years. Ask your Huntington representative, the Man Behind the Drum, for his assistance with concrete finishing and maintenance problems. His help is yours without obligation.

HUNTINGTON

... where research leads to better products

Huntington Laboratories, Inc. Huntington, Indiana

Please send me details and specifications on Huntington Concrete Seal.

Have representative call.

TITLE

Please tear out this coupon and attach it to your firm letterhead for more information.









St. Joseph's Hospital, South Bend, Ind. Architect: Schmidt, Gardner & Erickson, Chicago, III.

when your project involves a laundry department...



Planning and equipping laundries is our business at American. We provide architects an all-encompassing service that includes survey engineering, detailed plans and specifications, supervision of equipment installation, training of operating personnel, and most important, nationwide service facilities to guarantee your client continuous fine performance of all laundry equipment.

Rely on this experience which has proved itself in hundreds of successful installations. When your project involves a laundry department . . . call your nearby American office or representative (listed in the yellow pages), or write our Cincinnati office for complete information.



The American Laundry Machinery Company, Cincinnati 12, Ohio

HOW BIG IS BIG

Functional Fabrics "BIG" is the most in decorative fabrics. Enough yardage in stock to cover miles and miles, and miles, of institutional wall area. Functional Fabrics "BIG" is the least in fabric prices. Low enough for the most restricted contract budget. Functional Fabrics "BIG" is the widest range of style, fiber, color and pattern you can command for your needs.



If your needs are contract, and reasonably "BIG," write: Functional Fabrics Inc. An Affiliate of Kandell Industries. Estab. 1925. 261 Fifth Ave., New York 16, New York



We specially feature FIBERGLAS Fenestration Fabrics in prints, solids, textures for heat and sun glare control.

Construction Cost Indexes

Presented by Clyde Shute, Director of Statistical Policy, Construction News Div., F. W. Dodge Corp., from data compiled by E. H. Boeckh & Assoc., Inc.

Labor and Materials: U.S. average 1926-1929=100
NEW YORK ATLANTA

			OFFICE BLDGS.	FACTORY BLDGS.		RESIDENTIAL		APTS., HOTELS,	COMMERCIAL AND	
	KESID	ENTIAL	Brick	Brick Brick		KESIDENTIAL		OFFICE BLDGS. Brick	FACTORY BLDGS. Brick Brick	
			and	and	and			and	and	and
PERIOD	Brick	Frame	Concrete	Concrete	Steel	Brick	Frame	Concrete	Concrete	Steel
1930	127.0	126.7	124.1	128.0	123.6	82.1	80.9	84.5	86.1	83.6
1935	93.8	91.3	104.7	108.5	105.5	72.3	67.9	84.0	87.1	85.1
1939	123.5	122.4	130.7	133.4	130.1	86.3	83.1	95.1	97.4	94.7
1948	250.1	251.6	239.4	242.2	235.6	199.2	202.5	178.8	178.8	178.8
1949	243.7	240.8	242.8	246.6	240.0	189.3	189.9	180.6	180.8	177.5
1950	256.2	254.5	249.5	251.5	248.0	194.3	196.2	185.4	183.7	185.0
1951	273.2	271.3	263.7	274.9	271.8	212.8	214.6	204.2	202.8	205.0
1952	278.2	274.8	271.9	265.2	262.2	218.8	221.0	212.8	210.1	214.3
1953	281.3	277.2	281.0	286.0	282.0	223.0	224.6	221.3	221.8	223.0
1954	285.0	278.2	293.0	300.6	295.4	219.6	219.1	233.5	225.2	225.4
1955	293.1	286.0	300.0	308.3	302.4	225.3	225.1	229.0	231.5	231.8
1956	310.8	302.2	320.1	328.6	324.5	237.2	235.7	241.7	244.4	246.4
1957	318.5	308.3	333.1	345.2	339.8	241.2	239.0	248.7	252.1	254.7
1958	328.0	315.1	348.6	365.4	357.3	243.9	239.8	255.7	261.9	262.0
1959	342.7	329.0	367.7	386.8	374.1	252.2	247.7	266.1	272.7	273.1
Jan. 1960	346.9	333.9	372.6	389.8	378.3	256.8	252.0	272.2	279.0	278.6
Feb. 1960	348.8	335.1	374.0	391.1	379.7	259.5	254.2	274.9	281.3	281.0
Mar. 1960	348.8	335.1	374.0	391.1	379.7	258.1	252.8	273.1	279.9	279.6
	% increase over 1939					% increase over 1939				
Mar. 1960	182.4	173.8	186.1	193.2	191.8	199.1	204.2	187.2	187.4	195.2

ST. LOUIS				SAN FRANCISCO						
1930	108.9	108.3	112.4	115.3	111.3	90.8	86.8	100.6	104.9	100.4
1935	95.1	90.1	104.1	108.3	105.4	89.5	84.5	96.4	103.7	99.7
1939	110.2	107.0	118.7	119.8	119.0	105.6	99.3	117.4	121.9	116.
1948	227.9	231.2	207.7	210.0	208.1	218.9	216.6	208.3	214.7	211.
1949	221.4	220.7	212.8	215.7	213.6	213.0	207.1	214.0	219.8	216.1
1950	232.8	230.7	221.9	225.3	222.8	227.0	223.1	222.4	224.5	222.6
1951	252.0	248.3	238.5	240.9	239.0	245.2	240.4	239.6	243.1	243.1
1952	259.1	253.2	249.7	255.0	249.6	250.2	245.0	245.6	248.7	249.6
1953	263.4	256.4	259.0	267.0	259.2	255.2	257.2	256.6	261.0	259.7
1954	266.6	260.2	263.7	273.3	266.2	257.4	249.2	264.1	272.5	267.2
1955	273.3	266.5	272.2	281.3	276.5	268.0	259.0	275.0	284.4	279.6
1956	288.7	280.3	287.9	299.2	293.3	279.0	270.0	288.9	298.6	295.8
1957	292.0	283.4	295.2	307.1	302.9	286.3	274.4	302.9	315.2	310.7
1958	297.0	278.9	304.9	318.4	313.8	289.8	274.9	311.5	326.7	320.
1959	305.4	296.4	315.0	329.8	323.9	299.2	284.4	322.7	338.1	330.1
Jan. 1960	308.0	298.9	318.4	333.4	327.6	304.7	289.2	329.5	345.6	335.
Feb. 1960	310.9	300.6	320.8	335.5	330.5	306.1	290.6	332.7	347.8	339.9
Mar. 1960	310.5	300.2	320.3	335.1	330.1	304.9	289.4	331.2	346.6	338.7
	% increase over 1939					% increase over 1939				
Mar. 1960	181.8	180.6	169.8	179.7	177.4	188.7	191.4	182.1	184.3	190.7

Cost comparisons, as percentage differences, for any particular type of construction, are possible between localities, or periods of time within the same city, by dividing the difference between the two index numbers by one of them; i.e.:

index for city A=110index for city B=95(both indexes must be for the same type of construction). Then: costs in A are approximately 16 per cent higher than in B.

$$\frac{110 - 95}{95} = 0.158$$

Conversely: costs in B are approximately 14 per cent lower than in A.

$$\frac{110 - 95}{110} = 0.136$$

Cost comparisons cannot be made between different types of construction because the index numbers for each type relate to a different U. S. average for 1926-29.

Material prices and wage rates used in the current indexes make no allowance for payments in excess of published list prices, thus indexes reflect minimum costs and not necessarily actual costs.



New Architectural Uses for Aluminum Grating

Here . . . new applications for aluminum grating . . . exacting installations where quality equal only to BORDEN'S will do:

- This shows BORDEN aluminum grating used in a system of drain trenches throughout Mellon Square Park, Pittsburgh, Pennsylvania.

 Architects: Mitchell and Ritchey, Pittsburgh, Pennsylvania
- BORDEN pressure-locked type grating, of gold-anodized aluminum, forms the facade of this dramatic new structure. The Congregation Beth El Synagogue, South Orange, New Jersey.
 Architects: Davis, Brody and Wisniewski, New York, New York
- 3 BORDEN pressure-locked aluminum grating fabricated as foot scrapers for use at a school in East Orange, New Jersey.


 Architect: Emil A. Schmidlin, East Orange, New Jersey
- 4 BORDEN pressure-locked aluminum grating used for maintainence-free fencing at J. L. Hudson's Northland Shopping Center, Detroit, Michigan.

 Architect: Victor Gruen & Associates, Detroit, Michigan
- 5 Sunshades of BORDEN pressure-locked aluminum grating permit passage of light and air while screening strong sunlight at the Lone Star Gas Company Office Building, Dallas, Texas.

 Architect: George L. Dahl, Dallas, Texas

BORDEN METAL PRODUCTS CO.

MAIN OFFICE: 822 GREEN LANE, ELIZABETH, NEW JERSEY • Elizabeth 2-6410
PLANTS AT: LEEDS, ALABAMA; UNION, N. J.; CONROE, TEXAS; BEETON, ONTARIO, CANADA



BRINGS YOU A NORMAL CEILING HEIGHT BAFFLE WITH FLOATING CONICAL ACTION

- CONTROLLED 360° SOUND COVERAGE RUGGED, LIGHTWEIGHT, ATTRACTIVE
- SURFACE MOUNTING CONCEALS SPEAKER EASILY AND QUICKLY INSTALLED

LOWELL TYPE BL baffles are designed to enclose and conceal the speaker without the necessity of cutting into the ceiling. They are ideal for use in hotels, restaurants, department stores, cocktail lounges or any other normal height ceiling areas. Constructed of spun aluminum. Quickly installed flush to the ceiling with just four toggle bolts.

FIVE MODELS TO CHOOSE FROM—For use with speakers 6" to 12"

WRITE TODAY FOR COMPLETE, ILLUSTRATED CATALOG



LOWELL MANUFACTURING COMPANY
3030 Laclede Station Road St. Louis 17, Missouri

IN CANADA: Atlas Radio Corp., Ltd., 50 Wingold Avenue, Toronto 10, Ontario



David Flett DuPont Athletic Center. Massachusetts Institute af Technology, Cambridge, Mass. Architects: Anderson Beckwith and Haible, Builders: George A. Fuller Co. Photo: Shaw Studios / Boston.

Lightweight VOIDED Concrete Slabs are more Economical

Lightweight, structurally strong concrete slabs may be designed by displacing low-working concrete with Sonovoid Fibre Tubes. Such voids reduce the dead load in the slab as well as the amount of concrete and reinforcing steel required...for economy in construction!

Additionally, in buildings and bridges, the reduced weight means savings in foundations and supporting members.

Sonoco Sonovoid Fibre Tubes are specifically designed to form voids in floor, roof, and lift slabs, bridge decks, and in precast, prestressed members. They are lightweight, easily handled and placed, and save contractors and owners time, labor, materials, and money.

Sonovoid Fibre Tube sizes range from 2.25" to 36.9" O.D., in standard 18' lengths or as required. Can be sawed...end closures available.

See our catalog in Sweet's

For complete information, slab design tables, and prices, write

SONOCO
Construction Products 479

SONOCO PRODUCTS COMPANY, HARTSVILLE, S. C. . La Puente, Calif. . Fremont, Calif. . Montclair, N. J. . Akron, Indiana . Longview, Texas . Atlanta, Ga. . Brantford, Ont. . Mexico, D. F.

Best Foot Forward

EXHIBITION AND DISPLAY. By James Gardner and Caroline Heller. F. W. Dodge Corporation, 119 W. 40th St., New York 18. 190 pp., illus. \$13.75

BY MARJORIE B. NOYES

Fairs, festivals and exhibitions have enjoyed an unprecedented revival in the past decade. Large and small, they have descended on the earth from Boston to Baghdad—demonstrating everything from cows to atoms. Local folk have embarked on their production with as much enthusiasm, if not skill, as the most highly trained technicians and designers employed by the Federal government. Exhibitions and fairs have become as much a tool of national propaganda as have traveling statesmen.

Whatever the size, locale or subject of exhibits—whether world's fairs, museums or store displays—their most important ingredient is the people viewing them. The viewer's comprehension, pleasure and comfort are absolutely necessary for a successful showing. Therefore, while a designer of exhibits must, of course, think of esthetics and techniques, he must always think of them in relation to the movement, observation and intelligence of the people who will be the viewers.

In the beginning pages of Exhibition and Display, the authors sum up the problem quite neatly: "Obviously no formula for successful exhibition design is ever going to be found in the clichés of yesterday, today or tomorrow. Successful exhibition design is not, and never can be, a matter of applied formula, and a lot of misunderstanding would be avoided if it were not discussed in such terms. In practice, exhibition design is an empirical process with no one infallible answer to any problem. But it is also an essentially practical business, concerned with the relationship between things being shown, the people that are to look at them and the lighting, structure, arrangement, lettering and color that are to achieve

the desired effect in the simplest and most pleasant way."

And so, on this basis, authors Heller and Gardner have presented a book that thoroughly details every phase of exhibition design-beginning with a discussion on what exhibition can and cannot do and departing into the details of displaying goods, circulation and stand layout, lighting, special effects, planting, features, goods and services, ideas and information, museum exhibition and traveling exhibitions. They wind up this thoroughly interesting lesson with a critical look at the Brussels Fair and seven pages on procedure that any and all involved in the preparation of an exhibition will find an invaluable guide.

Each section and sub-section of the book is generously supplied with photographs of familiar recent fairs, exhibitions, store displays and museum exhibits as well as diagrammatical sketches. The illustrations are chosen not as a review of current style in display nor as a collection of the best work by the designers—but rather to illustrate the points taken. They are all accompanied by sharp critical judgment.

The sense of excitement that is inherent in the very subject of exhibition and display is conveyed throughout the book. The primary function of an exhibit is, after all, to excite the viewer about the display-be it an ancient painting, a new kind of cattle, the miracles of the atom or a new dress design. Today, there are enormous possibilities ahead in a field that is basically experimental to begin with. The possibilities lie not so much in the layouts, structure and display arrangements as in the technical application of sound, animation and controlled lighting. There is a wealth of exciting possibilities at hand-but too few designers with daring and imagination to break the static barriers set up by tradition.

In his introduction to Exhibition and Display, James Gardner speaks of the discursive and rambling treatment of the subject. To the contrary, this reviewer found the book very well organized, superbly illustrated and, above all, interesting and highly informative.

It is evident from their achievements that the authors are well equipped to present such a volume. Miss Heller, a specialist in science and technology, was responsible for scientific fact finding and script writing for the British Pavilion at the Brussels Fair. Mr. Gardner is a leading designer noted primarily for his 1951 South Bank Exhibition in London, the first Edinburgh Festival and the British Pavilion at the Brussels Fair.

Exhibition and Display should be required reading for architects designing stores and museums and an absolute MUST for anyone involved in preparing exhibits.

The Modern Marketplace


SHOPPING TOWNS USA: THE PLANNING OF SHOPPING CENTERS. By Victor Gruen and Larry Smith. Reinhold Publishing Corp., 430 Park Ave., New York 22. 288 pages, illus. \$13.50.

Beginning with a historical sketch on the evolution of the contemporary shopping center—both suburban and urban—and running through the entire process of shopping center planning, design and early operation, this is the most comprehensive treatment of the subject we have seen. It is written with an air of competence and authority; is generously illustrated with photographs, drawings, sketches, and charts; and has been put together in attractive format.

Following the historical prologue, there is a six-chapter section on prerequisites, which explains the role of the developer, discusses location, site selection, zoning problems, tenants, rentals, and financing. We suspect Mr. Smith had much to do with this section, which is informative and interesting, but which, unfortunately, fails to give us actual figures on actual projects.


continued on page 88

Cut Capital And Annual Costs With



Robertson Q-Air Floor system

... increase air conditioning efficiency and save construction money



Simplified cross sections of ceiling-to-floor-above areas show old way left and Q-Air Floor right. Average compaction is one foot.

Basically, Q-Air Floor is an outgrowth of Robertson Q-Floor, the quarter-century-old cellular steel subflooring system which provides quick, efficient construction and continuous wiring raceways in more than 15,000 buildings. Within its own thickness, and without disturbing the 2-foot module of standard Q-Floor, the new system provides pairs of wide structural cells for use in connection with dual-duct, high-velocity air conditioning. These load-bearing cells are adapted by the air conditioning contractor to transport air from horizontal supply ducts to mixing units for discharge into the room.

The advantages of Q-Air Floor are threefold. The system includes the exclusive and patented Robertson Aerator, a mixing device with a seasonal changeover feature which keeps blower power at 65% of capacity except during peak summer load. Yearly power cost can be reduced as much as 30%. Since Q-Air Floor saves an average of a foot in depth per floor section, as much as 5% in building material cost can be saved—depending on the rise of the building. And this compaction inevitably results in up to an 11% reduction in overall BTU requirements.

Robertson

Q-AIR Floor

H. H. Robertson Company

2404 Farmers Bank Building, Pittsburgh 22, Pa.


In England—Robertson Thain Ltd., Ellesmere Port, Cheshire
In Canada—Robertson-Irwin Ltd., Hamilton, Ontario • Edmonton, Alberta

Use the coupon for further information about this revolutionary system—already in successful use in a number of splendid buildings.



NAME____TITLE____
COMPANY_____
ADDRESS_____

CITY____STATE___



"Copper DWV Lines make possible a quality job at No Extra Cost...

While grease test proves copper best . . . stoppage nil"

Continued Mr. Tatro, "If you have any doubts as to the quality of the job you can turn out with DWV copper water tube for the same amount of money as rustable lines, you should have seen the Capehart Housing Project at Ft. Monmouth, N. J.

"We would have been able to show you how men, with practically no experience in working with copper tube on the job site, or prefabricating it in the shop, were able to turn out the best quality job possible at the same price as rustable material.

"The pictures shown here can tell you better than I the many time-saving advantages of working with DWV. And speaking of DWV I'd like to point out one thing: after ten years with copper, we have found stoppage of kitchen sinks, where copper drainage lines had been used, to be nil. Make the test shown at right; you'll soon see why.

"Another thing I'd like to add: a copper installa-

tion is made to last, and it does.'

You, too, will find that it costs no more (often less) to install a 100% copper job, than it does

to use rustable pipe.

Engineers, contractors, home builders and architects have also found that copper water tube is equally important for use in air conditioning lines, radiant panel heating; oil burner and processing lines. It's also important that you specify a particular brand . . . Revere—oldest name in copper.

REVERE COPPER AND BRASS INCORPORATED



Founded by Paul Revere in 1801 Executive Offices:

230 Park Ave., N. Y. 17, N. Y.

Mills: Rome, N. Y.; Baltimore, Md.; Chicago and Clinton, Ill.; Detroit, Mich.; Los Angeles, Riverside and Santa Ana, Calif.; New Bedford, Mass.; Brooklyn, N. Y.; Newport, Ark.; Ft. Calboun, Neb. Sales Offices in Principal Cities. Distributors Everywhere.

PICTURES TELL THE MONEY-SAVING STORY OF REVERE COPPER WATER TUBE & DWV

1. CAPEHART HOUSING PROJECT—U S. Army Base, Ft. Monmouth, N.J., where 27,320 ft. of Revere Copper Water Tube were used for hot and cold water lines, drainage, waste and vent lines, in 130 units, 33 buildings.

 SHOP PREFABRICATION—means non-leak joints under ideal working conditions with jigs speeding up operations and making multiple bends a cinch. Saves installation time.

3. DWV "TREES" can be prefabricated too, because even the long lengths are so light one man can handle with ease.


4. ONE MAN and a pick-up truck can load and unload all the materials and prefabricated sections needed for a full day's work, in a matter of minutes.

5. 2 PLUMBERS and a helper, in one day, installed all the plumbing and drainage lines to complete 2 houses a day, each building having 4 apartments. Think of all the time involved if threaded pipe and fittings had been used.

6. WITH prefabricated sections, plumbing and DWV lines can be roughed in at the same time framing is put in place.

7. GREASE TEST PROVES COPPER DOES NOT CLOG as does rustable pipe. Both copper and ferrous pipe (2") were lined with 3 oz. of lard. Then, 140° F. water was run through both simultaneously using a "Y" fitting. The lard left the copper tube within 8 seconds due to high conductivity of copper, the low mass and its gun-barrel smoothness... with no trace of residue. It took 29 seconds for the lard to leave the ferrous pipe. Note residue. It doesn't take long for grease to pile up in amounts sufficient to cause clogging when drainage lines are ferrous pipe. Photos are unretouched. Arrow points to lard leaving copper tube.

General Contractor: B. J. LUCARELLI, Newark, N. J. Revere Dist.: KANTOR BROS., Inc., Newark, N. J.



"STANDARD" FOR RELIABLE FASTENING TO STEEL OR CONCRETE



Ramset®Fastening System

OLIN MATHIESON • WINCHESTER-WESTERN DIV. • 301-F WINCHESTER AVE. • NEW HAVEN 4, CONN.

Required Reading

continued from page 84

The Modern . . .

The next section is concerned with the planning and design process, and is notably complete. Its eleven chapters cover considerations of site, environment, traffic, merchandising, future additions, time schedules, the planning team, engineering, leasing and budgeting. The section ends with a group of case studies from various sources.

The final chapters deal with the completed center—its opening, promotion, publicity, uses of public areas—and present some ideas and schemes for the future. There is a useful bibliography at the end of the book.

Altogether, this appears to be the definitive book on the subject to date, and will probably become a must for all those persons seriously interested in the retailing environment.

-JAMES S. HORNBECK

New Listing of Materials

1960 BUILDING PRODUCTS REGISTER A.I.A. The American Institute of Architects, 1735 New York Ave., Washington 6, D. C. By subscription: \$25 annually.

This is the first issue of a planned yearly series of building product listings intended to give equivalent comparative data as an aid to preselection of materials. This year's Register has "over 1300" product references in its 378 pages.

The Register consists of two major parts: the product listing sections occupy a total of 238 pages; each section is followed by several pages of abstracts of industry and government standards and specifications, short summaries and listings of reference material. In the front of the book is a three-page directory of technical organizations which develop standards and specifications. The book is divided into 17 sections organized in part according to the basic product category index of Sweet's Architectural Catalog File, which contains 35 product classifications. Mechanical equipment is not included in the Register.


Format of the 8½-in.-high by 10¾-in.-wide by 1-in.-thick book continued on page 368

Low Cost Insurance Program **Protects Original Drawings** From Loss or Damage

Have you ever thought what would happen if your company's original drawings were lost or damaged? How much trouble and expense would be involved to replace them? Many companies are adopting a simple "insurance" program to meet just such a problem . . . a program which requires neither expensive new equipment or radical adjustments of established procedures. The program consists of two parts. First, recognizing the cost of any drafting medium is always an infinitesimal part of the investment in a finished drawing, the companies standardize on the drafting medium which affords their original drawings maximum life. Second, they institute the policy that original drawings must be used only as masters, that all printmaking must be done from duplicate originals of the masters.

The perfect answers to both these needs are Dietzgen polyester drafting film for all original drawings, and Dietzgen diazosensitized polyester film for duplicate originals! Dietzgen's polyester film is so tough it cannot be torn. Its crystal-clear transparency is permanent . . . never fogs or yellows. It's dimensionally stable; insensitive to temperature, humidity, acids or alkalines. The drawing surface of Dietzgen's polyester drafting film is unexcelled ... accepts pencil or ink perfectly; erasures are smudge-proof and ghost-free. Inexpensive duplicate originals are quickly produced in any desired quantity by contact printing the original drawing on Dietzgen's diazo-sensitized polyester film. The images developed are exact duplicates of the original . . . uniform and permanent to provide the finest reproducibles attainable.

NEW PRINTED-ELEMENT DRAFTING TECHNIQUE CUTS DESIGN COSTS 66%



Printed-element drafting ends tedious redrawing of repeated elements . . . produces accurate reproducibles in record time.

The regional engineering office for a large oil company employed 15 draftsmen to prepare construction plans for new filling stations. Investigation of their drafting procedures revealed the majority of 'board-time" was consumed redrawing, in varied combinations, the basic elements such as pump islands, hoists, and rest rooms, used in each station. Redrawing of the repeated station elements was tedious work and wasted valuable man-hours. Dietzgen solved this problem by recommending a new printed-element drafting technique utilizing Dietzgen's diazosensitized, adhesive-backed polyester

drafting film. Duplicate originals of all repeated station elements are now printed on the Dietzgen film medium. The draftsman simply selects the proper elements for each station, mounts them on a sheet of Dietzgen polyester drafting film, and the plan is 75% complete without drawing a line! The finished drawing is a hightransparency reproducible, ready to produce any number of prints.

Today, five draftsmen handle the entire work load. The cost of station design has not only been slashed 66%, but the other ten draftsmen have brought the department's backlog down to a desirable level. Service to other departments has been greatly improved too; and rush jobs are handled on a basis never before possible.

Printed circuits and plant layouts are other design activities where Dietzgen's printed-element drafting has been used with amazing cost-cutting, time-saving success.

Drafting-Printmaking Booklet reports new techniques for solving engineering and production problems

This new 36 page booklet describes a wide variety of engineering and production problems that have been solved with advance techniques in drafting and printmaking pioneered by Dietzgen. The concise, problem-solution approach suggests ways in which you may improve the effi-

ciency within your engineering department or eliminate production bottlenecks. Write today on your company letterhead for the Mechanics of Modern Miracles. Ask for Publication SPD2-F42.

Eugene Dietzgen Co., Chicago 14, Illinois



Magnifique! (Pronounced Mah-ni-FEEK)

STYLED TO THE MODERN ARCHITECT'S STANDARDS!

Today's architecture has set new standards for product design.

Now for your next home or apartment building, In-Sink-Erator has created a beautiful new, different, and better line of Garbage Disposers . . . the Gold Comet, Silver Star, Saturn, and Mark 27. We firmly believe they are the finest ever made, featuring exclusive automatic reversing action . . . exclusive self-service wrench . . . exclusive miraculous Polystyrene sound absorbing inner-liner . . . 5 year warranty. You will find In-Sink-Erator is the most wanted "built-in" you can specify.

For fully illustrated literature or to have an In-Sink-Erator representative bring full information on the magnificent new In-Sink-Erator line, write to In-Sink-Erator Manufacturing Co., Racine, Wisconsin.

Flash! SPECIAL INTRODUCTORY OFFER!

Limited time only! Special professional offer to architects for your personal use. Act fast! Write today to In-Sink-Erator Manufacturing Co., Racine, Wisconsin.

This ad appears in glorious color in full pages in Vogue, Look, Reader's Digest, Saturday Evening Post, Sunset.





Newl Exclusivel Mirac-ulous Polystyrene inner-liner achieves new level of quietness.



Twice The Life — Non-jamming! Exclusive! Patented, automatic reversing action. Prevents jams. Doubles shredder life!

from the originator and perfecter!

The fashion houses of Paris know no smarter styling than that found in the new In-Sink-Erator Gold Comet Garbage Disposer. Inspired by the heavens from which it gets its name, the new modern shape Gold Comet is as beautiful and quiet as the stars. It sets new standards for styling and design.

And this new In-Sink-Erator reaches new levels of performance with 124,200 positive cutting edges per minute. Never before have you seen trips to a garbage can ended in such high fashion. Never before has a Disposer been so efficient in shredding food waste down your kitchen drain.

In • Sink • Erator 13

the originator and perfecter of Garbage Disposers • In-Sink-Erator Manufacturing Co., Racine, Wisconsin

ALPHAI

BETTER CONSTRUCTION THROUGH BETTER USE OF CEMENTS


news and notes from the field

7 Factors Affecting Life of Concrete Floors

Long-wearing concrete floors are easy to build if a few practical steps are observed in designing, placing and curing them. Naturally, the most important part of the floor is its wearing surface. The hardness or "wearability" of the surface is of special importance for such jobs as industrial floors, warehouses, loading platforms, etc.

Through years of on-the-job study and extensive research work, Alpha has found that the following 7 factors must be considered if floors are expected to endure heavy wear. Please note that these factors are not short cuts and also you can't omit the importance of quality materials, good supervision and good workmanship.

1. The Cement Factor



EFFECT OF CEMENT FACTOR ON DEPTH OF WEAR (2" slump and 28-day curing)


A 7.5-bag mix will wear 20% better than a 6-bag mix and 100% better than a 4.5-bag mix at the same slump and with the same 28 days moist curing.

2. Slump of Concrete

By reducing the slump from 6" to 2", the wearability of floors made of 4.5-bag concrete will be increased by 15%.

Reprints of the helpful information presented on this page are available on request.

3. Length of Moist Curing Time



EFFECT OF MOIST CURING TIME ON DEPTH OF WEAR (6-bag concrete, 6" slump)

The higher the slump the more the concrete is affected by improper curing. The chart above shows how moist curing improves the wearability of 6" slump concrete.

4. Compressive Strength

For all practical purposes, the wearability of concrete is directly proportional to its strength. Example: 6000 psi concrete wears over four times better than 1800 psi concrete.

5. Finishing Concrete



Overtroweling will cause the finest particles and water to rise to the top, thus resulting in a low strength surface skin. The importance of troweling at the right time can be seen in the fact that the surface skin of 0" to 4" slump concrete can show the *same* amount of wear. Water and fines brought to the surface through careless troweling of lower slump concrete reduces the surface strength until it is no better than higher (up to 4") slump concrete. The surface hardness of 4" slump concrete is 100% better than 10" slump concrete.

6. The Type of Cement

In cases where concrete is subjected to wear at an early age, provision must be made for high-early concrete strength. This can be done by using hi-early cement or a higher cement factor where Type I cement is used. Such conditions vary too much for specific recommendations here, but Alpha's field engineers are always available to users of Alpha products to assist in determining the proper construction method for special conditions.

7. Drying After Curing

If concrete is permitted to dry after proper curing, its surface skin strength is almost doubled. It is advisable, therefore, to allow at least one day of drying after moist curing before the floor is subjected to heavy wear.

Good sound aggregates are important, but it is the mortar binding the aggregates together that determines, for the most part, the wearability of the floor. There is no short cut to quality concrete and as has been proved time and again, the right way is the most economical in the long run.


Note: All data on this page are approximate and intended for general guidance and not specific rules in concrete floor design and construction.

MLPHA

PORTLAND CEMENT COMPANY

Alpha Building, Easton, Pa.

Climate by Chrysler



Robert Hall Clothing Store No. 330, Maple Shade, N. J., typical of the twelve stores cooled by Chrysler Air Conditioning

Chrysler Packaged Air Conditioning to cool 12 more stores for Robert Hall

Robert Hall Clothing Stores are springing up around the country like daisies after a summer storm. And in each of the last twelve stores you'll find Chrysler Packaged Air Conditioners to keep customers cool.

All of these stores use versatile, low-cost Chrysler 20-ton air-cooled units. But where local conditions warrant, Chrysler also can supply water-cooled equipment in the most complete range of capacities.

On a cost-per-square-foot basis, Chrysler Air Conditioning has proved to be the most economical to install. And, it costs less to operate and maintain. Robert Hall has already demonstrated this to its satisfaction in dozens of other stores from New York to California.

Robert Hall, like so many other large chain store operators, has learned Chrysler delivers the best all-around value for their air conditioning investment. There are many reasons why. For details or technical cooperation of a Chrysler Air Conditioning Engineer, write today.



Airtemp Division, Chrysler Corporation, Dept. M-60, Dayton 1, Ohio In Canada: Therm-O-Rite Products, Ltd., Toronto, Ontario



Photo shows NEO-RAY NO. C667 SERIES round Plexiglas 4' fixture no selling floor of Gayfers

SOUTH'S NEWEST DEPARTMENT STORE CHOOSES...

NEO-RAY ROUND RECESSED FLUORESCENTS

In this modern shopping center at the Gateway to the new south, you'll find a ceiling of stars supplying correct lighting in Gayfers Department Store. These NEO-RAY Recessed Round Fixtures with Square Housings feature NEO-RAY's new frame-within-a-frame construction....Concavely formed Matte finish Plexiglas diffuser solidly set into interior hinged frame which mounts by means of NEO-RAY's patented Twist-Lock...no screws or protusions visible on face frames.

Perhaps these new NEO-RAY fixtures fit into your plans. Let us send you complete information.

Gayfers Department Store Springdale Plaza Mobile, Alabama

Architect & Engineer: John J. Harte Co. Atlanta, Ga.

Elec. Cont.: White Electric Co. Mobile, Ala.



NEW! SC MINI-CELL ALUMINUM LOUVRE

- ... ½" x ½" x ½" cells.
- ... exclusive CEL-LOK PROCESS.
- ... baked white enamel.
- ... or Ripple-Tex® low brightness. the louvre with the appearance of a lens.

See our catalog in

Sweet's Architectural File Sec. 32a

IN THE SOUTH:

See our permanent display at ARCHITECTS & ENGINEERS INSTITUTE 230 Spring St., Atlanta, Ga.

ON THE WEST COAST: GRUEN LIGHTING 8336 W. 3rd St., Los Angeles 48, Calif.


SPECIAL LOUVRE DESIGNS?

Neo-Ray is recognized as the pioneer in the development and manufacture of louvred ceilings... with years of louvred ceiling experience. Let the "know-how" of our engineering department assist you. No obligation, of course.


Send for the following literature:

- ... New Product Bulletin N-58 (Mini-Cell)
- ... Sweet's Architectural File for 1960
- ... Louvred Ceiling Catalog No. 544


MANUFACTURERS OF LIGHTING FIXTURES INCLUDING




NEO-RAY PRODUCTS, Inc. 315 East 22nd St. • New York 10, N. Y.



SECTION AA. Precast cellular concrete Flexicore decks provide fireproof structural floors and roofs at Fairmay Apartments, Chicago. The five buildings are masonry wall-bearing except for reinforced concrete stairway and elevator core. Design called for 75 psf live load.





SECTION BB. Clear span of 18'-6" between masonry bearing walls permits simplified design and fast construction. Underside of Flexicore deck is exposed for finished ceiling.




TYPICAL FLOOR FRAMING. Each 3800-sq. ft. Flexicore deck was placed, leveled and grouted in two days. Available on third day as work deck for erection of walls and frame for next story.

How to Design a Low-Cost, Fireproof Apartment Building








Edward Marks, Architect, Evanston, Illinois



The use of Flexicore precast decks permitted Fairmay Apartments to meet Chicago's strict fire code, and resulted in substantial savings to the owners. High-speed erection permitted earlier occupancy and exposed Flexicore slabs eliminated ceiling plaster.

For more information on this project, ask for Flexicore Facts No. 78. Write The Flexicore Co., Inc., Dayton, Ohio, the Flexicore Manufacturers Association, 297 S. High St., Columbus 15, Ohio or look under "Flexicore" in the white pages of your telephone book.





National Bank of Detroit
Albert Kahn Associated Architects & Engineers,
Bryant & Detwiler, Gen'l Contractor

What is a series of Detroit Albert Kahn Associated Architects & Engineers,
Bryant & Detwiler, Gen'l Contractor

and served by HAUGHTON OPERATORLESS ELEVATORS ... new concept in elevatoring inspired by Elevanics*

A dramatic combination of architectural beauty and functional design, the new National Bank of Detroit has the most advanced system of electronically controlled elevators, keyed to the age of automation!

Seventeen Haughton Operatorless Elevators speed traffic from floor-to-floor, in regal comfort, and with uncanny speed and smoothness. They are motivated by an amazing "electronic brain" that anticipates service needs at every moment, and dispatches cars at proper times and in proper sequence to meet traffic needs exactly!

Such is the magic of Haughton Elevonics*, key to new advancements in elevator technology . . . and new standards of elevator performance, economy and comfort for multi-floor buildings of all types.

We are proud that Haughton Elevators have a part in maintaining the functional integrity of the new National Bank of Detroit. Their complete reliability is thoroughly recognized by building professionals. We will be glad to furnish you with complete information on Haughton design, modernization and maintenance capabilities.


EMBLEM OF EXCELLENCE IN VERTICAL TRANSPORTATION

HAUGHTON ELEVATOR COMPANY *Haughton's advanced program in elevator systems research, and engineering, with specific emphasis on the creative application of electronic devices and instrumentation for betterment of systems design and performance.

DIVISION OF TOLEDO SCALE CORPORATION
Executive Offices and Plant • Toledo 9, Ohio

FACTORY BRANCHES TO SERVE YOU COAST TO COAST





FIRST METHODIST CHURCH, Levittown, New Jersey

The BIRD ARCHITECT SHINGLE meets the eye in a dominating sweep of slate-like beauty

When the roof is a dominant architectural feature, these unique qualities in the Bird Architect Shingle become even more significant:


CONFORMITY WITH DESIGN achieved by the Architect's 18" King-tabs — 50% less vertical lines accent the beautiful horizontal sweep.

UNIFORMITY OF SURFACING in even distribution of jumbo color granules is controlled in manufacture — no unsightly application on site.

GREATER SAFETY, TRIPLE PROTECTION: 300 lbs. per square, thick as standard slate; 3 full layers at every point, with 5" exposure. For use on slopes with pitch as low as 2" in 12".

See specifications in Sweets File Bi

or write BIRD & SON, INC., Box AR-6, East Walpole, Mass. Charleston, S. C. • Shreveport, La. • Chicago, Ill.





MOISTURE AND TERMITES A PROBLEM? Write for details on Bird Termibar combination Termite Killer and Vapor Barrier.

from your

DOOR CONTROL SPECIALIST


... the only complete line of door control hardware, enabling you to select to fit your exact functional and budget requirements.

... experienced analysis of every order with engineering aid when required.

... quality, the finest in materials and workmanship, consistent for over 35 years.

Your specification means more when you write in


"... shall be GJ."



GLYNN-JOHNSON CORPORATION



4422 n. ravenswood avenue chicago 40, illinois



TOUGH BUYERS DEMAND REZNOR FIVE-WAY HEATERS to project heat where needed on "difficult" jobs ... with no waste!

When cranes, production machinery or huge inventory stacks require abnormally high heater placement, you have to be a "tough buyer" to do a proper heating job! You have to specify a unit that gets heat right where it's needed . . . with no waste of fuel or heat. That's why so many architects and engineers now demand the new Reznor Five-Way Heater, which projects heat downward, even from a height of 40 feet, to the spot where heat is needed, and (with the optional 5-way diffuser) in as many as five directions at once!

LOWER FUEL COSTS—By spotting heat accurately, the Five-Way Heater maintains complete comfort with less fuel; keeps fuel bills low.

LOWER INSTALLATION COSTS— The entire assembly installs quickly, requiring only gas, flue and power connections.

Available with aluminized or stainless steel heating elements and gas modulation. Electric ignition is optional.

For information, phone your Reznor distributor, or write Reznor Manufacturing Co., Dept. 62C, Mercer, Pa.

The heating world is full of tough buyers; that's why Reznor is the world's largest selling direct-fired heater!

REZNOR HEATERS


"THE TOUGH BUYERS' LINE"



Atlas Masonry Cement provides the right mortar


Even standard masonry units such as the bond beam block are being used to create decorative patterns in exposed masonry construction. The effect shown was achieved with this block in two sizes, laid back to back to form a screen-type wall.

Whether standard building block or any of the new-type masonry units are used, ATLAS MASONRY CEMENT provides the right mortar. That's because it produces a smooth, easy-to-work mortar... assures a stronger bond... gives weathertight joints that are uniform in color. And ATLAS MASONRY CEMENT meets ASTM and Federal Specifications. For information on masonry cement, write Universal Atlas, Dept. M, 100 Park Avenue, New York 17, N. Y.




M-80


"USS" and "Atlas" are registered trademarks




A-DECK — For purlin spacings not exceeding 8'4". Narrow ribs provide deck surface that supports the thinnest or softest types of insulation.




B-DECK — For spans to 10'0". Wide rib distributes metal for greater structural efficiency — gives higher section properties per pound of steel. Well suited for use as side wall panels.




C-DECK—Carries normal roof loads over spans up to 24'0". Used extensively in canopies.




T-STELL — New! Galvanized only. For clear spans to 32'0". Adaptable to acoustical and flush, luminous ceiling treatments. Provides superior diaphragm to resist seismic and wind loads.



H-DECK — New! For simple spans to $20^{\circ}0^{\circ}$ — 3° and $4\frac{1}{2}^{\circ}$ depths. Especially practical to cover walkways in shopping centers, schools, other installations.




B-ACOUSTIDECK — Two-in-one panel combines steel roof deck with acoustical ceiling having Noise-Reduction Coefficient of .70. Used for spans to 10'0".



C-ACOUSTIDECK — Offers same Noise-Reduction Coefficient as B-Acoustideck. Can be used for spans to 24'0".



RIBFORM — High-tensile, galvanized steel form for concrete slabs over spans up to 8'0". Three types: Standard, Heavy-Duty, Super-Duty (shown).



Plant-expansion projects and new buildings of many types get under cover fast and economically, when you specify an Inland roof system.

Inland steel deck is easy to handle and weld in place — in any weather that a man can work. One panel provides over 56 sq. ft. of coverage. Large areas are quickly ready for roofing crews.

Types A, B, C, and H decks are Bonderized, then covered with a baked-enamel primer that resists on-the-job damage. One field coat of paint over the primer on these decks usually does the job of two coats on ordinary decks.

ATLANTA, BALTIMORE, BUFFALO, CHICAGO, CINCINNATI, CLEVELAND, DALLAS.



In concrete-over-steel construction, Inland Ribform supports wet concrete with minimum deflection. Rigid sheets are quickly and inexpensively attached to supports — in place, they provide a safe work platform for crews.


Write for catalogs 240, 241, and 245 — or see Sweet's sections 2c/Inl, 11a/In, and 2a/In for full information on Inland steel roof deck and permanent centering. Inland Steel Products Company has a force of trained sales engineers capable of giving you the benefit of diversified experience on specific problems. Write or call your nearest Inland office to have one of these men contact you.



ENGINEERED PRODUCTS DIVISION

PRODUCTS COMPANY

Dept. F, 4033 West Burnham Street
Milwaukee 1, Wisconsin



The bill is higher than ever today when fire interrupts production. That is why architects, engineers and building management think in terms of "total fireproofness". A requirement of this concept is the scrutiny of every element of construction as to its flammability.


An additional contribution to "total fireproofness" has been made with the development of Pyro-Kure® vapor barriers. These U/L rated products (used in construction to eliminate condensation damage) employ paper, foil or plastic film laminations. The special adhesive used emits a gas at combustion temperature which snuffs out the flame making the product self extinguishing.

Pyro-Kure vapor barriers are unique in being per-


manently non-combustible. They have a perm rating of less than 0.1 and are being used as insulation facing, pipe jacketing and duct lining. Leading insulation manufacturers are combining them with their products. Write Dept. AS2 for technical literature and samples on this vapor barrier line.



reinforced paper, foil and plastics for construction, industrial packaging and agriculture



Best source of Service on Plastics...



There are one or more Authorized Plexiglas® Distributors at every city shown on the map. This means convenient service no matter where you are located. In addition to complete service on Plexiglas acrylic plastic, your Authorized Plexiglas Distributor can serve you with other plastics and a wide range of accessories. He makes prompt deliveries. He is qualified to help you with fabrication and technical information. His stock includes almost any size and thickness of Plexiglas in clear, colored, patterned and corrugated sheets. Look for his name under Plexiglas in the Plastics section of telephone directories in major cities.



Chemicals for Industry

ROHM & HAAS COMPANY

WASHINGTON SQUARE, PHILADELPHIA 5, PA.

In Canada: Rohm & Haas Company of Canada, Ltd., West Hill. Ontario

FLINTKOTE ANNOUNCES A IN ROOF INSULATION...NEW!

keeps Bitumen on the roof instead of



EVERYBODY BENEFITS WITH NEW GOLD-N-KOTE! ARCHITECTS can specify Gold-N-Kote for a superior bonding at lower costs.

BUILDING OWNERS save on maintenance cost through added insulation. There's less danger of blow-offs, fewer blisters and wrinkles.

GENERAL CONTRACTORS can do faster jobs.

ROOFING CONTRACTORS get more effective use of bitumen, faster application, fewer call backs.

MOP MEN take less effort to swing the mop.


FELT LAYING MEN have more time to align felt rolls.

BONDING ROOFING MANUFACTURERS make fewer "pay-outs" from failures caused by improper adhesion.

GREAT NEW DEVELOPMENT


GOLD-N-KOTE*

in it to provide a superior bond at lower costs!





30 Rockefeller Plaza, New York 20, N.Y.



At the end of the day, steel pipe brings the comforts of home to the airmen of tomorrow

Saturday's parade ends a schedule-filled week for 1,500 cadets at the U.S. Air Force Academy near Colorado Springs. From the parade grounds the cadets return to their quarters , the world's most modern in comfort and convenience for housing the nation's air-leaders of tomorrow.

Steel pipe contributes much to making the Academy the world's finest. For radiant heating over five miles of steel pipe were used. In the 17,800 acre Academy Complex, the plumbing, vent and drainage lines were fabricated from steel pipe. And, it was used because—in an evaluation of service life, ease of fabrication, availability and cost-steel pipe proved superior to any other tubular product.

At the U.S. Air Force Academy, as in buildings throughout the nation, steel pipe is the perfect, low cost tubular conductor of water, gas and oil. The high thermal conductivity and structural strength of steel pipe make it ideal for many applications including radiant heating, cooling, refrigeration, ice making, snow melting, electrical conduit and myriads of residential, commercial and industrial applications.

Prefabricated steel pipe sections resulted in quick and easy installation for the radiant heating system at the Academy. Because the coefficient of expansion of steel pipe and the concrete slab in which it's embedded are compatible-long service life is assured.

STEEL PIPE IS FIRST CHOICE

- Low cost with durability
 Strength unexcelled for safety
- Formable—bends readily Weldable—easily, strongly


- Threads smoothly, cleanly
 Sound joints, welded or coupled
 Grades, finishes for all purposes
 Available everywhere from stock

INSIST ON PIPE MADE IN U.S.A.

COMMITTEE ON STEEL PIPE RESEARCH

150 East Forty-Second Street, New York 17, N.Y.

Flintkote • Van-Packer factory-built refractory smokestack outlasts steel stacks, costs no more




The Van-Packer Model HT Smokestack is the only industrial stack listed under the Factory Inspection and Label Service Program of Underwriters' Laboratories, Inc. It handles boilers, furnaces and incinerators. Van-Packer Smokestacks consist of factory-built 3-foot refractory sections with corrosion-resistant metal jacket and fittings. They cost

about the same as steel stacks for comparable applications, yet last far longer. They require no painting or maintenance. Van-Packer Smokestacks are available in eight inner diameters: 10", 12", 15", 18", 21", 24", 30", and 36". See "Smoke Stacks" in the Yellow Pages for your nearest Van-Packer Distributor/Erector, or send coupon for full information.







"We had only 14 hours
to repair a cooling system
and save \$100,000
in perishable foods—

our National Tube Distributor helped us finish the job in 12 hours," says Mr. Paul E. Grunau, Secretary-Treasurer,

Paul J. Grunau Company, Mechanical Contractors, Milwaukee, Wisconsin

"We got this emergency job late at night," says Mr. Grunau.
"Yet, our National Tube Distributor, the Rundle-Spence Company gave us immediate service. But our National Tube Distributor is always ready for critical situations. He keeps two trucks on a stand-by basis, and there's a four-man crew on 15-minute call seven days a week.

"Rundle-Spence offers expert engineering and technical advice, constantly feeds us new product information, and is a single, complete source of steel tubular products. We also know that our National Tube Distributor has a wide range of available pipe sizes—1/6-inch to 24-inches. We've standardized on National Tube products for all piping installations, because they're the finest tubular products in the world."

Why don't you combine the fast, dependable service and technical assistance of a National Tube Distributor with USS National Steel Pipe? The next time you need top-quality steel pipe for plumbing, heating, power or air-conditioning applications, see your local National Tube Distributor.

USS and National are registered trademarks



National Tube Division of United States Steel

Columbia-Geneva Steel Division, San Francisco, Pacific Coast Distributors United States Steel Export Company, New York

Mr. Paul E. Grunau, center, talking over an installation problem with Mr. Morton R. Spence, left, of Rundle-Spence, National Tube Distributor, and Mr. Leslie Smith, National Tube's representative in Milwaukee. This type of round-table discussion indicates the close relationship between contractor, National Tube Distributor and National Tube.



53 FRICK REFRIGERATING AND AIR CONDITIONING UNITS SERVE ST. LOUIS MEDICAL CENTER

Frick Equipment Used Exclusively For Original Equipment Plus 37 Additional Orders In Past 16 Years.

The Barnes Hospital-Washington University Medical Center in St. Louis is a good example of the dependability and versatility of Frick refrigeration and air conditioning equipment. Since 1944, when the first unit of Frick equipment was installed, 37 repeat orders have raised the number of Frick units to 53.

Today, 13 "ECLIPSE" compressors, 29 low pressure units, and 11 unit air conditioners are in service.

The medical center facilities themselves have expanded to include eight hospitals with nearly a thousand beds, schools of nursing, dentistry, and occupational therapy . . . clinics, laboratories, lecture rooms, and libraries.

All of the air conditioned operating rooms are provided with 100% fresh air which is filtered electrically. The main kitchens, cafeteria and dining rooms are all air conditioned with Frick equipment. All cooler and freezer units are automatically defrosted. Some units maintain temperatures from 0° to 100° F., with varying humidity control.

In some special research projects, dual refrigeration equipment with indicating red lights has been installed.

If your interest is industrial or institutional refrigeration or air conditioning, a Frick engineer will be happy to discuss it with you at no obligation.

Waynesboro, Pennsylvania



Cooled swimming pools Winter air conditioning Chocolate dipping rooms Banana ripening rooms Cold water for processing Cold drinking water Smoked meat storage Cold rubber processing Fresh food storage Milk storage Water for carbonation Long-term apple storage Seawater in fish-boat holds Hide storage cellars Fresh-frozen ice cream Moth-killing für storages Brine for ice skating rinks Freezing Shell-Ice Ice cream cabinets Frozen-food display cases Long-term butter storage Frozen pork and beef stg. Optimum frozen-food stg. Commercial quick-freezers Refrig.-12 at atmos. press. Ammonia at atmos. press. Hardening ice cream Storage of aluminum rivets Propane liquefies Quick-freezing tunnels Propylene liquefies Testing rockets & fuels Research laboratories Dry ice temperature Ethane liquefies Hardening cast aluminum Liquid nitrogen temp. Neon liquefies Hydrogen liquefies Absolute zero

128



ADD THE Touch THAT MEANS SO MUCH

Planned for comfortable family living . . . Hall-Mack bathroom accessories are made for a lifetime of practical use. Their gleaming, sparkling beauty . . . original design and distinctive appearance provide the utmost in convenience and comfort.

When building or remodeling, specify and select Hall-Mack... with the confident knowledge that Hall-Mack is the leader in bathroom accessories. For more than 35 years Hall-Mack has been pioneering new and original ideas, and better ways to make bathroom accessories of outstanding convenience and quality... to fit every building budget. The bath you design, sell or install today — will always have the best ... when you choose Hall-Mack!

Sold by leading plumbing, tile and hardware dealers everywhere

HALL-MACK COM		AR-660
1380 W. Washington		THE RESERVE TO SERVE
Please send you ideas	r FREE color bookle	t of new bathroom
NAMEPLEASE PRINT		
ADDRESS		
СІТУ	ZONE	STATE



SO STRAIGHT YOU CAN

Always on line...sight along the edge of a course of Hines Allwood Allweather Siding and see for yourself how flat and straight it lies. Under two coats of paint, the joints are virtually invisible. Here's proof of the superiority of this siding, which builders are using on expensive homes because of its durable attractiveness and on their lowest-priced models because of its economy.

DIMENSIONALLY STABLE FOR BETTER PERFORMANCE ... SAVES YOU 20% OR MORE ON MATERIALS AND LABOR

Hines Allwood Allweather Siding consists of a smooth hardboard surface laminated to a crossply of fir veneer and a kiln-dried lumber core. It's hot-press bonded with waterproof glue, combining the advantages of hardboard, plywood and solid wood...so rigid that no sheathing is needed with studs 16" on center. The fine-grained material is easy to saw, won't split or splinter and resists abrasion and hammer dents. Tempered and sealed with pentachlorophenol to resist moisture, decay and insect

attack. No snaking, buckling, or open joints ever, regardless of changes in weather. One man can put it up! The precision rabbeted joint makes it easy for one man simply to lift each 8' length into place and nail it down—automatically level. Because of the rabbeted joint you can also get 11½" of coverage for each 12" width of siding—much more coverage than possible with ordinary lap sidings. The smooth hard surface takes and holds paint so well that less paint is needed—another saving!



- . NAIL WITHOUT SPLITTING
- . EASY TO WORK
- A ONE-MAN OPERATION



ALLWOOD ALLWEATHER SIDING

SEE THE DIFFERENCE

City_



NEVER A BEND "We use Hines Allwood Siding almost exclusively. It's so rigid there's never a bend...and no splitting. Once it's on we're through with it. We've never had a spintling. One it is on were through with it. We in the customers like the way it looks and the men like to work with it. You don't need a trim saw to cut it. There's much less waste and I notice big savings in labor. That helps me give the owner a better product.

W. D. Sanders, builder of illustrated house in Glen Ellyn, Ill.

Just call or write the man from HINES Send for free samples today!

Edward Hines Lumber Co. Sawmills at Hines, Westfir, Dee and Bates, Oregon. Other plants: Plywood, Westfir; Hardboard, Dee; Millwork, Baker and Hines, Oregon. Engineering and Development Division: Hood River, Oregon.

Edward Hines Lumber Co.

200 S. Michigan Avenue, Chicago 4, Illinois

Please send me free samples and information about Hines Allwood Allweather Siding.

Name Title_

Company Address

Zone___State

DEPT. 233



Now! the greatest advancement in locking protection since the bolt replaced the boulder

The new *MS® 1851-II TWO-WAY LOCK for pairs of SWINGING GLASS DOORS ... gives double protection and exit safety!

The MS® 1851-II Two-Way Lock is specifically designed for the control of Main and Obvious entrance pairs of doors for places of public assemblage. One 360° turn of the key throws or retracts both a lock and threshold bolt, simultaneously locking or unlocking both doors. This insures that the entire opening is usable during business hours and places the responsibility of traffic control on management. The key can be removed only in the locked or unlocked position. Holding special interest for insurance companies and organizations whose professional concern is public safety, this purposefully designed deadlock adds strength to the narrow stile installation and assures exit freedom.



More than a slogan, **MAXIMUM SECURITY.** is the exclusive basic principle that governs the design and manufacture of Adams-Rite locking devices that are, in fact, stronger than the doors and windows in which they are installed, providing the ultimate in security and safety.

An outstanding example of this principle in action is the new MS® 1851-II. Unique in deadlock design and construction, the MS® 1851-II operates unlike standard bolts that vacate the lock when projected. The MS® counterbalanced bolt retains as much bolt within the lock stile as projected. Actually bridges the opening with a solid bar of steel (from as short a backset as %"), making it impossible to force entry without destroying the door channel itself. This, coupled with the joint action of the 4015 two-way converter threshold bolt, and the lifetime strength of dichromate zinc plated steel construction, maintains Maximum Security. The MS® 1851-II which eliminates locking hardware in the inactive door is a combination of the basic MS® 1851 Lock and No. 4015 Two-Way Converter. The 4015 may be stocked separately to convert any MS® 1851 series lock into an MS® 1851-II.

Quality Hardware for Over Half a Century

For additional detailed information and specifications, write

ADAMS-RITE

Manufacturing Company
Dent AR-89 540 West Chary Chr

Dept. AR-89, 540 West Chevy Chase Drive, Glendale 4, California

Adams-Rite also produces over 90% of all door hardware for the airframe industry.

124

TOTAL PRODUCT SATISFACTION



MACOMBER ALLSPANS set new standards for comparison

Throughout the building industry, Macomber ALL-SPANS are synonymous with structural quality—erection economy. No other structural framing member gives the architect such comprehensive design and planning data. In no other open-web framing does the engineer work with such tested reserve strength, unencumbered by waste weight. And, this high-strength nailable framing brings the contractor over-all erection economies otherwise unobtainable.

Your local Macomber Sales Representative can cite instances — explain why — Macomber ALLSPANS deliver total product satisfaction. Call him today!

Get your next job scheduled early.

Mail coupon for full information.

	ALLSPANS
NEW DESIGN MANUAL Exclusive structural and economy advantages exact information for framing 8 to 120 feet.	We see he will see
NAME	
COMPANYPOSITION	
ADDRESS	
CITYSTATE	AR 2-60A





MACOMBER

CANTON 1, OHIO

ALLSPANS • V-LOK • V-BEAMS • V-GIRDERS
BOWSTRING TRUSSES • ROOF DECK • STRUCTURAL STEEL

SEE OUR
CATALOG IN
SWEET'S
OR WRITE
FOR COPY






Insurance company insures comfort cooling with GAS-operated CARRIER Absorption Refrigeration

The attractive new home office of Home Security Life Insurance Company in Durham, North Carolina, is as modern in personnel comfort as in its design. It is completely air conditioned with one of the most efficient systems available — Gas-operated Carrier Absorption Refrigeration serving 190 Modular Weathermaster* room units.


The Carrier absorption system is the essence of simplicity and economy. No prime mover is required. The energy source is low-pressure steam from a gas-fired boiler. Water is the cooling agent. Boiler capacity is put to use on a year 'round basis ... cooling in summer, heating in winter. And thrifty gas keeps fuel costs low.

For comfort cooling at low cost, specify Gas and Carrier Absorption Refrigeration. Performance data and cost details are yours for the asking. Call your local gas company, or write Carrier Corporation, Syracuse 1, N. Y. AMERICAN GAS ASSOCIATION



Good-looking machine room. Reflects up-to-date design of entire building. Here the gas-operated Carrier unit operates at 250-ton capacity to cool 575 GPM water from 52.5 F to 42 F, when supplied with 12 psig steam. *Reg. U. S. Pat. Off.

FOR HEATING & COOLING GAS IS GOOD BUSINESS!



Yes, to safeguard its new research center at Richmond, Va., Philip Morris Inc. *did* call for the services of American District Telegraph Company.

ADT Protection has proved its value to Philip Morris at more than a score of their properties from coast to coast.

The new scientific facilities at Richmond comprise a multimillion-dollar investment. ADT was chosen to assure the continuity of operations as well as to provide security and protection.

Ultramodern in architecture, the three interconnected buildings are safeguarded by a combination of ADT central station sprinkler supervisory and waterflow alarm service and Watchman's Reporting Service. This entire protection system is under constant electrical supervision by the ADT central station in Richmond.

ADT is proud to have been selected to protect these impressive Philip Morris buildings. We are also proud of our part in protecting the lives, property and profits of 70,000 other subscribers throughout the country.

Perhaps ADT can provide greater security for your property—with substantial savings. Why not call the ADT representative listed in your telephone book and find out?

Controlled Companies of

AMERICAN DISTRICT TELEGRAPH COMPANY


A NATIONWIDE ORGANIZATION

EXECUTIVE OFFICE: 155 SIXTH AVENUE, NEW YORK 13. N.Y. 0.14





Beautiful woods now protected from heat, stains and wear by a new invisible shield—**Roddis** Tigaclad*!



Roddis

DOES SUCH WONDERFUL THINGS WITH WOOD

The newest concept to provide protection for the beauty of <u>natural</u> wood.

Tigaclad protects beautiful wood. It is a new-type transparent plastic shield that brings out the richness and warmth only genuine wood offers—and protects it indefinitely!

Tigaclad is tough! It shrugs off scuffs, stains and dirt, resists abuse that ruins ordinary wood finishes. Torture-tests prove Tigaclad is unaffected by alcohol, nail polish remover, coffee, tea . . . even boiling water! Scrub Tigaclad with scouring powder . . . drop a cigarette on it. No harm done!

Tigaclad is unique! It starts with a special core of Phenolic

Tigaclad is unique! It starts with a special core of Friendic Timblend (Roddis' exclusive man-made board). Hardwood veneers are bonded to this warp-free core. Finally, the special new plastic sheet is fused with the wood by heat and pressure.

Result? A warm, hand-rubbed look . . . a beautiful, marresistant, genuine wood . . . that never needs refinishing. If you want permanent, natural beauty for any wood appli-

If you want permanent, natural beauty for any wood application you will do well to investigate Tigaclad. Write for generous free sample and new brochure.

Roddis Plywood Corporation, N	larshfield, Wisconsin, Dept. AR-660
Please send free sample a	nd new Tigaclad brochure.
Name	
Company	
Address	
City	State

Dow

BUILDING PRODUCTS

2

1

7 GOOD WAYS TO AGAINST WATER


Today, chemically engineered Dow building materials provide the modern, economical way to safeguard buildings, as well as the people and products within, from the effects of moisture and temperature conditions. They protect roofs, walls, floors and foundations throughout a long life of service. Dow building materials are high in quality, light in weight—designed for fast, easy installation.

- 1. ROOF INSULATION. Roofmate*, a lightweight, rigid insulation board, is water-proof . . . does not need vapor barriers or water cut-offs to keep its insulating effectiveness. Further, this dry insulation eliminates a major cause of blistering. It installs conventionally . . . hot bitumens can be applied directly.
 - *Trademark

- 2. PARAPET FLASHING. Saraloy® 400, because of its unique pliability, conforms easily to most surfaces, including highly irregular shapes. Easily fabricated on the job, it can be readily adhered to built-up roofs, concrete, metal, wood, masonry, and glassreinforced plastics.
- 3. PLASTERBASE. Styrofoam®, bonded directly to the inside of exterior masonry walls, makes an excellent base for plaster. Eliminates furring, lath, and saves labor costs. In addition to its use with plaster, Styrofoam can also be used to effect similar economies in drywall construction.
- 4. FOUNDATION INSULATION. Scorbord[®] (patent applied for), with the

THE DOW CHEMICAL COMPANY

4



PROTECT A BUILDING AND WEATHER

exclusive scored "snap-off" feature, effectively insulates foundation perimeters—keeps moisture out, heat in. New thicknesses and pre-scored widths make it easy to meet the new FHA-MPS requirements with Scorbord.

- 5. MOISTURE BARRIER. Polyfilm®, Dow's high quality polyethylene film, makes an ideal moisture barrier under floor slabs. Also excellent for use as temporary enclosure, curing blanket, and moisture barrier for walls and roofs.
- 6. CAVITY WALL. Styrofoam, Dow's expanded polystyrene, keeps heat in and moisture out permanently. Its low "K" factor, unyielding water resistance, durability, and high mechanical strength make it a su-

perior cavity wall insulation.

7. EXPANSION JOINT. Saraloy 400, a new elastic sheet flashing, permanently seals expansion joints. Saraloy 400 has exceptional elastic recovery, making it expand and contract along with the materials to which it is bonded. Pliable and easy to install, Saraloy 400 can be readily cut and fitted on the job.


FOR MORE INFORMATION

including other application suggestions, contact your nearby Dow sales office or write to THE DOW CHEMICAL COMPANY, Midland, Mich., Dept. 1707N6.

MIDLAND, MICHIGAN



An Easy Way to Keep Windows Clean



TARGE window walls have important advantages that make them very much worthwhile, but one thing is certain: they must be washed periodically.

Cleveland Tramrail equipment speeds window washing, because it enables a man to reach any window quickly and provides him with a safe, convenient place from which to work.

The equipment consists of an overhead track mounted near the roof of a building, a carrier which operates on the track, a hoist and the washer's cage attached to the latter. The cage can be moved along the track, raised or lowered

by the washer while in the cage.


Windows can be washed in one-half or less the time normally required. Even windows designed for washing from the inside are cleaned more quickly with Cleveland Tramrail. The washer need not walk from office to office, carry buckets and materials, move desks, chairs and overcome other obstacles. Instead, he propels himself from window to window with no hurdles in the way.

Whether you are concerned with window washing in an existing building or for a new one being planned, get the facts on hand-propelled and electrically driven Cleveland Tramrail window washing equipment. Ask for free copy of booklet No. 2022-A





New Brian "Uni-Rim" design eliminates conventional metal rim. Lavatory is available in color or snowy white.





Brian lavatory can be installed on any type counter top—marble, tile, plastic or wood.

Exciting news for architects, builders, plumbing wholesalers and contractors is the revolutionary new *Brian* vitreous china counter-top lavatory . . . another "first" in style and design from Eljer. Exclusive "Uni-Rim" design eliminates the costly metal rim between lavatory and counter top . . . unique "J" clip assembly permits fast, economical installation without tools! More than 1,850,000 homeowners and prospective homeowners (your customers) are being "sold" on the new *Brian* lavatory through distinctive full-page, four-color advertisements in leading national magazines.



3 Gateway Center Pittsburgh 22, Pa.





FOR A QUALITY ROOF, IT'S BARRETT

- FINEST MATERIALS... BOTH ROOFING AND ROOF INSULATION
- APPLIED BY BARRETT APPROVED ROOFERS
- BACKED BY BARRETT ROOF INSPECTION SERVICE

Taking chances can be fun. But if you like to play it safe—at least where roofs are concerned—specific Barrett. Pitch or asphalt, applied over Barrett surface-sized roof insulation, adds up to roofs that will be giving trouble-free service when the present board chairman's son is board chairman.



ACROSS THE BOARD

rrett's SPECIFICATION® Roof is the only 25-year bonded pitch and felt roof. For buildings requiring asphalt flat roof, we've got the best, too—the new ANCHORBOND*. And now we've added the finest erboard roof insulation. For 106 years, Barrett has offered the finest in built-up roofing materials.

ARRETT IS OUT TO HELP YOU! With a line of dependable, highest quality building aterials that includes: ASPHALT SHINGLES . ROLL ROOFINGS . FIBERBOARD PRODUCTS . ALUMINUM SIDING .

PSUM PRODUCTS . PROTECTIVE COATINGS AND CEMENTS.

BARRETT DIVISION
40 Rector Street, New York 6, N.Y.

Allied Chemical Builder: Turner Construction Company. Architects & Engineers: Voorhees Walker Smith Smith and Haines. Mechanical Contractor: Lloyd E. Mitchell, Inc. Pipe Jobber: Lee L. Dopkin, Inc., of Baltimore. Owners: Sinai Hospital of Baltimore, Inc.



Dedicated to Longevity

BOTH THE HOSPITAL ... AND ITS STEEL PIPE

Name: The new Sinai Hospital

Location: Baltimore, Md.

Dedication: September 20, 1959

Capacity: 483 beds Floor Area: 600,991 sq ft

Cost: \$20,000,000

Name: Bethlehem general-purpose steel pipe


Location: Plumbing and heating lines

Quantity: 300 tons

Sizes: 2 through 4 in. continuous buttweld pipe

5 through 16 in, electric resistance-weld pipe

Cost: Lowest of all piping materials



FOR LASTING STRENGTH...
ECONOMY...WORKABILITY




Insist On Steel Pipe Made in USA

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA.

BETHLEHEM STEEL



another first from Bilt-Well
by Caradco



Super-Therm


removable double-hung windows

...provide custom luxury features for your homes without custom cost

For ultimate design flexibility specify

WOOD WORK by Caradco

Thermal glass set in vinyl gasket



The First Engineered
Double-Hung Window
with Insulating Glass
Distributed Nationally

The Super-Therm by BILT-WELL employs an entirely new concept in glazing. The insulating glass is set in a vinyl gasket that provides maximum weather protection and cushions the glass against cracking or breaking. Super-Therm is the prestige* window that provides the ultimate in comfort with minimum heating and cooling costs and eliminates the inconvenience and unsightly appearance of storm sash.

*Parts interchangeable with BILT-WELL Super-Hold and Super-Lift window units. Ask your supplier for details.

Look for these BILT-WELL features:

- 1. Unitized Construction
- 2. Patented BILT-WELL vertical weatherstripping
- 3. Gasket type vinyl horizontal weatherstripping
- 4. Fully removable
- 5. Perfectly counter-balanced
- 6. Surpasses F.H.A. minimum standards

The BILT-WELL Line of Building Woodwork—WINDOW UNITS, Doublehung, Awning, Casement, Basement. CABINETS, Kitchen, Multiple-use, Wardrobe, Storage, Vanity-Lavatory. DOORS, Exterior, Interior, Screen and Combination.

CARADCO, INC., Dubuque, lowa

MAHON M-FLOORS


VERSATILE STEEL CELLULAR SUB-FLOOR STRUCTURAL SECTIONS

have a built-in future for electrification


a proven pastfor cost savings

Forward-looking construction—functional today . . . adequate tomorrow. Mahon M-Floors are an important component of the First National Bank Bldg., Minneapolis. Architects and Engineers: Holabird & Root & Burgee, Chicago. Associate Architects: Thorshoy & Cerny, Inc., Minneapolis. General Contractor: Naugle-Leck, Inc., Minneapolis.





Mahon M-Floors offer the architect and engineer economical structural advantages and easy electrical servicing of every square foot of floor space . . . give the client an ideal steel sub-floor and a raceway capacity that will not be outmoded by future electrical demands. Lightweight, high-strength steel cellular M-Floor sections are precision made by Mahon in various depths, gages and gage combinations to meet your design requirements . . . savings on foundations, installation time, construction convenience are dividends. Any type of floor covering can be used over the concrete fill . . . standard service fittings can be located wherever they are needed. To find out what versatile M-floors can do for you . . . your applications . . . your project costs . . . contact your local Mahon architectural representative, write for descriptive Catalog M-60 or see Sweet's Files.



MAHON BUILDING PRODUCTS

- Aluminum or Steel Curtain Wall (natural or colored metals)
- Rolling Steel Doors (Standard or Underwriters' labeled)
- Metalclad Fire Walls (Underwriters' rated)
- M-Floors (Steel Cellular Sub-Floors)
- Long Span M-Deck (Cellular or Open Beam)
- Steel Roof Deck
- Acoustical and Troffer Forms
- · Acoustical Metal Walls, Partitions, and Roof Deck
- Permanent Concrete Floor Forms

CONSTRUCTION SERVICES

- · Structural Steel-Fabrication and Erection
- Steel Fabrication—Weldments

THE R. C. MAHON COMPANY

Detroit 34, Michigan

Manufacturing Plants—Detroit, Michigan and Los Angeles, California Sales-Engineering Offices in Detroit, New York, Chicago, Los Angeles and San Francisco Representatives in all principal cities.

SPEEDING AMERICAN CONSTRUCTION WITH METAL BUILDING PRODUCTS,
FABRICATED EQUIPMENT AND ERECTION SERVICES.





Age Only Deepens

THE BEAUTY of this PROTECTED FLOOR

SUPER ONEX-SEAL® seals out dirt, moisture and traffic wear, gives a lustrous, three-dimensional look to the floor surface. Friction of feet tends to deepen the lustre, an effect similar to that of hand-rubbed hardwood. Enhances the natural colors of terrazzo. Outdoors too, on store entrances, patios, shuffleboard courts or dance floors, Super Onex-Seal holds the beauty of the smooth protected surface.

A SUPER ONEX-SEAL surface is hard, smooth, firm. It is the penetrating type seal recommended by leading terrazzo contractors. Alkaline salts are sealed in so that the problem of dusting is eliminated. "Terrazzo should not be waxed." - Bulletin of Nat'l Terrazzo & Mosaic Assn. Sealed floor needs only minimum maintenance to keep clean and sparkling.



WHETHER TERRAZZO, WOOD, CONCRETE, CERAMIC TILE or RESILIENT FLOORS




R Passaic N. J. ST. JOSEPH, MO. San Jose, Calif. Dept. A-2

Branches and Warehouse Stocks in Principal Cities

You'll Finish Ahead with HILLYARD

HLLYARD




... In MAYTAG

new Headquarters Building

To achieve maximum efficiency in vertical transportation and the utmost in space utilization, the architects for this modern Maytag office building, planned its transportation facilities at the hub of the work area.

Here dependable Montgomery Elevators of the latest operatorless design will be easily and quickly accessible to efficiently serve the needs of all surrounding office personnel.



For your next commission requiring vertical transportation, investigate the elevator equipment that is designed and built by craftsmen who are traditionally dedicated to producing the finest in elevator workmanship — Montgomery.




montgomery ELEVATOR COMPANY, Moline, Illinois

offices in principal cities

MONTGOMERY ESCALATORS - STEPHENS-ADAMSON "SPEEDWALKS" AND "SPEEDRAMPS"

Exclusive Manufacturers of Passenger and Freight Elevators Since 1892

CRANE DIRECTION 70 =




THE FAIRFAX Designed by Henry Dreyfuss

Crane quality—a Dreyfuss design—yet priced in the medium range. The floor to top height of the Fairfax is only 14", for easy entry and exit...a full two inches lower than most baths. Available in regular or acid-resisting porcelain enameled cast iron. Trim is exclusive Crane Dial-ese. You can specify the Fairfax in any of the full range of Crane colors and white.

The Crane Fairfax-Length: 5'; Width: 30"; Seating Edge Width: 5"; Height: 14"

New Crane Star*Lite Accessories and Fairfax Bath are available through your Crane Distributor who also has a complete line of Crane quality plumbing ware for every installation. Call him for full facts on these new Crane products.



IMPORTANT NEW DEVELOPMENTS FROM CRANE TO MEET THE CHALLENGE OF THE SOARING SIXTIES


The Soaring Sixties have begun. This is predicted to be the biggest decade for America's biggest industry-building-and everyone associated with it.

There's the booming population growth -a 34 million net gain, or a 16% increase.

There will be more households. We need homes and schools and hospitals-and buildings of all kinds. We have to provide new construction for the newcomers . . . and also to replace those made obsolete.

Crane announces Direction '70 ... to help you meet the challenge of the Soaring Sixties. These are products to improve building quality. These are products to increase efficiency. These are products to help curb rising costs.

On these pages are the first of these new Crane developments . . . the first of many you'll be seeing in Crane's Direction '70.



Bathroom


Accessories

Beautifully designed with polished chrome plating...Solidly Built... Moderately Priced... Easily Installed. Metal accessories are preferred by over half your clients




2-900 Soap Holder with Plastic Tray 2-902 Tumbler and Toothbrush Holder







2-904 Paper Holder with Metal Roller



2-910 Robe Hook



2-906 Soap Holder and Grab Bar with oval-shaped Metal Bar and Plastic Tray




2-908 Towel Bar - in lengths of 18", 24" and 30"



Cross-section of bar shows unique oval shape. This provides greater separation for faster drying. Gives unit a distinctive modern appearance.

RECESS ACCESSORIES


Overall Size: 61/8" x 61/8". Wall Opening: 51/4" x 51/4" x 21/4". Recess Accessories are regularly furnished for wood screw installation.



2-915 Paper Holder with Metal Roller



2-917 Soap Holder with Plastic Tray



2-919 Soap Holder and Grab Bar with Plastic Tray


VALVES . ELECTRONIC CONTROLS . PIPING PLUMBING . HEATING . AIR CONDITIONING

Crane Co. Plumbing-Heating-Air Conditioning Group Box 780, Johnstown, Pa.


CRANE



Jamison Food Service Doors Meet Rigid Requirements for Institutional Food Storage



Jamison Series "50" FS Walk-In Cooler Door



Jamison Lo-Temp FS Walk-In Freezer Door


For gleaming, sanitary appearance, easy cleaning, minimum maintenance, Jamison Food Service (FS) Doors deliver top performance with year-after-year economy.

Jamison's many years of experience in this special field are your assurance that Jamison FS Cooler or FS Freezer Doors will meet every requirement for food storage in institutions of all types.


Complete details and specifications on Jamison FS Doors are presented in a new catalog. For your copy write to Jamison Cold Storage Door Company, Hagerstown, Md.



GREATER DESIGN FREEDOM-FASTER ERECTION



with Tectum Box Section Roof Deck Assembly



Mechanical clips afford positive anchorage and high resistance to uplift pressures. Speeds erection and prevents thermal transfer.

The outstanding features listed above were typical of the statements from the well known Erie, Pennsylvania, contracting firm of H. Platt Co. This was their first experience with the new Tectum Box Section Roof Deck Assembly. In addition to the savings reported in construction time and materials, this type of roof deck gives extra ceiling height. The deck also furnishes continuous beam strength in both Tectum plank and box section sub purlins.

Small wonder this new concept is attracting architect and contractor interest everywhere. For the complete story, as editorialized in Building Construction Illustrated, March issue, send for a reprint of the article. We'll be happy to see that you receive your copy, immediately.

TECTUM CORPORATION, 535 East Broad Street, Columbus 15, Ohio

THERE'S A MATERIAL DIFFERENCE IN TECTUM



Exploding

a popular misconception


When some people see beautiful, modern buildings and residences with friendly, open expanses of clear glass, they jump to false conclusions. Somehow they confuse expansiveness with expensiveness.

You, of course, know better. Glass is not expensive, just looks it. In fact, with glass you are specifying a building product that has been least affected by spiraling building costs.

Increases in building-material costs show some marked differences from 1940 to 1958. For example:

Brick	up 155%	Structural Steel	 up 187%
Wall Tile	up 150%	Window Glass .	 up 54%
	Plate Glass	up 76%	


Source: U. S. Bureau of Labor Statistics. (Exception — costs for plate glass, 1940 to 1958, based on company records of wholesale prices.)



LIBBEY-OWENS-FORD GLASS COMPANY

811 MADISON AVENUE . TOLEDO 3, OHIO


It is no wonder that large glass areas in modern buildings and residences are winning the approval of architects and their cost-conscious clients. And there are many kinds of glass to choose from. Refer to Sweet's Architectural File 26-A, or call your L·O·F Distributor or Dealer (listed under "Glass" in the Yellow Pages). Or write to L·O·F, 4160 Libbey Owens Ford Building, Toledo 3, Ohio.





a Great Name in Glass


Unusual design for resisting seismic forces incorporates Penmetal lath



JOHN HANCOCK BUILDING

ARCHITECTS: Skidmore, Owings & Merrill GENERAL CONTRACTOR: Cahill Bros., Inc. PLASTERING: Frederick Meiswinkel, Inc. LATHING: Roy Healy Lathing Co. MATERIALS: San Francisco Gravel Co. PENMETAL STRUCTURAL FRAMING DISTRIBUTOR: Tayler Products Corp.

This diagram shows the unusual structural concept employed by the designers.



In the new John Hancock Insurance Company building in San Francisco, loads from exterior bearing walls are transmitted to setback columns by haunched concrete arches. Seismic and wind loads are distributed into the walls of the central core by the third floor, which acts as


a stiff diaphragm.

Further to insure the building's shock integrity, the interior was finished wherever possible with plaster over Penmetal lath. This combination of metal lath and plaster has proved, time and again, to be the most resistant to cracks and crumbling even during earthquakes. Its strength stems from an inseparable key between the plaster and the steel mesh, giving walls or ceilings the characteristics of a solid slab of stone.

Penmetal partition studs, metal lath, beads and casings were used in the central core enclosing elevators and stairways. Because of their height, studs of Penmetal Structural Steel Framing, also with metal lath and plaster, were used to form the partitions for the mechanical floor at the top of the building.

Find out how Penmetal products can help you. Send for copies of catalog 624-L, "Metal Lath and Plastering Acces-"Metal Lath and Plastering Accessories" and catalog SS-33, "Penmetal

Structural Framing.




PENN METAL COMPANY, INC.

Sales Office: P.O. Box 1460, Parkersburg, W. Va. Executive Offices: 40 Central Street, Boston 9, Mass.

Plant: Parkersburg, W. Va. District Sales Offices:

Boston, New York, Philadelphia, Pittsburgh, Chicago, Detroit, Dallas, Little Rock, Seattle, San Francisco, Los Angeles, Parkersburg, St. Louis





ARCHITECTURAL GRAPHICS

The first big feature article on architectural graphics in the American architectural press (Signs and Symbols, Architectural Record, Sept., 1956), excited unusual interest and an unprecedented demand for reprints. Thus, we take another look at this subject.

In designing a sign which informs or locates or directs or promotes, the architect faces a design opportunity that is worth more than secondary consideration. Interesting shapes, colors, textures, materials, or chiaroscuro patterns can be introduced to enliven—by contrast—the severity and modular regularity of much contemporary work. As architecture brings together with sympathy and taste the arts and sciences in its conception, it will gain validity as a total expression.

LETTER FORMS ON ARCHITECTURE

by Norman Ives *



In the cityscapes about us, letter forms are very much in evidence in posters, traffic signs, street signs, shop windows, on buildings, and in all of the extraneous informational, directional, and persuasive signs that distract the eye. Graphic design is ubiquitous, and becomes an ever increasing responsibility of the designer. At night, there is a short-lived beauty in the conglomeration of signs-which suggests the beauty of a circus or amusement park—but upon closer scrutiny it becomes less attractive and more of an eyesore. Unlike a circus, it is here to stay. The jumble of letters and forms competing for attention is more apparent in daytime, when the confusion of architecture is added.

The responsibility for resolving this visual dilemma is the architect's. There are two ways for him to solve the problem of putting letters on buildings. One is to do it himself-the other is to consult with a graphic designer. In the first instance, a good solution might result; in the second, a good solution is more likely. There is no standard approach which would cover all cases. However, there are several possible directions. Most architects like the idea of a separate sign, such as a pylon. as far away from the building as possible. Depending on conditions, this might be a happy solution, since architects seldom think of letters as part of a building. The sign is too often treated as an afterthought. When the client demands more consideration for the letters, the best course is to call in a graphic designer as consultant. It is now too late for the designer to solve the problem in terms of the architecture, so both must adjust their ideals and compromise. Usually, the letters must be placed on the building. So, the architect must redesign the building (or that particular façade) to accommodate the lettering, or both the building and the lettering will be ineffectual by everyone's stand-

* Mr. Ives is Assistant Professor of Graphic Design in the School of Art and Architecture at Yale, and also does graphic design work for various architects. He has written the caption comments on these and the following five pages, and has made the layouts for this eight page section.



tended letter sharply limits its use. This particular example appears to be enlarged from a type face. The hazards of a southern exposure are apparent in the next example (3). Here, the sun creates a new configuration which, because of the minimum color boundary between the surface of the letters and the façade of the building, makes the

This simplified sans-serif (1) complements the geometry of the building, but fails to relay its message clearly. The letter forms give the impression of weather stains at the lower edge of the façade. Example 2 is typical of the letter forms revived from the 19th century—fashionable in the 50's. The overly individual character of the Egyptian ex-

ards. The ideal solution is for the architect to consult a graphic designer during the conception of his design. With an understanding of the architect's approach, the graphic designer can suggest a direction to the solution that need not compromise either himself or the architect.


Without the help of one who understands and works with letter forms, the architect can make many mistakes when he attempts a solution on his own. The usual approach is to treat letter forms as elements of the building, along with the brick or glass or some other modular or ornamental material. If letter forms become merely an element of the structure, they fail to communicate their message, which is their first function. This is often caused by the use of geometrically exaggerated and over-simplified letters which would be difficult to read even on a printed page. These are the geometric sans-serif letter forms that played such an important role in the architecture of the 20's and 30's and can apparently never escape that context. The more geometric letters become, the less readable they are in a word configuration. Letters are symbols; and each should retain its own identity for maximum legibility. There can be no rules about which letter forms should be used on buildings, because each situation is different.

The most successful solutions to the problem have been those in which the letter forms have been used in contrast to the building in scale, color, and textureor by giving the illusion of being on a separate plane from the surface of the building. Such letters retain their individuality and their own vitality in much the same way that a good building is related to, yet separate from its site and surroundings. Obviously, it would be ideal if the architect could solve the problem of signs himself, but graphic design requires special knowledge and skills that he could hardly hope to possess. The wise architect will consult with a graphic designer.

The new shopping centers that are springing up in suburban areas give evidence of a serious attempt to integrate graphic design with highway and building. Another significant and exciting example which can be a lesson to the architect and graphic designer is Brasilia. Here the graphic design for the streets and buildings is being planned in relation to the total effect of the city, and the result should be attractive indeed.

CHECHICS THE CHIEF

museum—Frank Lloyd Wright,
Architect; 2. Chandlers Store,
New York—John Graham & Co.,
Architects; 3. Susan Sheridan
High School, New Haven, Conn.
—Pederson & Tilney, Architects;
4. Typographic Sculpture, School
in Greenwich, Conn.—Sherwood,
Mills & Smith, Architects—
Brownjohn, Chermayeff & Geismar, Graphic Designers



shadows more noticeable than the letters, and makes the letters difficult to read. In figure 4, the letter forms are used as a symbol, so that legibility is not a prime concern. The pattern of the symbolic decoration is raised from the plane of the wall so that the shadows complement and enhance the total effect.

Illustrations: 1. Guggenheim



5. Amy Joy Drive-in; William Reisman, Architect Norman Ives, Graphic Designer

> 6. Franklin National Bank, Long Island; I. M. Pei & Associates, Architects


> 7. Addo-X Showroom Project, Mexico City; Ladislav Sutnar, Designer

8 & 9. Philip Morris Research Center, Richmond, Va.; Ulrich Franzen, Architect

10 & 11. Towson Plaza Shopping Center, Towson, Md.; Leavitt Associates, Architects Brownjohn, Chermayeff & Geismar, Graphic Designers

12. General Motors Technical Center, near Detroit; Eero Saarinen & Associates, Architects Elaine Lustig, Graphic Designer





6 7

These pictures show examples of identification signs that are separated from the building. A variety of solutions is possible. In example (5), the circles of the exterior pylon contrast with and emphasize the simple triangle of the architecture, and relate also to the interior circular signs over

the counter. In example (6), there is sufficient free area about the bank so that the sign could be made a free-standing element. Any addition to the façade would have spoiled it. The delicacy of the Clarendon letters is scarcely enhanced by making their color value almost equivalent to the


value of the surface upon which they are placed. In example (7), the sign is kept away from the façade by locating it inside the building, the object being—according to the designer—"to gain the attention of the passing motorist and at the same time to appear attractive to visitors entering

8

10 11












9 12

from the rear, while combating building regulations against exterior and window signs." The Philip Morris signs (8 and 9) form part of a group that stretches along a highway to make a visual introduction to the building—as opposed to neighboring plants, which employ such devices as giant packages of cigarettes on stilts for the same purpose. The Towson Plaza pylon (10) employs a T symbol in clever fashion, although the letters cast shadows which tend to make them fill up and impair their readability. In the entrance sign (11) for the same project, legibility is vastly improved by the simple device of painting the letters directly on the surface of the sign. The dark background also increases readability. In example (12), the dark value of shrubs and buildings combines with the dark sign background to make the white letters legible










15 16

There are restrictions as well as challenges in putting letter forms on buildings. The elegant letter form used in examples (13), (14) and (15) seems appropriate both to modern architecture and to a bank. In (15), the use of white letters within a black band gives emphasis to the feeling of an entrance; and the black letters used inside the building (14), communicate their message in a less formal, though effective, way. The exterior sign on glass (13) is a less happy result; the flush left treatment has little to do with the other letter treatment of the architecture.

Example (16) illustrates a good use of shadow to improve legibility; by employing a light value on the surface of the letters, the resulting shadows emphasize their configuration rather than serving to make them illegible as in (10) and (3). The placement of the letters gives vitality and 17 18






13, 14, 15. Chase Manhattan Bank, New York; Skidmore, Owings & Merrill, Architects Brownjohn. Chermayeff & Geismar, Graphic Designers

16. Home Security Life Insurance Co., Durham, N. C.; Raymond & Rado and Boaz & Small, Architects Elaine Lustig, Graphic Designer

17. Mutual Insurance Co. of Hartford, Hartford, Conn.; Sherwood, Mills & Smith, Architects Brownjohn, Chermayeff & Geismar, Graphic Designers

> 18, 19. Hilton Hotel, Denver, Colorado; 1, M. Pei & Associates, Architects

20. Chandlers Store, New York-see No. 2





19


20

scale to an otherwise unadorned brick façade. In example (17), the letters identify the building adequately and do not fight with the busy façade treatment. By separating the letters in value from their background, the letters appear to float on a different plane. The vertical stress of the window façade (18) makes the condensed letter form appropriate to this situation. The placement of the letters appears natural and planned; this particular part of the structure would seem empty without them. Interiors usually have an over-all dark atmosphere, especially when seen from a sunny sidewalk; in examples (19) and (20), (19) is a more successful solution, because the white letters are played effectively against the dark values, with space surrounding them. In (20), despite the white background strip, the letters fail to overcome the busy interior



21





23



22

24

21. Maison du Bresil, Cité Universitaire, Paris; Le Corbusier, Architect and Designer

> 22, 25. Ken's Restaurant, Boston; William Reisman, Architect Norman Ives, Graphic Designer

23. Brentwood Shopping Center, Vancouver, B. C.;
I. M. Pei & Associates, Architects

24. Symbol for Industrial Engineering Co., New York; I. M. Pei & Associates, Architects




The use of a symbol in connection with architecture is in many ways easier than a line of lettering. The symbol creates its own, self-contained identity; while letters create a horizontal line strongly suggestive of an architectural element. The Brentwood (23) and IE (24) symbols are sufficiently strong configurations that further identification would be unnecessary on a building

In example (22), the K symbol is used at the entrance; while in (25), the same K in one color is multiplied to create an over-all wall decoration

Corbu's identification sign (21) takes the form of a mural and covers a complete section of the dormitory building. The colors, informal lettering, and country symbol have a vitality and sprightliness often lacking in architectural lettering, which seems—in many cases—to take itself a bit too seriously

Photo credits: 4, 10, 17, Len Gittleman; 5, 22, 25, George M. Cushing, Jr.; 6, 13, 14, 15, © Ezra Stoller; 8, 9, George Cserna; 16, Joseph W. Molitor

Study for an IBM Sign Design Program






For several years the visual aspect of the IBM corporate image has been subject to considerable study under the general direction of architect and industrial designer Eliot Noyes, acting as consultant for the company. He has designed new products and several buildings; has recommended other architects for various plants and buildings; has brought in graphics designer Paul Rand for an extensive program involving building and property signs, machine signs, and the design for a great deal of printed material.

In the interest of a consistent and recognizable visual identity for the company, Noyes and Rand—after considerable study—have come up with a program for standardizing building and property signs for all locations. The company is now considering these recommendations.

The following 52 illustrations—all photographed by Eliot Noyes—were made from a group of slides selected from the 150 the architect uses for a talk he has given to various IBM groups. Recommended details for sign construction, lettering, and spacing are shown on the last page.



A SIGN STUDY FOR IBM by Eliot Noyes

The visual clutter in which we live is aggravated on typical U.S. city streets and elsewhere by signs—thousands of them—each trying to be individual and shout down its neighbors—with the curiously self-defeating result in this typical example, Hagerstown, Md. (1). Because of the babel of messages transmitted, no single message is clearly received, and our nerves are badly frayed. How agreeably different is this similar shopping street in Winchester, England (2)

It seemed to us that a corporation would do well to look to the signs it uses and consider these points:

- In signs using the company name is the corporation clearly and consistently identified?
- Are signs used intelligently in relation to buildings as elements of architecture?
- Are other company signs being handled consistently as to text (message) and symbols (arrows, etc.)? As to structure, color, type faces?
- Do all signs represent and, in a sense, identify the company through their design?
- Does the sign program appear dignified and acceptable to the outside world, or is it adding to the general visual clutter and confusion?
- Are there economies to be found?

We have recently been conducting a study for IBM to answer these questions. The signs we found as we began were probably neither better nor worse than those of most companies. Our study led to a design program for signs which IBM is considering as a company standard.

IBM buildings usually have the company name on them. All too rarely has the sign been considered as an element of the architecture—and a prominent element at that. In the past, a rather routine factory design such as at Kingston, N. Y. (3), ended with giant letters mounted over a


















large central entrance element, looking like an architectural afterthought, and with their supporting structure embarrassingly apparent. One is not supposed to notice the struts—just the sign.

We are now urging architects to consider the IBM sign as a part of the building, and to incorporate it in the design. This is not always easy. On the IBM building in Los Angeles (4), the slabs with the IBM letters on them are related to the sun-shade module; but the varying width of the letters IBM make this only partially successful. This is a long step ahead of the Kingston approach, however.

It is clear that each building calls for a special solution. Note these good examples: IBM on building at 57th Street, New York City (5), IBM on Brussels Fair building (6), IBM on Rochester, Minn. Plant (7).

Another rather elegant way of handling the same problem is shown in Breuer's Van Leer building near Amsterdam (8). Here, the sign is a free standing illuminated construction.

In looking at other kinds of IBM signs, we found very little consistency of approach from plant to plant, and a rather wide diversity of character at individual locations, because of the lack of any standardized approach. Sign structures were extremely varied (9), though in cases individually acceptable.



The method of indicating direction was non-standard to the point of confusion. Arrows were of all sizes and shapes, sometimes with lettering superimposed on them; or surrounded with other information; or belying the verbal message—and so on (10). The use of standard traffic sign materials and structure can at least provide a kind of uniformity, even though such signs are not particularly attractive. It is all too easy, even with these tools, to fail to get a message across clearly, however.

For example, are both buildings (11) to the right, or is one of them straight ahead? And if one arrow is enough, are two (12) better? In this case (13), arrows become confused with the lettering, making it harder to read. Arrows pointing up are internationally used and understood to indicate straight ahead, even though they might seem to belong better on this sign (14)

Other problems we noticed were those having to do with variegated type faces, colors, sizes, shapes, materials, etc. All of these factors led at worst to a failure to transmit the message—at best, to a free-wheeling independence. However, it seemed that there were many potential advantages in developing a standardized program of signs for the company. In thinking of the time and effort that had obviously been expended in inventing all these different signs, we could see large amounts of money being saved by making the design process simple and standard.


The goals, (not necessarily in order of importance):


- 1. clarity of message.
- 2. company identity through standardized appearance at all plants or installations.
- 3. economies of design and sign cost.
- 4. simplified procedures for procurement.
- 5. quality appearance.

14


■ 6. good manners vis-a-vis the rest of the world.









Working with Paul Rand, we developed a concept for the program. If you want to get attention, you put up a flag (15). We thought initially to use the flag idea in 3 sizes (16). The use of these 3 sizes in different spatial combinations should give us a wide range of possibilities to cover the needs for large to small signs, one- to four-faced signs, and so forth (17)





We first tried this idea on two actual locations,—new IBM buildings which needed signs. The first was at Mohansic (18). The flag concept is expressed in the use of a considerable area of colored background beyond that used by lettering. One approached the building up a flight of steps, so the lettering was kept at the bottom of the sign. At the offices in Poughkeepsie we tried a large, free-standing sign (19)



Encouraged by the effectiveness of the trial signs at Mohansic and Poughkeepsie, we then made a much larger experiment, by taking over an IBM area in Poughkeepsie where we had a large variety of existing signs. These we replaced with new full size mockups, built of wood with silk screened faces, and durable enough to last a while, but not destined to be permanent. We put up about 25 of these, in all sizes, to test out our theories and make it possible to drive and walk through an area completely furnished with this new standard.

Four before and after versions show the general effect resulting (20). The type face Paul Rand had recommended was Standard Medium Condensed, in upper and lower case letters.

abcdefghijklmnopqr

This letter enabled us to put rather long words in a fairly short space, and we believed it would be thoroughly legible to people driving about 20 mph. As these photographs show, we achieved much of what we were after, but not all.

We learned several lessons. We found that signs with dark letters on white backgrounds (21) were not good when the sun was behind them, because they assumed about the same value as the surrounding grass and were hard to see. We found that the use of white letters on red and blue as background (22) gave us both good legibility and a color code—the blue ones for simple information, the red ones for instructions to do or not to do something (turn, stop, don't park, etc.) Finally, we discovered that our type face was not as legible as we had hoped. We noticed this particularly on the middle-sized signs, and we found that in an approaching car we couldn't read them as soon as we thought we should (23)



24















At this point we took a new look at highway signs, recalling that in Germany on the Autobahns (24), in England on its new high speed road (25), and on many of our U.S. highways (26) , Standard Medium (see following page) NOT condensed is the selected type face for signs designed to be legible at really high speeds. This had hardly seemed to be our problem, but if it worked for them it would surely work for us. Testing again at full size with photostats (27), we got a good check on legibility at various distances and speeds of approach, and this led directly to a modification of our design. Our final solution, represented by full-size mockups in place at Poughkeepsie, shows that the new type face led us to a modification in the form of the signs. Instead of a vertical rectangle, we now have a square in four sizes (28). We have codified the manner in which lettering and arrows are used, and have engineered structures in various materials and finishes to produce a standardized appearance. If this is adopted, we shall issue an instruction booklet on the subject to all IBM locations and hope that-as old signs are replaced or new ones needed-the signs on IBM property all over the world will present a clear, dignified, and unified appearance of quality, consistent with the nature and spirit of the company.












Above are shown the recommended four standard sizes for signs, as well as directions for spacing the lettering, "Standard Medium," enlarged from a type face of that name. Sign

boards would be of wood or porcelain enamel, supported on posts made of standard steel sections. Alternate metal edge details are shown at top right

For ease in handling the large road-building equipment manufactured here, this plant was designed with 70-foot clear-span frames, 35 feet high


RIGID FRAMES FREE PLANT FLOOR AREA



Barber-Greene (Canada) Ltd., Don Mills, Canada; John B. Parkin Associates, Architects and Engineers; John C. Parkin, Partner-in-Charge of Design; J. E. Mews, Assoc., Mechanical Engineering; R. F. Marshall, Associate, Structural Engineering; M. J. Miller, Project Architect; Milne and Nicholls Ltd., Contractors

Complete asphalt processing plants and heavy road-building conveyer equipment are manufactured in this building. The over-all planning and design of the factory are notable for the unobstructed, open character of the interior which allows almost completely free movement of the large components produced. The structure is designed for carrying the loads of two large cranes used to move these

Considerable care was taken by the architects to integrate the building into the small-town atmosphere of the community. The components about within the plant. building itself does not obtrude on its surroundings. Large trees on the site were saved wherever possible. Walkways, parking lot, landscaping, and the building exterior were designed for easy upkeep and maintenance to preserve these original qualities. ARCHITECTURAL RECORD June 1960







Max Fleet photos




Barber-Greene (Canada) Ltd. Plant

Opposite page, top and bottom: the manufacturing area of the plant is located at the rear of the office wing. The office section is two stories high and has a full basement; the plant wing is one story and has 35-ft clear height inside. Opposite page, middle: the manufacturing wing is constructed with rigid steel frames, allowing free movement of parts and equipment within the area. Frames were designed to support 10-ton and 15-ton cranes used in the manufacturing processes





In order to prevent the noise and vibrations of the manufacturing processes from entering the office area, the two wings were placed on separate foundations. Loading and unloading operations are carried on within the building from the railroad siding which extends into the plant along the rear wall. Large windows are used in both office and plant wings. In the manufacturing area, windows are supplemented by continuous skylights in order to provide maximum daylight



In the first stage of the plant shown here, the emphasis is on development and testing; later stages are to be devoted to expansion of production

PLANT DESIGNED FOR PRODUCT DEVELOPMENT





Bill Engdahl, Hedrich-Blessing

Pioneer Saws Div., Outboard Marine Corporation, Waukegan, Ill.; Ralph Stoetzel, Architects-Engineers; Samuel R. Lewis & Assoc., Mechanical Engineers; Campbell-Lowrie-Lautermilch Corp., Contractors This plant manufactures gasoline-powered chain saws, with two-cycle engines, similar to those used in the company's Evinrude and Johnson outboard motors. The architects of the building have provided a design which permits a considerable amount of development, engineering, and test work to go on concurrently with production. As time goes on, production is expected to occupy a larger proportion of the total plant space. The architects have taken this into consideration in the design, providing for changes within the building to fit later requirements and additions to the building.


Except for the various test rooms which are expected to remain in their present locations, most major plant areas are flexibly located to allow for change. Movable partitions are used in the plant and in the office area. Heating, cooling, and ventilating distribution systems are located above the ceilings.

Opposite page: the two-story and basement office wing of the plant is attached to the large manufacturing and development section. The low wing on the left of the main plant contains a lunchroom, wash room, and lockers for the employes. The building structure is steel frame. Portions of the aluminum and glass curtain walls were designed and detailed for removal and re-use when the projected expansion program is put into effect. Other exterior walls are face brick or stone





The plant section of the building is 800 ft long. Approximately one-half of this area, in the center of the building, is devoted to the actual manufacturing processes. The remaining area is almost equally divided between engineering-drafting and development-testing. Design of the building was complicated by the large number of separate rooms required for testing and the need for sound isolation of these areas from adjoining the office and drafting areas





Pioneer Saws Division Plant

Above: front view of office wing of plant, showing aluminum and glass curtain walls. The main lobby is located on the first floor in the projecting element, the manager's office directly over the lobby. Right: views show typical materials and treatment of office interiors. Floors are vinyl tile; acoustical tile is used on all office ceilings; partitions between office areas are movable, for the most part, but a few are permanent and finished with natural wood for contrast with the painted surface of the ceilings and other walls. Below: the stair is simply detailed; its appearance is light and open








Bill Engdahl, Hedrich-Blessing


The design of this plant had to allow for expansion to the complex shown which is approximately ten times the size of the first phase

RESEARCH LEADS TO IMPROVED PLANT DESIGN




Nice Ball Bearing Company Division, Channing Corporation, Kulpsville, Pa.; Carroll, Grisdale & Van Alen, Architects; David Zuckerkandel, Project Architect; A. E. D'Ambly, Mechanical Engineer; Severud-Elstad-Krueger Assoc., Structural Engineers; Hughes Foulkrod Co., General Contractor An interesting aspect of this plant design is the role played by its architects in the preliminary considerations before the site was purchased or the program outlined. After area market, distribution, labor supply, and shipping studies had been done by the owner, the architects were engaged. With the owners, they reviewed the studies, spent considerable time in conference with the owners, and analyzed the available sites. After the present location had been decided upon and the land purchased, the architects developed an over-all program for the entire plant.


The plant layout developed by the architects includes all areas needed for full scale production, development work, and employe facilities. The first phase, now complete, operates as one department (Screw Machine). This department will be absorbed in the over-all scheme, when the entire building program has been completed.



Joseph W. Molitor


BALL PRESS AUTO-MATICS





Nice Ball Bearing Company Div.

Only the shaded areas shown in the plan on the opposite page have been constructed so far; other portions of the plant are to be built later. Structure is steel frame with a steel, glass, and concrete panel curtain wall system. The sections indicate how the structure and wall were detailed. The largescale plan on this page shows the areas which have been constructed and their relationships to each other. In the smaller-scale plan on the opposite page may be seen the eventual layout of the plant buildings and the production system. Essentially, production will begin on the left side of the building, where the receiving and storage areas are located, and proceed through the building in accordance with the flow lines shown. When the expansion program goes into effect, the present locker and unassigned space will become part of the general office; a new locker building will be constructed, as will research and development and cafeteria buildings



Joseph W. Molitor

Nice Ball Bearing Company Div.


Above: view of the locker room-unassigned space building at right, and the connecting covered walkway to the manufacturing building at the left. Right: views of the interiors of the manufacturing building storage and receiving area and the boiler room. Below: closeup of a corner of the boiler room exterior with the manufacturing building in the background. Bottom: view of the entire present plant with the boiler room at the left. As indicated, the steel structure and the reinforced concrete wall panels are exposed on the interior as well as on the exterior of all building walls



Alfred A. DeLardi








Joseph W. Molitor




Two Levels Add Drama To Hillside Site

Dearborn-Massar





Residence for Mr. and Mrs. John C. Miller Seattle, Washington Ralph Anderson and Dale Benedict, Architects John C. Miller, Contractor Mildred Pearson, Landscape Architect Miller Pollard, Interior Designer






A highly dramatic living area highlights this two-level house. Sited on a steep slope, the house has a modest one-story front and drops to a manybalconied two floors at the rear. Interior living space is emphasized by creating a two-level living area, with the upper area treated as a balcony to accent the vertical relationship of the two areas. The upper space combines a dining area with sitting space, and opens on an upper level, seemingly free-standing, balcony. The lower floor opens at ground level, and adjoins a master bedroom suite of TV-study room, bedroom and dressing roombath. The upper level has a childrens' playroom-sleeping room, and two bedrooms for guests or children, all with outdoor terraces, and within easy supervision from the kitchen.


The structure of the house is a bold-ly-exposed fir post-and-beam frame, with stud panels. The foundation is reinforced concrete. The exterior is pressed-board panels—rough side out and painted gray-green—and cedar siding stained warm gray. On the interiors, floors are cork. Walls are plaster board and cedar siding.



Anderson House
















A Florida Room With Engawas

Residence for Russell T. Pancoast Miami, Florida Pancoast, Ferendino, Skeels & Burnham, Architects

B. E. Mevers, Inc., Contractor








The currently widespread use of screened rooms to expand living areas in the insect-ridden southern climes—and sometimes called Florida Rooms—has been magnified here to include an entire house; and besides usual living areas, to include a number of areas dubbed "Engawas."

The "Engawas" consist of gardenlike areas of combed-sand, a device centuries old in Japan but seldom used in this country despite widespread study of them and visits abroad by the profession. They make singularly good sense in the salt-air regions of our country where usual vegetation is not hardy.

The house combines an improbable combination of austere luxury, casual formality, and simple but ornamental details.











Rudi Rada

Pancoast House

Besides its near-tradition in Florida, the screened house fulfilled the owners' desire for a house open to cooling by the slightest easterly breezes, and open to a small lake to the east and to hammock woods to the west. The owners have adult children, and wanted spaces for entertaining, for occasional guests, for growing orchids, and a complete ceramic and art studio.

As developed, entire walls of sliding glass allow use of the house as a fully open pavilion; if easterly winds become strong, that wall may be closed and spaces left open to the west. Four-zone, reverse-cycle air conditioning was provided for unusual weather extremes.

The structure is of concrete-filled steel columns, with exteriors of cement-asbestos and aluminum battens. Interiors are cypress. Screens are drilled cement asbestos. Floors are cork.

Office Organization and Procedures for Present-Day Practice

The architects were asked-

Please describe your own concept of architectural services, along these specified lines:

- 1. Have you extended or diversified your own services or added new specialties? Are you offering services for new building types, making specialized studies, or doing out-of-the-ordinary consulting work?
- 2. What innovations have you made in your office organization and procedures, to accomplish these objectives?

The comments in this article are a continuation of the series which began in February 1960. An examination of the role of the architect today has been under way in the pages of the RECORD for some time now. Lately, this examination has become more and more concerned with reporting the images architects have of themselves, now and for tomorrow, and how they are fulfilling these images. The comments presented in February indicate that numerous paths are open to architects, that individual firms are exploring new ways, that some are diverging from the generally accepted paths, while others are sticking to the more historic roles of the architect.

Three of the firms reported on here have made the basic decision that the way for them is that of offering unusually complete services for an almost infinite variety of projects, on a vast geographical basis. In order to do this, these firms have become integrated architect-engineer organizations. In addition, each has a number of specialists in other fields. All three are larger than average. Together, they make a good case for their approach to the problems of today. The fourth firm reported on dissents from the majority opinion expressed by the others. In all probability, this is a case in which each side is right, at least to a degree and within the frame of reference it has selected.

Combination of Skills for Complex Projects

I think our office is in the process of developing naturally to fulfill the needs of the projects in which we find ourselves involved. Of course the first step is the realization that a building is not just a piece of architecture, as the word "architecture" is commonly understood, but the result of the application of varied engineering skills in combination with the designer's art, to form a functional, economic, and esthetically pleasing whole.

We find that in a typical project, only about 35 per cent of the cost of professional services is expended on the so-called architectural aspects; the remaining 65 per cent goes to accomplish the other aspects of the project such as engineering, estimating, specification writing, and the like. So we have taken the step of becoming architects-engineers.

When you consider that a major industrial project may house five or six thousand people, you begin to see that we have to be concerned with how the project will affect the surrounding area so far as traffic circulation and utility requirements are concerned. So we have had to develop a group of people who understand traffic problems; and our civil engineering group understands city sewer and storm drain problems.

In the process of developing major sites in the outskirt areas of the city, we have come across the problem of getting land rezoned. In order to help our clients to achieve the necessary rezoning, we have been forced to consider the over-all city planning implications of such action. So we become involved in city planning.

Most projects in new development areas require new subdivisions and street and utility improvements. Thus we become actively engaged as subdivision engineers.

Frequently we are asked to study new sites for potential developments and report on the costs of developing new land. This can become quite involved, as it did in the case of the Mission Valley site where it was necessary

to do a hydrology study to determine the high water level in the valley so that the shopping center could be situated at the correct and economic grade level during periods of flooding.

We have found it necessary to provide interior decorating and material selection services, as well as color consultation. As yet we have not found it necessary to provide landscaping, kitchen consultation, surveying or soil analysis, though there may come a time when it will be desirable to have some of these specialists on our staff on a full-time basis.

John Day, Albert C. Martin and Associates, Architects & Engineers

Diversification Within Existing Departments

Your idea of demonstrating how architects in recent years have broadened their fields of endeavor is a good one. A report of this type would be a unique contribution, and should be of service to all practicing architects.

In response to your question regarding diversification, we list the following areas as examples of what our firm is doing:

- 1. Military: For the Army and the Air Force, we have planned military base installations and housing. In the case of Air Force housing, we have had the opportunity to plan two communities of approximately 300 families each. These have been coordinated with local school and community developments.
- 2. Urban Planning: A. For the City of Detroit we have completed a master plan of a section of the downtown area occupied primarily by medical and judicial facilities. B. For a suburban community, we have in progress a study of business district rejuvenation and reorganization to counteract the threat of shopping center competition. C. For a city college, we have proposed a master campus plan that devotes a major portion of the site to commercial development intended to help endow the college.
- 3. Architectural Research: A. For the Office of Civil and Defense Mobilization we have completed a research and development program concerned with the feasibility of providing radiation fallout protection in elementary schools. This has been a major study involving a number of our staff over a period of 18 months. We are now engaged in a somewhat similar study, for OCDM, of the protection of office and apartment structures throughout the country. B. We have conducted two research investigations regarding new educational methods. One of these was concerned with combining seminar and audio-visual facilities in the same classroom. The other involved reorganization of the secondary school curriculum to provide a more flexible teaching program.
- 4. Structural Research and Model Testing: Seven of our buildings in recent years have utilized experimental structural techniques that involved special analysis. For five of these buildings we have built actual models and load-tested them, using strain and deflection gauges as well as other measurement techniques.
- 5. Electrical Engineering Research: For one of our military clients, we have made detailed cost studies of electricity as a heating source for housing projects.

In general, our expanded activity has taken place within

the regular departments instead of through the addition of new departments. However, we might mention two rather specialized areas appreciated by some of our clients: 1. Contract Finance: Most of our school designs are financed by bond issues. We have found that at the beginning of jobs clients who are provided with detailed schedules of expected construction payments can better invest their funds for maximum return during the construction period. This advice is handled by our Contract Finance Officer. 2. Publications: Increasingly, our clients turn to us to handle the writing, photography and layout involved in the publication and distribution of information, particularly when such information pertains to buildings or building research.

Wallace B. Cleland, Eberle M. Smith Associates, Inc., Architects & Engineers

Organization for Efficient Practice

Certain current situations and facts concerning the practice of architecture and engineering as conducted by our firm will help to explain our philosophy and to articulate the activities and thinking which have guided the firm. Some of these are as follows:

- 1. The firm's practice is almost equally divided between architecture and design (in the more historic sense) and commissions for engineering design work. Our engineering work includes not only engineering for buildings but several specialized types of engineering design.
- The firm is heavily involved in professional services for commercial structures, educational facilities, and other building types.
- 3. The firm is heavily involved professionally in military work, space programs, and diversified work for the missile industry.
- 4. The firm home office is in Los Angeles, California. An additional office in Washington and, currently, six overseas offices are maintained. At the present time, the firm has 480 employes.
- 5. The firm was established on January 1, 1946. The firm acts as a corporation in California but as a partner-ship in several other states.

We feel that there is a distinct difference between a business and a profession. In our firm, we naturally have felt that we are in a profession because we have been taught to think that way. Increasingly, we have found that we must re-examine this concept and have given a great deal of thought to it over the years. At the present time, we feel that we are perhaps 70 per cent professional, but we are at least 30 per cent on the side of business and commerce. Whether the percentages are correct or not is immaterial. The conclusion is important, though, because we have found that we must be concerned with handling our relationships with our clients/customers in a businesslike manner. This involves, for example, careful consideration of building budgets and a determination to state categorically whether we believe we can or cannot do what the client wants within the budget he has proposed. We find we must use similar approaches to the other problems of our activities.


Phillip J. Daniel, Daniel, Mann, Johnson, & Mendenhall, Architects & Engineers

ORGANIZATION FOR EFFICIENT PRACTICE

Daniel, Mann,
Johnson, & Mendenhall,
Architects & Engineers

Daniel, Mann, Johnson, & Mendenhall is an architectengineer firm. This in itself is descriptive of a somewhat broader range of capabilities than is usually the case in most architectural firms. DMJM is even more complex than the usual A-E firm; it has become an organization which operates on a global basis, accomplishing professional work of a varied and highly complex nature, work that is far beyond the capabilities of most organizations.

Much of the work of the firm is on buildings of the usual kind-schools, office buildings, institutions-but a growing percentage of the jobs obtained by the firm are in new fields such as missile and space exploration bases. These fields are poorly defined even now, and many of them didn't even exist a few years ago. So involved is the firm in the new types of projects that-to an extentthe firm members have begun to talk in the manner of the clients they serve. It is not unusual to hear a DMJM partner or employe use a phrase of the research and development man such as "the state of the art" to describe the level of development or of sophistication in a given field. Exactly how all of this came about, no one including the firm partners seems to know precisely. Perhaps the best way to take a look at the firm and how it accomplishes the work it takes on is to examine its background capabilities, and the types of operations in which it is engaged. Perhaps in this way, a key to the firm can be found. By examining the "what," possibly the "how" will become apparent.







Ladera Elementary School, Manhattan Beach, Calif.



Apartment Buildings, Barrington Plaza, Los Angeles

Rocket Engine Test Stands, Rocketdyne Div., North American Aviation, Inc., Santa Susana, Calif.



Daniel, Mann, Johnson, & Mendenhall


Background

DMJM is, at the present time, a little less than 15 years old. It was founded shortly after World War II, by Phillip J. Daniel and Arthur E. Mann, architects, and S. Kenneth Johnson, architect and engineer. Another architect, Staley A. Moe, and a structural engineer, Irvan F. Mendenhall later joined the firm as partners. Each of the original partners brought a few jobs into the firm with him. During its first three years, DMJM did a number of projects (mostly public schools) and lost money. At this stage, it became apparent that the firm's future health and success depended on making some basic decisions about the goals the partners desired for the firm and how to get there.

The partners subjected the firm and themselves to a severe and searching re-examination, and went through a survey by an outside management consulting firm. The essential decisions were made: 1) to seek out a variety of large, complex work on a world-wide basis, in addition to the building types being done at the time; 2) to do all (or almost all) engineering and other technical work within the firm; 3) to establish a business-like organization, departmentalized with a partner in charge of each department; 4) to grow.

With the basic decisions made, the firm has grown and has gone into the types of work it wanted. This has not been accomplished overnight or without pain, however.

While growing, the firm has developed a distinct philosophy and approach to architecture and related fields, and the capabilities for putting these into practice. As expressed by DMJM, the capabilities might be listed in this manner: 1) adequate financial ability of the firm to handle its commitments; 2) experienced and knowledgeable people within the organization, with the ability to interpret and direct complex programs, perform major technical and management functions for clients, and evaluate and establish technical solutions to the client's problems; 3) ability to meet difficult and changeable production schedules; 4) ability to perform professional work within budgets; 5) flexible and reasonable professional fees. It should be profitable to examine, in some detail, the DMJM approach to these ideals. This should be possible by taking a look at the types of jobs the firm does, the services they offer, their geographical range of operations, the types of people on the staff (and their capabilities), the DMJM organizational setup, and the extra-professional activities of the staff.



Types of Work

Since its founding, DMJM has performed professional services for well over \$2 billion of construction. This total represents over 600 commissions. The firm has done a large number of buildings of every usual type. These include schools, apartment houses, office buildings, industrial buildings of various kinds, hospitals, laboratories, hotels, public buildings, shopping centers, and the like.


In addition, DMJM has done such highly specialized jobs as Wonder Palace (an integrated convention center at Anaheim, Calif.), master planning of Mountain Park near Los Angeles (includes residential, commercial and educational areas), designs for a food store chain, Atomic Energy Commission facilities for storage and disposal of radioactive waste, Santa Susana, Calif., Hyperion Sewerage System, Los Angeles, Calif., San Bernadino and Los Angeles flood control projects, streets, roads, and highways in California, Maryland, Washington, D. C. and other locations.

The firm has been responsible for the professional work on numerous military projects, including officers quarters and other military housing, complete air bases, harbors, communications centers, and other types.

Missile and space work has rapidly become a firm specialty. DMJM has performed complete professional services, including master planning, for a number of missile launching complexes and test facilities. Work done by the firm has included, in addition to the usual services, such things as roads and drainage ditches, high power transmission systems, utility systems, water distribution and sewerage systems, and specialized storage for liquid oxygen and other materials. For much of this work, the programs were incompletely defined because of the many unknowns present. Much out-of-the-ordinary research and development work was required of DMJM in order to do the work for which they were engaged.

Services of the Firm

In general, DMJM offers complete architectural services, along with all of the related engineering, planning, and specialized services required for almost any existing building type. All of the work is accomplished within the firm itself, except for the most specialized areas such as satellite tracking equipment or atomic physics. For consultation in these and similar areas, DMJM has made ar-




Left: Basic DMJM Firm Organization Chart Above: Foreign Operations Division Chart rangements with a number of specialists outside the firm for consultation on a continuing basis.


The firm has become more and more involved in space projects, missile base design, atomic design, and other projects of this advanced nature. In order to do work in these areas, it has become necessary to build up the firm's capabilities in fields less closely related to architecture than the usual engineering specialities. Service are now performed by the firm in such areas as industrial engineering, statistics, electronics, and the like.

The following is an outline of the types of services now being offered by the firm:

- I. Master Planning
 - A. Establishment of client's requirements and limita-
 - B. Evaluation of influencing factors
 - 1. Location and interrelationship with other facilities
 - 2. Climate
 - a. Rainfall
 - b. Temperature
 - c. Wind
 - d. Humidity
 - 3. Transportation and accessibility
 - 4. Zoning and governing codes
 - 5. Utilities and rates
 - a. Water Supply
 - b. Gas
 - c. Electrical Services
 - d. Waste Disposal
 - 6. Tax and insurance rates
 - 7. Characteristics of population, labor force
 - 8. Community support and acceptance
 - C. Determination of feasibility
 - 1. Economic evaluation
 - D. Determination of future expansion
 - E. Scheduling of construction of urgently needed components
 - F. Recommendations and counsel
- II. Architectural Planning and Design
 - A. Analysis of client's requirements
 - B. Development of concepts
 - C. Preliminary engineering
 - 1. Structural
 - 2. Mechanical
 - 3. Electrical
 - 4. Civil
 - D. Estimates

- E. Development of working drawings
 - 1. Architectural
 - 2. Engineering
- F. Preparation of Specifications
 - 1. Interior Design
 - 2. Color coordination
 - 3. Flow studies
 - 4. Architectural lighting
 - 5. Architectural rendering
- III. Engineering Planning and Design
 - A. Planning
 - 1. Site development
 - 2. Cost analysis and economic evaluation
 - 3. Reports
 - 4. Investigations
 - B. Design of Complete Facilities for:
 - 1. Sanitary Sewage Systems
 - a. Collection systems, trunks, and outfalls
 - b. Treatment plants
 - c. Pumping plants
 - d. Industrial waste
 - 2. Flood Control and Drainage Facilities
 - a. Hydrology and hydraulic design
 - b. Storm drains and appurtenances
 - c. Flood control dams, spillways, channels, and storage reservoirs
 - d. Water conservation and erosion control, debris and detention basins
 - 3. Water Works
 - a. Transmission lines and distribution systems
 - b. Treatment plants
 - c. Well development
 - d. Storage tanks, reservoirs, and pumping plants
 - 4. Highway Engineering
 - a. Alignment and right of way
 - b. Drainage
 - c. Bridges
 - d. Traffic potential surveys
 - e. Foundation and soil analysis
 - f. Pavement design
 - 5. Airfields
 - a. Runway configuration
 - b. Sound suppression and blast protection
 - c. Maintenance and storage facilities
 - d. Pavement design
 - e. Fueling systems and airfield lighting
 - f. Grading and drainage





Left: Domestic Operations Division Chart

Above: Business Development Division Chart

Daniel, Mann, Johnson, & Mendenhall

- 6. Miscellaneous Engineering
 - a. Marinas and harbors
 - b. Missile facilities
 - c. Subdivisions
 - d. Aerial photography, surveying, mapping
 - e. Soils and foundations
 - f. Processing and industrial waste

IV. Systems Engineering

- A. Instrumentation Systems
 - 1. Design of instrumentation systems for:
 - a. Environmental test facilities
 - b. Missile launch and static test facilities
 - c. Sound attenuation test and laboratory facilities
 - d. Data handling and analysis equipment
- B. Communications Systems
 - 1. Design analysis of:
 - a. Microwave equipment
 - b. Weapon system, static test, and launch control communication equipment
 - c. Military tactical communications equipment
 - d. Traffic control and dispatch equipment
- C. System Integration
 - 1. Integration of functional requirements of facilities into planning documents and design criteria
- D. Systems Analysis
 - 1. Analysis of existing or proposed operating systems to determine optimum design criteria to meet total requirements of the proposed complex
- V. Construction Management and Supervision
 - A. Preparation of documents
 - B. Issuing of drawings and specifications
 - C. Analysis of bids and making of recommendations
 - D. Preparation and execution of contracts
 - E. Surveillance of shop drawings
 - F. Approval of materials
 - G. Preparation of change orders
 - H. Provision of resident inspectors and construction supervision personnel

- I. Surveillance of guarantees and as-built drawings
- J. Recommendations and counsel during construction VI. Process Engineering
 - A. Foods
 - B. Beverages
 - C. Industrial
 - D. General Industrial Chemicals
 - E. Military

For projects of such extreme size or complexity that the firm feels it is incapable of handling them adequately alone, DMJM associates itself with other architectural and engineering firms in joint ventures. An example of a project of this type is the Titan missile facility project now being handled by DMJM in joint venture with The Rust Engineering Co., Leo A. Daly Co., Architects and Engineers, and Mason & Hanger-Silas Mason Co., Inc., Engineers and Contractors. Under the terms of their contract the joint venture (known as DMJM and Associates) is furnishing all of the architectural, engineering, and related services for the project other than actual construction.

The Firm's Staff

The firm employs specialists in a great variety of fields. An idea of the breadth of the technical staff (in addition to architecture and building engineering people) may be gained from the following partial list of firm personnel:

Systems Mgrs.
Systems Engs.
Master Planners
Civil Engineers.
Electronics Engs.
Process Engs.

Nuclear Engs.
Mechanical Handling Engs.
Aerodynamicists
Physicists
Mathematicians
Statisticians



One example of the types of projects DMJM gets involved in, in its expanding architectural role, is this study of mass rapid transit requirements for Los Angeles. This sort of project goes far beyond the "single building" concept so prevalent today in architectural practice. Transportation is probably the most important key to the design of a city. Thus, in a commission such as this, an architectural firm has a chance to establish over-all concepts of planning on a large scale, eventually affecting the lives of all who live, work, or visit in the city

Chemical Engs.
Fuel Engs.
Hydraulics Engs.
Pneumatics Engs.
Instrumentation Engs.
Radio Propagation Engs.
Infra-Red Engs.
Optics Engs.
Ultrasonics Engs.
Computer Engs.
Wind Tunnel Engs.

Pipe Line Engs.
Sanitary Engs.
Surveyors
Technical Writers
Airport Systems Engs.
Missile Engs.
Propulsion Engs.
Servo Engs.
Inertial Guidance Engs.
Microwave Engs.
Communications Engs.

contract with the U.S. Third Air Force. This work is concerned with architectural and engineering coordination of all of the Third AF bases in England. The Thailand office has, as its major project, a waterwell drilling and exploration program involving some 335 wells to be drilled in an area of 40,000 square miles. This work is for the International Cooperation Administration. The Guam office is handling a large amount of military housing on the island and complete facilities for a 44,000 kilowatt-net power plant. The Caracas office is designing a submarine aqueduct for supplying water to the offshore islands of Margarita and Coche.

Missiles Systems


As DMJM became more and more involved in the design of missile bases, it became apparent to the firm that it needed to provide itself with capabilities for research and development work in the fields of the missiles themselves and the related sciences. Accordingly, the firm bought an existing company, Systems Laboratories, Inc. This firm performs research, consulting work, and development work in aeronautics, nucleonics, missile systems, automatic control and computer systems, physics, chemistry, mathematics and similar fields.

Worldwide Operations of the Firm

While the largest percentage of the DMJM work is in the United States, the firm does projects on a worldwide basis. The foreign offices are extremely flexible. They are set up, moved, or modified in accordance with the needs of the firm at a particular time. At present, foreign offices are located in London, Bangkok, Honolulu, Saigon, Paris, Guam, Djarkata and Caracas. Each of these has a primary reason for being. The London office is of particular importance in the administration of the DMJM

Extra-Professional Activities

Growth of the DMJM practice has brought with it an increasing awareness of, and participation in outside activities by the firm members and employes. Increasingly, it has become apparent that the progress of the organization, dependent as it is on efficient service to its clients, is almost equally dependent on the outside activities of the firm. So DMJM gets itself involved (as a firm and individually) in a great number of civic and other peripheral pursuits. Firm members think these activities add stature to themselves as individuals and help the firm. The activities range from membership in such groups as the American Rocket Society, to full sponsorship of a Space Science Exposition for Explorer Scouts, from A.I.A. and other professional organization activities to the establishment of firm lectureships at colleges and the making of a film designed to stimulate young people's interests in science and mathematics. Activities of this sort round out the program DMJM has set for itself. In this way, the firm and its members become more important and integral members of their communities and of society than would be possible within the strict confines of professional practice.



Judging from the comments of the three firms reported on in the preceding pages, it seems evident that their primary concern is with opportunities in fields broader than those formerly available to architects. In varying degrees, these firms are seeking work which is more complex than usual, larger than the average, and widespread geographically. They are actively engaged in types of work that did not exist a few years ago. In addition to the design and coordinating capabilities of the architects in their organizations, and the technical knowledge of their structural, mechanical, and electrical engineers, these firms offer their clients the services of a variety of specialists ranging from research and development scientists to economists and sociologists.

Certainly, there is some division of attitudes and approach between this sort of thinking and the comments which follow. In the latter, the emphasis is on improvement of the traditional capabilities of the architect, on greater development of these capabilities, within a more limited sphere. Yet the end product in each case is much the same. In the approach of the three, the result will be, perhaps, master planners who will be concerned with man's total environment; in the approach of the dissenter, the result anticipated is a better-functioning architect in the accepted sense of his role. In both approaches, the over-all result should be improved services to the public.

Improvement of Present Services

It seems unfortunate that the phrase "broadening field of service" seems to mean a different thing to each person that reads it. To our firm it does not mean that we are "extending or diversifying" or adding "new specialties." It does mean that we are trying to do a better job on the same kinds of projects that we have been doing in the past. Instead of attempting "to build an organization capable of broad design service," we're desperately trying to build an organization so well coordinated that we can do the jobs we know should be done while constantly narrowing our field of service.

Let me "get down to cases" and report an actual case history that may explain what I'm trying to say better than a general discussion. We have a major department store as a project. It is a part of a regional shopping center. Our preliminary conversations occurred four years ago. At that time we persuaded the owners, the real estate leasing agent, the mortgage brokers, the market analysis expert, and so on that the design of the shopping center must allow for this department store to be constructed in the future. Our sketches for the shopping center showed a normal three story building, with provisions for adding two stories in the department store location. The department store portion of the sketch was only an empty box indicating a very general scheme for the store.

One year ago the leasing agent and the mortgage broker, after months of effort, finally arranged a tentative financing scheme that satisfied all of the involved parties. Our only role in all of this was to vigorously defend the plan against all changes. We refused to "negotiate the lease," "comment on markets," or "argue costs." We're conscious of these factors and must have general knowl-

edge of them, but we feel we must resolutely stay within our own role as architects. We can't reduce the parking area to allow the owner more building area; we can't switch the truck service to reduce tenant costs and thereby wreck the careful separation of store service and customer circulation; we cannot argue the question of the elimination of the third floor household departments because the "area market has moved from a new buyer base to a replacement base." I think my point is clear-we do not try to be all things to all people. We retain our own identity, stay within our own field. We may be referees in some ways; we may have broadened our knowledge of the other fields of activity concerned in this project but we have by no means entered these other fields.

When the actual design of the building finally began, we first spent many hours discussing the departments with the fixture layout and interior designer. Here again we broadened our knowledge of the subject so we could talk intelligently with the interior designer, but we had no intention of "taking over."

Next we had a job conference with the architectural chief draftsman, assigned job captain, mechanical department head, electrical, plumbing and air conditioning designers, structural engineer, etc. Our main purpose was to coordinate these matters at the beginning. Too often the structural engineer says "You draw it up and we'll find some way to hold it together" or the air conditioning engineer says "Please get the building on paper, beams and all, and I'll find some way to get the ducts in." Again, I must point out that we find it a fascinating and difficult enough job to do this coordination properly, just using the old familiar ways without trying to strike off toward new and uncharted seas. Having come to some preliminary conclusions, we then reviewed the whole problem with the tenant's organization, the store maintenance man, the mechanical and electrical men, their chief architect, the fixture layout designer, and, for good measure, several department merchandisers. As we talked with each of these men, specialists in their fields, being careful to stay within the limits of their respective parts of the problem, we may have been referees, with general knowledge of the subjects, but we did not attempt to argue such things as the virtue of an incinerator vs baled waste.

By this time we had a well defined building program. The general contractor (there is a negotiated contract) gave us a memo in which he pointed out those things that would or would not fit into the budgets. Together with the tenant and owner, we adjusted the drawings and outline specifications and finally proceeded with working drawings. After many further minor adjustments, four years after we had our first meetings, the building construction was finally begun.

I have taken so many words to describe a perfectly ordinary, normal project in order to impress you with the fact that I feel certain our future as architects lies not in finding new worlds to conquer but rather in finding the best possible ways to cope with the complications of our well known role. I admit this may not be as exciting as "out of the ordinary" projects, but this is really what we are doing and is our own "Image of the Architect."

> Clinton Gamble, Gamble, Pownall & Gilroy, Architects

MODERN CHURCHES IN POSTWAR FRANCE

by Peter Hammond

While most architects are familiar with the chapels by Matisse at Vence and Le Corbusier at Ronchamp, not much is known of the vast French program of new church building, reconstruction and restoration since 1950.

In this article the Reverend Peter Hammond, author and member of England's New Churches Research Group, presents some of the best examples of this current development.


In France, as in many other countries of Western Europe, the decade just ended has been a period of widespread activity in the field of church architecture. Since the early fifties, a vast program of reconstruction has been carried out, and hundreds of new churches have been built to replace those destroyed during the war: particularly in the great seaports and industrial centers, and in areas such as the region around Caen, where the destruction was exceptionally severe. Many other churches have been more or less drastically remodeled or restored, while the liturgical movement has inspired a nation-wide épuration des églises the like of which has not been seen since the time of Viollet-le-Duc. During the last year or two, the focus of activity has begun to shift from reconstruction and restoration to the provision of new churches for the densely populated suburbs of the great cities and the vast new housing developments around them. Some extremely interesting work has already been carried out in this field. There is today, what there was not as recently as ten years ago, a substantial body of modern church architecture in France which will richly repay study. With the exception of a few chapels which have been enthusiastically, if not always critically, acclaimed on both sides of the Atlantic, little of this work has yet attracted serious notice in other countries.

In 1949, there was only one modern church of any real significance in the whole of France: Auguste Perret's chef d'oeuvre at Le Raincy, completed as long ago as 1923. Apart from Le Corbusier, who had made few disciples in the land of his adoption, French architecture in general was in a bad way. The modern movement had still to make any deep impression on the dominant late-nineteenth century Beaux Arts tradition of reinforced concrete construction. An architect commissioned to build a church would almost inevitably view his task as one of producing "a fine building," conceived in pictorial rather than functional terms. In France, architecture was still emphatically a fine art. By the late forties, on the other hand, there existed in France an extremely lively school of religious art, which had already done something to divert attention from the architectural sterility of some of the many churches built during the thirties. The so-called appel aux maîtres had recently led to the transformation of a somewhat undistinguished pre-war church text continued on page 197 French Churches: Sacré Coeur, Audincourt. M. Novarina, architect

The most notable feature of this church is a detached baptistery, placed to the north of the building and connected with it by a short passage. Baptistery and passage are glazed from floor to ceiling with panels of glass slabs set in cement. The glass was designed by Jean Bazaine, who was also responsible for the great mosaic over the entrance to the church, and was executed by Jean Barillet. The font, the form of which strikingly expresses its function as the womb of rebirth, was carved from a single block of Volvic lava by the sculptor Etienne Martin








Collection Art Sacré

The church was completed in 1951. The U-shaped plan, large open porch and unbroken band of windows are reminiscent of Fritz Metzger's church of St. Charles Borromeo, at Lucerne, built eighteen years earlier. The mosaic over the entrance to the church is an abstract composition in which the theme of the five wounds of Christ is interwoven with another taken from the prophet Isaiah: 'With joy you shall draw water out of the wells of salvation.' The mosaic was executed in the Gaudin atelier from a design by Bazaine.



The altar, as in so many recent French churches, is a simple table, freestanding to permit celebration facing the people. Behind the altar, and screening the entrance to the sacristy and crypt, is a tapestry designed by Fernand Léger, who was also responsible for the seventeen panels of glass slabs set in cement which stretch round three sides of the church. The subject-matter of the window immediately behind the altar other windows is drawn from the Passion narrative in the Gospels. Below the sanctuary is a crypt-chapel, where the sacrament is reserved. The glass in this chapel is by Jean Le Moal. The choir and organ are placed in a gallery at the west end of the church



at Assy by a group of well-known artists which included Léger, Bazaine, Rouault, Lurçat, Braque, Bonnard, Matisse and Richier.

This renewal of sacred art has proved something of a mixed blessing for French church architecture of the fifties. While it has given rise to some outstanding achievements, particularly where stainedglass is concerned, it has also tended to obscure the fundamental problem of modern ecclesiastical architecture, which is primarily a matter of planning and spatial organization. It is significant that the chief interest of most of the churches of the early fifties lies in the works of art which they contain. Novarina's church at Audincourt, near Belfort (this page), and Matisse's chapel for a Dominican community at Vence-both completed in 1951-are landmarks in the creation of a sacred art for our time: their architectural significance is negligible. Audincourt owes almost everything to the glass, mosaic and tapestry of Léger and Bazaine. The other outstanding success of the first half of the decade, the restoration of a church at Les Bréseux in the Franche-Comté, is again due to a distinguished painter, Alfred Manessier. The pilgrimage chapel at Ronchamp, consecrated in 1955, is the first church built in France since Le Raincy which reasserts conclusively the primacy of architecture visà-vis the plastic arts. Once again the plan, the molding of space, the spirit of order and proportion come into their own. There had been nothing like this for a generation, and the only comparable achievement in French church architecture of the last five years is Le Corbusier's still-unfinished Couvent d'Etudes at Eveux, a few miles west of Lyon (page 198).


Having said this, I would add that there are several recent churches which, if they will from the point of view of sheer architectural quality scarcely bear comparison with those of Le Corbusier, are in some ways of even greater importance. I have in mind particularly the work of three architects: André Le Donné, Pierre Prunet and Rainer Senn. The problem that these architects have been concerned with is one of creating a building for the activities, both liturgical and extra-liturgical, of a echoes that of Bazaine's mosaic in the porch; that of the parochial community. Both of Le Corbusier's two churches have a most unusual program. Ronchamp is not a parish church; its program is virtually unique. This elementary fact has been ignored with text continued on page 200

French Churches: Dominican Priory, Eveux. Le Corbusier, architect

Le Corbusier's Couvent d'Etudes at Eveux, known as La Tourette, is near L'Arbresle (20 miles west of Lyon on the road to Roanne). The priory is built on a wooded hillside, sloping steeply from east to west. Rectangular plan with an inner court spanned by glazed cloisters. Main entrance on the east side. Corridors, lighted by a continuous glazed strip at head height, extend round three sides of the inner court and give access to the 120 cells which occupy the two upper floors. The cells look outwards and each has its own balcony. Below the cells are the various communal rooms; the domestic offices, heating plant etc. are on the ground floor. The refectory, chapter house, library etc. are lighted by great plates of corrugated glass divided by vertical strips spaced at irregular intervals. Construction is of béton brut throughout. The church occupies the whole of the northern wing. It is rectangular in plan and the altar will stand near the center of the building, between the monastic choir and a slightly smaller space for the laity. Within the inner court there is a smaller chapel















Alison and Peter Smith


Dominican Priory, Lille. Pinsard and Hutchison, architects

The Dominican priory at Lille is situated in an extensive walled garden in the Avenue Salomon. It is still unfinished, though the church and the principal block containing cells and public rooms were completed in 1958. The architects have adopted the economic methods of construction used in industrial buildings of the region: crossbearing brick walls, flat brick arches, and lightweight concrete slabs; reinforced concrete is used for larger spans






Caroën



ludicrous results by a whole tribe of lesser architects, who, like so many jackdaws, have carried off from Le Corbusier's isolated hilltop site odd scraps and details which are as meaningless when displayed in an alien environment as they are admirable in their proper context. Ronchamp is an incomparable achievement: it is also unrepeatable. The priory at Eveux does invite comparison with several other recent buildings for religious communities with a similar program. Another Dominican priory, on the outskirts of Lille, where an English architect, Neil Hutchison, has collaborated with Pierre Pinsard, has some sterling qualities; the church is among the most interesting built in France within the last ten years (page 199). A Franciscan friary at Orsay, near Paris, also deserves an honorable mention. Another very remarkable church with a rather special program is the chapel of St. Teresa at Hem, near Roubaix, completed in 1958, where, thanks to the generosity of a Lille industrialist and patron of modern art, Philippe Leclercq, the architect and his team of artists found themselves in the unusual position of not having to worry about financial considerations (page 202). Hermann Baur and Alfred Manessier have together created a building of rare quality, a true union of Swiss architecture and French sacred art, which, all else apart, provides an excellent example of the possibilities of stained-glass and mosaic as integral elements in the total architectural conception. There is no longer, as there was at Assy and to a slightly lesser extent at Audincourt, any question of the architect taking second place, or of architecture serving merely as a frame for the work of a distinguished artist.

But it is when one turns to the best of the parish churches built during the last five years that one becomes aware of the progress that has been made in France since the late forties. It is here that the fruits of several years of continuous debate between architects, theologians, liturgists, pastors and sociologists are most clearly discernible. The churches of Le Donné, Prunet and Senn all reveal a new emphasis on the liturgical function of the church building as a house for the corporate worship of a community: a shelter for a congregation gathered around an altar, rather than an autonomous architectural embodiment of religious sentiment or cosmic moods. They vividly express, in terms of plantext continued on page 208



The layout of the church is similar to that at La Tourette, the altar standing near the center of the building, between the monastic choir (see opposite page) and the seats for the laity. The ancillary altars are disposed around the choir and are invisible from the body of the church. There is a separate sacrament-chapel


Right: brickwork and concrete are left exposed; the floor is of sandstone and all joinery work is in sipo, a French colonial timber, painted where exposed to the industrial atmosphere. The glass in the church was designed and executed by Gérard Lardeur. The vault is of béton brut. Throughout the buildings the emphasis has been placed on poverty, simplicity, truth. The open plan provides the maximum of light and space in the heart of this heavily industrialised region. The setting is in sharp contrast to the wooded hills which surround Le Corbusier's compact, outward-looking enclosure



French Churches: Ste. Thérèse de l'Enfant Jésus et de la Ste. Face, Hem. Hermann Baur, architect

A small chapel in a village between Roubaix and Croix, consecrated in 1958. It was designed by the Swiss architect Hermann Baur and financed by a Lille industrialist, Philippe Leclercq. The chapel is set back from the road beyond a spacious parvis flanked by whitewashed cottages. Construction is of brick and there is a detached bell-tower. The north and south walls consist entirely of glass slabs set in concrete. The glass was designed by Alfred Manessier









The chapel has an asymmetrical rectangular plan with a sacrament-chapel on the north side. The choir is placed on the north of the sanctuary. The ceiling is of wood and the chapel is paved with dark gray stone from the Pyrenees. The tapestry which hangs behind the altar was woven by the Plasse-Le Caisne family from a painting by Georges Rouault. The altar is free-standing; the cross, tabernacle and communion rail are of wrought iron

Between the aluminum doors is a semi-circular niche containing the *bénitier*, designed by Dodeigne, a young sculptor from Roubaix, who also carved the statue of Ste. Térèse which stands to the south of the sanctuary. Above the entrance to the chapel there is a splendid mosaic by Manessier. The glass, by the same artist, is among the finest to be seen in France or anywhere else, and is one of the outstanding successes of the last decade






Tabernacle and crucifix by Dodeigne

French Churches: Sacré Coeur, Mulhouse. A. Le Donné and M. Patout, architects


A large church, capable of accommodating 1000 people, built on a wooded site in the Rue de Verdun and incorporating an existing chapel (too small to meet the needs of a growing population) and a presbytery. The white marble altar and the narrow band of stained glass in the nave are by Léon Zack; the glass in the lantern-tower is by Janie Pichard; the mosaic pavement of the sanctuary by Irène Zack and the engraved stone in the porch by Véronique Filozof




Narthex and baptistery



Sanctuary defined by light from tower windows





Altar detail






Chevojón





The apse is sheathed in *vercuivre*—a thin layer of copper on a glass and bitumen base. Below the church there is generous accommodation for parochial activities, incuding rooms for meetings and classes, and offices and apartments for the two priests on the staff of this newly created parish





ning and spatial relationships, the recovery within the French Church of a full understanding of the meaning of the Church, its liturgy, and its function in the contemporary world. Just as the medieval cathedral was the outward sign of a particular relationship between the Christian community and society at large, so these buildings are essentially churches for un pays de mission, for parishes which are first and foremost communautés missionaires.

Of the three architects whom I have mentioned, only one, André Le Donné, has yet been given the opportunity to produce a substantial body of work; though Pierre Prunet and Rainer Senn both have several churches now in the course of construction or at the project stage. Le Donné's church at Marienau-lès-Forbach, in the diocese of Metz, which was finished in 1956, already displays the characteristics discernible in his more recent churches: a preoccupation with the plan, the possibilities of extreme simplicity, the careful control of light for purposes of spatial definition, and the use of a few works of art of real quality which serve above all to underline the liturgical function of the various parts of the building. What Le Donné is not concerned to do is to build a Sainte-Chapelle in reinforced concrete, or to array a once potent but no longer valid symbol in "Contemporary" fancy dress. His characteristic preoccupations are strikingly expressed in two churches completed in 1959-one at Mulhouse (page 204), the other in Paris (page 206) -which will almost certainly rank among the outstanding achievements of the last decade.

Pierre Prunet, whose large square church of St. Anne at Nancy is now nearing completion (page 209), has also been concerned to express, by means of the physical relationship between the ministers at the altar and the rest of the congregation, the theological truth that all are active participants in the eucharistic liturgy. At Nancy he has used a square plan, with the altar and font set on a diagonal axis. In another unfinished church, at Auxerre (this page), he has established a similar relationship between altar and people within a circular building. All these churches by Prunet and Le Donné, like the majority of recent churches in France, are in fact parochial centers rather than simple churches.

In the churches and projects of Rainer Senn, a text continued on page 211






Here the architect has adopted a circular parti which makes it possible for the whole congregation to be gathered around the altar within a space unobstructed by columns, while the sanctuary is nevertheless clearly defined within the volume of the church as a whole. This church is now under construction and should be completed in 1961




Main entrance façade

Ste. Anne de Beauregard, Nancy. Pierre Prunet, architect



A large square church with a carefully considered program. It will be completed this summer. The altar and font are placed on a diagonal axis; the choir is seated to the east of the sanctuary, which is defined by means of light. Chapels, sacristies, confessionals etc. are placed beneath a gallery behind the congregation, where they do not obscure the primary function of the church for the eucharistic assembly

Jean Biaugeaud





Model

Left: model. The church is situated on the western side of Nancy, where the main road from Toul and Paris enters the town. It is built on two levels, with the various parochial offices on the ground floor. The building to the right of the principal entrance is the presbytery

French Churches: Four by Rainer Senn








Our Lady of Lourdes, Pontarlier. These churches by Rainer Senn all reveal the same preoccupation with the centralized plan, based on a square, with economy, simplicity of construction and the carefully studied use of light. The recently completed church at Pontarlier, like the wooden chapel near Nice (see below), is based on a square plan with the altar set on a diagonal axis. Construction is of steel, the principal feature being a pyramid of four massive girders. The roof is tilted up along the axis of the building, from the entrance to its highest point above the altar. The sanctuary is defined by the light from a large triangular window. The whole of the steel structure is visible within the church. The timber roof is covered externally with copper, and a bell will eventually be hung just below the apex of the structure. Below the east end of the church, which stands on a sloping site, are the various parochial offices. The total cost of the church was in the region of \$35,000








Chapel at Saint-André de Nice. A wooden chapel built for the Companions of Emmaus, one of the Abbé Pierre's communities of rag pickers, in 1957. Four timber beams span a square and form a pyramid. The altar is free-standing on a diagonal axis. The main source of light is a central lantern, though there are also irregularly spaced apertures in the plank walls through which the sunlight filters into the building. The roof is covered with bituminied paper. An earlier project for a slightly larger chapel, with a sacristy behind the altar (as at Pontarlier), was based on a pentagonal plan




Chapel at Ferrette. A project of 1958 for a timber chapel, to accommodate 250 people. A square plan with a diagonal axis, and a carefully controlled use of light for purposes of spatial definition. An umbrella-like structure, with a single central support for the pyramid of four beams

Swiss architect who is still in his twenties, the emphasis on extreme economy and simplicity of construction is particularly marked. His first ecclesiastical building, which dates from 1957, is a square timber chapel for one of the Abbé Pierre's communities of rag-pickers (page 210). It cost approximately \$150 and was built in two weeks by the architect himself and a couple of assistants. Senn has now devoted three years of intensive research and experiment to the problem of designing inexpensive structures which can be built sufficiently rapidly to enable the Church to keep pace with new housing developments. His church at Pontarlier, in the diocese of Besançon, which was completed last September, is a building of quite exceptional interest (page 210). The steel pyramid, which forms the basic structure, was erected in two days, and the church has cost far less than what is customary. Senn has since produced a whole series of projects for new churches in France, ranging from a timber chapel for the Ecole Saint-Exupéry, at Versailles to large parish church which is to be built at Villejuif, in Paris. Another project, for a prefabricated church large enough to accommodate 800 people, may well provide an answer to one of the gravest problems now facing several urban dioceses, where, as is now commonly recognized, it is urgently necessary to multiply parochial centers on a hitherto unimagined scale if the parish is again to become an effective instrument of pastoral and missionary strategy (this page). There is nothing new about the idea of the église provisoire: what is new is the combination of rigorous economy and high architectural quality shown in the churches of this young architect. Senn's work may well prove to be something of a landmark in the development of modern church architecture-and not in France alone. Another church completed last year, which reflects the growing demand for economy and simplicity, is a timber building in the Rue de Chamrousse at Grenoble (page 213). The next two or three years may well see some further experiments of considerable interest in this field to judge by several recent projects for prototype churches which exploit the possibilities of standardization and prefabrication.

The most striking sign of the growing influence of the liturgical movement on church building in France is the great variety of plans now commonly text continued on page 213



Senn has remarked: "My various projects are based on the same fundamental idea; the church building is the place where a community is formed: a community having a common center. What preoccupies me is the assembly orientated towards this center. This is shown, on the one hand, by the disposition of the seating; on the other, by the way in which I have given prominence to the center spatially and by means of light . . ."




Project for a prefabricated church. A large, inexpensive, easily built prototype church, which could be multiplied with local variations, in the densely populated suburbs and in new housing developments. Steel frame, laminated wood panel ceilings and aluminum roofing are planned. Estimated cost of church, which could provide seating for 800 people, is approximately \$60,000, including furnishings. The structure can be adapted to provide a space containing 520 seats for the Sunday liturgy, together with a small week-day chapel seating 144, and two additional rooms





French Churches: Ste. Agnès, Fontaine-les-Grès Michel Marot, architect

A small church for a village near Troyes, where the character of the site led the architect to adopt a triangular layout. The triangular spire, immediately above the altar, provides the main source of light. There are secondary altars in the twangles on the base of the triangle, the baptistery is to the right of the entrance, and the large porch contains a galler for the singers. The wooden detailing of this church is of quality rarely found in France



Plan, Ste. Agnès







Plan, St. Jacques


St. Jacques, Grenoble. Vincent, Pupat, Potié, architects

A wooden church for a newly-formed parish which reflects the same preoccupations as are evident in the churches of Rainer Senn. No attempt has been made to dominate the high blocks of flats which surround the church. This is essentially a room for a communal action; the congregation is gathered round the Lord's table which gives the building its raison d'être. The principal light-source is immediately above the free-standing altar

V. Rambaud








adopted for a new church. Long narrow churches with the altar at the east end are becoming increasingly rare. Instead, we find architects experimenting with alternative types of layout which stress the fact that the eucharist is a communal act, not something performed by professional actors on behalf of a passive congregation. In many of the churches built since about 1955, the seats for the laity are placed on three sides of the sanctuary, while the celebrant and his assistants face the people across a free-standing altar. There are a few recent examples of circular or octagonal churches with a central altar, as at Holtzwihr, near Colmar. Other plans based on the square, the ellipse, the circle, the trapezoid and the hexagon are now common. One of the most successful village churches of the last decade is Michel Marot's triangular church of St. Agnes at Fontaine-les-Grès, a few miles north of Troyes, where the peculiarities of the site led the architect to adopt a layout which is unique in France (page 212).

There is one further category of new churches which suggests preoccupations of a rather different kind from those I have mentioned. It includes several of the most ambitious buildings of the decade. The most spectacular of these churches is Auguste Perret's St. Joseph du Havre, which dominates the reconstructed harbor area of the town. This extraordinary building is apparently a development of a rejected project of the twenties. Today, in spite of its immense technical virtuosity, it is something of an anachronism. But the desire to exploit the potentialities of new structural systems in the creation of familiar effects has still to be reckoned with in France—at any rate when the necessary resources are available. Guillaume Gillet's remarkable church at Royan seems to me to belong to this category (page 214). From the point of view of pure structure this is a fascinating building, but I do not think it adds anything of importance to the debate which has been going on since the twenties; the real problems of modern church architecture are of a different order altogether. As Paul Winninger has remarked, in an important book Construire des Eglises, it may be shocking to ecclesiastical sensibilities to multiply prefabricated chapels within ten kilometers of Notre-Dame; the fact remains that those ten kilometers "represent the whole distance between the beginning and the end of a world." The text continued on page 216




French Churches: Notre Dame de Royan. Guillaume Gillet, architect


A spectacular church which towers above the reconstructed sea-front of this bombed resort on the Gironde estuary, like Perret's church of St. Joseph at Le Havre. The church will ultimately form the dominant element in a complex of buildings comprising a complete parochial center and including a school and a presbytery. To the east of the church an extensive parvis makes it possible for mass to be celebrated at an outside altar during the summer months, when the town is crowded with visitors. The tower at the east end rises to a height of 185 above the parvis


The architect and his consultant engineer, René Sarger, have sought to exploit the possibilities for church building of a type of structure first evolved by a French engineer, the late Bernard Lafaille, for industrial use: in particular for the locomotive sheds of the French railways. This consists of a series of V-shaped members in reinforced concrete, the intervening spaces being glazed to give a very strong vertical emphasis, both externally and internally





Notre Dame de Royan is one of several recent churches in France the plan of which is based on an ellipse, orientated on its long axis. The site slopes fairly steeply from west to east, and from the main entrance at the west end one descends to the nave by a broad flight of steps. The church forms a vast oval space, 115 high and completely unobstructed by columns. Around the church there is a wide processional way. To the south of the sanctuary there is a detached baptistery





cathedral symbol is irrelevant to a Church which finds itself increasingly in a missionary situation vis-a-vis the community as a whole. We need an entirely different type of building, the form of which must spring from the liturgical, pastoral and missionary demands of our own generation.

No account, however cursory, of what has been accomplished in France during the last ten years can ignore the immense work of remodeling and restoration carried out since 1950, though it is impossible in the space of a brief article to do more than mention a handful of outstandingly successful examples. I have already referred to Manessier's glass at Les Bréseux, which is among the finest in Europe. The same artist has recently completed another splendid series of windows for an exemplary reconstruction of a medieval chapel at Pouldu, in Brittany. André Le Donné's remarkable transformation of the church of our Lady of the Rosary at Le Havre (page 218) shows what can be done, even with unpromising nineteenth century material. At La Besace, in the Ardennes, a modern nave and baptistery have been added to a twelfth-century chancel (page 217). The furnishings and glass by Pierre Chevalley are typical of a great deal of work now being done in France, much of it by young and comparatively unknown artists and craftsmen. A group known as Les Artisans du Sanctuaire, founded in 1952 by François Basseville, has been responsible for some admirable restorations during the last few years, particularly in Alsace. Among established artists, Léon Zack and Maurice Rocher have made some impressive contributions to the restoration of old churches, as well as to the building of new ones; Georges Braque has designed some windows for a chapel at Varengeville; and, improbable as it may seem, even Jean Cocteau has now been pressed into service as a mural-painter. Just across the Swiss frontier from Audincourt, the church at Courfaivre, near Delémont, now contains an important series of windows by Léger (page 217), as well as a Lurçat tapestry. The Salon d'Art Sacré, held annually in Paris, continues to provide abundant evidence of the renewed vigor of French sacred art. What is now also clear, as it was not ten years ago, is that French church architecture is beginning to show comparable signs of renewal. The next decade may well prove remarkably interesting.



Window by Léger in the church at Courfaivre

Glass by Pierre Chevalley in the twelfth-century chancel at La Besace




Modern baptistry at La Besace




Agnes Varda


La Besace. A good example of the restoration of a village church, the eastern part of which dates from the 12th century. To this has been added a new nave and tower by the architects Eugène and Claude Scherrer. The whole church has been refurnished by Pierre Chevalley. The altar and font are of black granite, the tabernacle and fontcover of lead, the altar cross of wrought iron. The chancel windows are filled with unassertive modern glass which blends admirably with the medieval architecture. The whole church has been repaved in sandstone

Courfaivre. In 1953-54, an 18th century village church a few miles from Audincourt, across the Swiss frontier, was enlarged and restored by a local architect, Jeanne Bueche. In addition to a tapestry by Lurçat, the church contains a considerable quantity of glass designed by Fernand Léger. In the nave there are ten panels which form a continuous band on either side. The Marriage at Cana (see opposite page) is on the south side of the altar











Our Lady of the Rosary, Le Havre. André Le Donné's spectacular transformation of a damaged neo-Gothic church. The existing shell has been re-roofed with a simple reinforced concrete vault, and the orientation of the building reversed so that one descends into the church from the sanctuary





LIGHTING FOR ARCHITECTURE

Ask any architect what's wrong with architectural lighting and you'll hear something like this: "Engineers are insensitive to design and wedded to their handbooks." Or "Manufacturers don't supply the right kinds of equipment." Then come the rebuttals. "Architects don't know what they want." "Engineers are not supposed to be architectural designers: their job is to execute the architect's designs." "Manufacturers already produce an enormous variety of sources, and will add to their lines any other item there is a demand for." So there the lighting problem stands, shifting in focus according to who defines it. We feel it's time to stop discussing it and start solving it. We also feel that the initiative must come from the architect. Only he can assume the responsibility for the building as a whole—for the lighting no less than for the structure or the space itself. If he knows the principles of lighting well enough to clearly define his lighting objectives in the context of the total building concept, and to clearly convey them to the engineer who will execute them, he need not be cowed by the dicta of the handbooks. He can rely confidently on his own design sense, which may, in many situations, be more applicable than a too strict adherence to standards that consider "how much" but seldom "how" and almost never "why." He can even break the rules—but only if he understands the principles on which they are based, and the range of their validity. The four-part series that begins in this issue will give him that understanding.

LIGHTING: L DESIGN OR ACCIDENT?

Too often, the answer is "accident," but as this article points out, it need not be. The light we see is also seen by us, and it produces predictable visual effects. This

discussion shows how these effects can be "designed" to achieve positive goals—or allowed to "just happen," with results that may be as unfortunate as they are unexpected.

THE LIGHTING PROGRAM: 2 THE RIGHT LIGHT IN THE RIGHT PLACE

By outlining the many "dimensions" of light that must be understood if natural and artificial lighting are to be integrated with the building design, this article lays the groundwork for programming lighting that will not only meet minimum seeing requirements but will also assure visual comfort in viewing our tasks and our surroundings.

THE LIGHTING SYSTEM: 3 FIXTURE FACTS AND BUILDING FACTORS

With the stage thus set, this article translates the program requirements into concrete terms. A practical guide for achieving desirable brightness patterns as well as re-

quired quantities of light, it discusses the characteristics of light sources in terms of their relationships to room size and shapes, materials, and structural features.

THE LIGHTING DESIGN: 4 PROBLEM, PROGRAM AND PROCEDURE

This casebook presents, through specific examples, a suggested procedure for executing the lighting design from start to finish. It shows how to approach the problem;

how to set up the program; how to use study sketches in evaluating alternate solutions; and how to represent the final lighting design in meaningful graphic terms.

LIGHTING FOR 1 ARCHITECTURE

Lighting: Design or Accident?

- a. Light to See By: Enough Light for the Purpose
- b. The Light You See: Lighting for Mood or Atmosphere
- C. The Light You See: Lighting for Emphasis or to Direct Movement
- d. The Light You See: Lighting to Express Intended Use
- e. The Light You See: Lighting to Complement Structure
- f. The Light You See: Lighting to Modify the Appearance of Space
- g. The Lighting System: How to Achieve the Lighting Objectives

The years since Edison have brought architects, quite literally, more light than they know what to do with. After centuries of painstakingly and often ingeniously manipulating our buildings to suit the vagaries of natural light, we find, paradoxically, that we have very little aptitude for manipulating our new wealth of artificial light to suit the vagaries of our buildings.

When all buildings were designed around a single, fixed light source, the sun, the difference between great architecture and mere building could be measured to a great degree by the skill with which that source was used. The shapes and sizes of the rooms, and the materials and details in them, were determined largely by the appearance the room would take on when rendered by daylight. Light was not always simply applied to structural innovations: more often, the structures themselves were de-

A. LIGHT TO SEE BY: ENOUGH LIGHT

FOR THE PURPOSE

The first step in achieving positive lighting is, quite logically, to provide *enough* light. This meets the basic physical requirement: light to see by as distinguished from light you see.

The difference? When you turn on headlights of so much candlepower, you get a proportionate number of footcandles on the road ahead—enough to see a man walking across it. If the road is black and there is no man, you actually see no light at all on the road itself. If the road is white, you have the same amount of light to see by, but you also see the light from the headlights reflected off the white pavement.

The physical requirement, then, calls for enough light, without distraction and with appropriate direction and diffusion, to enable the

building occupant to do the work expected of him. This is a fairly simple requirement, but within its general framework, the precise amount and placement of light (not fixtures) may vary widely according to the demands of the task.

For desk work in classrooms or general offices, for example, the requirement would be for a relatively high horizontal footcandle level throughout the room—other factors being equal, as high as can be afforded. The light should be relatively diffuse, with minimum distraction from the light sources. The reduced visibility resulting from reflected glare, which is a function of the relative position and brightness of the source, should also be considered.

The same requirements would apply to work at an individual desk in the home study or in a private office, but—and it is an important "but"—they need apply only to a limited area of the room. It would be wasteful at best to light every square foot of a large executive office to the level

required to read a fourth carbon.

For most visual tasks, the light should be directed on a horizontal work plane, but not for all of them. Looking at pictures in a museum or gallery calls for illumination of vertical planes, and a uniformly lighted floor is of little help. The same is true of shaving or applying makeup at a mirror, where the need is for a relatively high level of illumination from the front. In this case, uniformity is more important than quantity.

If we consider the light needed to see other cars and objects while driving through an underpass or tunnel, we begin to see how factors other than the amount of light provided can influence the ease with which we see. In a tunnel, as in a corridor, the actual seeing requirement is minimal—only enough light to see large objects is really essential. But the eye's adjustment from daylight to the lower light level in the tunnel becomes a factor. The light level at the tunnel entrance may have to be higher than would otherwise be strictly

veloped to make possible desired lighting and spatial effects.

Now, finally, we have artificial sources which are not only easier to control than daylight, but can also light interior spaces far more brightly. Theoretically, the possibilities for imaginative lighting are limitless. And, theoretically, our ability to create great architecture should have increased in proportion to the availability of more, and more versatile, artificial sources. Yet we have scarcely begun to scratch the surface of those "limitless" possibilities.

In a very real sense, architectural lighting is suffering from an embarrassment of riches. There are too many choices—bad as well as good. First, there are the basic choices between the various possible patterns of light and the endless ways in which they and the building can relate to and modify each other. Then there remain the choices between the

thousands of lighting fixtures with which these patterns can be produced.

Small wonder that architects yearn for the commercial availability of techniques like electroluminescence, which they feel will eliminate the choices and let the building light itself. But buildings will not be selfilluminating in the near future, and even when they become so, the choices of lighting patterns must still be made. They can be made more logically if we remember that the selection of a lighting system is a basic design choice, and that as in any other kind of broad planning-city planning, foreign policy or whatever -there must be an orderly process of decision making.

To get the full potential from artificial lighting in a building, decisions must first be made on the desired patterns of light and on schematic ways of achieving them. Then decisions can be made on actual equipment and other design details. But the details must follow the design, just as in any other phase of architecture. If we start with the electrical layout and the selection of lighting fixtures, there is no design at all, only details, and the results—good or bad—are accidental.

In at least one aspect of lighting design, this is clearly understood. Although windows are basically light sources, the designer is concerned first with their size and placement in relation to the use, surfaces, volume and structure of a room, and only then with the glass area (or luminous surface) and the sash details. No architect allows an engineer's apprentice to select the windows for a room and arbitrarily place them "eight feet on center." But he often allows the lighting-which will in the end determine the total character of the room-to be "designed" in just that way.

necessary (e.g., at night), and bright walls may become more important than any number of footcandles on a dark pavement—particularly when the psychological factor of reducing claustrophobia is considered. Thus, as is often the case, the light that you see begins to take precedence over the light you see by.





While many areas, like classrooms, call for light on a horizontal work plane throughout, good horizontal lighting does not meet every seeing requirement: a museum needs maximum light on the walls, but very little on the floor

b. THE LIGHT YOU SEE: LIGHTING FOR MOOD OR ATMOSPHERE

Although the lighting designer's first goal is to provide enough light to see by, he must also provide it in such a way that the light seen encourages the occupants of a room to use the space as intended. Since it is based on the human reaction to the light patterns set up, and their relationship to the colors, textures and shapes of the room surfaces, this might be called the psychological requirement for lighting.

One of its more important aspects is the establishment of a mood appropriate to the purpose for which a space is to be used. Because "mood" is the result of a subjective response, it is difficult to define in how-to-do-it terms. It can, however, be planned

within fairly close limits if it is consciously considered as one of the lighting objectives.

We know for example that the colors, the ornate patterns, and the movement of the lights in an amusement park are major factors in producing the desired air of excitement and gaiety—and that New York's Times Square is a very different place at midnight than at noon.

We know also that high contrast lighting has a "feel" different from that of low contrast lighting; that even, glare-free, comfortable lighting may produce an atmosphere of efficiency or of luxury; and that harsh glaring lighting, which would be uncomfortable in a factory or cheap in a store (where it would also communicate cheapness to the merchandise), may be highly dramatic in a theater.

This concern for establishing mood through lighting may at first glance seem applicable only to churches and night clubs, but it is equally applicable to offices and factories. Any good personnel man will confirm the fact that the desire to perform may be as important as the ability to do so.

It should also be remembered that lighting always establishes a mood—whether or not the mood is planned. Colors and materials contribute of course, but even the most luxurious finishes and furnishings can be washed out or cheapened by the wrong kind of light, or made still more inviting by the right kind. No matter how cheery a hospital room may be by day, harsh lighting can make it a dreary cell by night.

Mood-setting should not be allowed to just happen. If it is not predetermined by a careful study of the lighting in relation to the other aspects of the room, any resemblance between the room as it is and the room as it was meant to be will be purely coincidental.

C. THE LIGHT YOU SEE: LIGHTING FOR EMPHASIS OR TO DIRECT MOVEMENT

Almost as widely applicable as light's ability to define the character of a space is its ability to direct attention, and thus, if movement is called for, to guide that movement. We are all familiar with this psychological effect of light, though we may not always recognize it in an architectural context: the "name in lights" on a theater marquee is more obviously designed to attract attention than is a brightly lighted store.


Orderly rows of street lights clearly guide movement down a dark street, while a haphazard arrangement of lights in a parking lot can cause traffic jams with only minimal help from drivers. However, it should not be assumed that linear rows of light are necessarily the best solution. At a gas station their directing qualities may be very useful for aligning the flow of traffic alongside the pumps-the light directs the customer without requiring of him a conscious decision on where to drive. On the other hand, many architects object to a linear sequence of lights down a long corridor, because here the psychological effect is undesirable-one should feel free to meander.

Although the ability of light to attract attention is often used to indicate and encourage the expected movement, there are many other cases in which only its attentiongetting ability is desired. An obvious example is an auditorium where the combination of dim house lights and bright stage lights virtually compels attention to the doings on the stage, while the stage lighting itself leads the eye through the action of the play or dance. Less dramatic but equally useful are such techniques as raising the brightness of a lobby near the elevator banks (guidance of movement is also a factor here), and highlighting the focal point of a space—a seating group, a painting, a stairway, or what have you. Certainly all store lighting is meant to direct attention to the merchandiseeven though much of it appears to have been designed to feature the lighting fixtures themselves.

In general, high brightness lighting that produces sharp contrasts and sharply defined outlines is more compelling than softly graded lighting even if the graded light increases to the same brightness. Such contrast can be highly useful in picking out objects or areas for special attention, but it can also be very distracting if the attention is drawn to the wrong places.

Knowing this, many lighting designers try assiduously to eliminate

Light may be used simply to direct attention to a focal point as in the auditorium below, or it may also be used to guide movement as in the store at right where a row of lights leads passersby to the entrance. The two stores below right show why the visual emphasis of light must be carefully planned: in one, attention is drawn to the merchandise where it belongs; in the other, to the fixtures instead










Left: Low contrast light and visual order can produce a relaxed mood; high contrast light, tautness. Right: Light can add to the excitement of a fair; but "institutionalize" a school where, at night or on cloudy days, it will fall to the floor in pools, leaving the walls and ceiling in darkness









contrast altogether. Thus they avoid the negative effect of distraction, but they also eliminate the positive effect of emphasis. In most cases, it seems more sensible to capitalize on the psychological effects of lighting than to try to eliminate them—particularly since they can't be eliminated in any case.

Even, low-contrast lighting may produce no distractions, but it certainly produces a mood—which may or may not be appropriate. A typist in a large office should, perhaps, not be distracted; a visitor will appreciate appropriate distraction while he waits in the reception room.

While mood-setting and attentiongetting and the many other psychological effects of light can never be precisely predicted or measured, the thoughtful architect or engineer can supplement his own personal observations with brightness measurements (to compare with the apparent brightness patterns experienced). With this information, he can "design" psychological effects with as much predictability as any other aspect of architectural design.

However, in thinking of psychological factors, associative reactions should be separated from reflex reactions. For example, Christmas lights would appear exciting to anyone, apart from their association with the holiday, but a reindeer would have meaning only by association.

d. THE LIGHT YOU SEE: LIGHTING TO EXPRESS INTENDED USE

Useful as light may be in determining the mood and movements of a building's occupants, and more prosaically, in enabling them to do the work at hand, it also produces another whole set of effects which, like the psychological effects discussed earlier, are based on the human reaction to the light seen. These, however, are less functional than esthetic: they are used primarily to enhance the appearance of a building.

No one will doubt that lighting adds to or subtracts from the visual effect of a building. But the question of whether the lighting is to be a plus or a minus factor is determined as much by its relationship to the rest of the building and the ideas the architect is trying to express, as by the quality of the lighting itself.

If the architect's objective is to express the relationship between the appearance of a room and its intended uses, he may approach that end by relating the lighting to the specific activities which will be carried on within the space. Merely providing appropriate lighting for both the physical and psychological requirements of a space will usually produce

such a lighting-activity relationship, for when lighting is properly related to intended uses, it also tends to reinforce their inherent character. No tricks are necessary, just a logical analysis of needs and confident provision for those needs.

If, for example, a room or a part of a room is to be used for focused group or individual activity, a feeling of intimacy can be reinforced by visually related lighting—hanging lamp, candles or spotlight at the dining table, or local lighting by the home desk or reading chair. (In general, if intimacy is desired, light patterns with maximum brightness on the lower (people) level surfaces are more effective than those with maximum brightness high in the space.)

A similar, non-residential, example is a nurses' station in a hospital corridor, a space that should be bright and cheerful, with good light on working surfaces. Provision for these requirements automatically sets the nurses' station apart from the corridor proper and defines its function—assuming of course that the corridor itself is lighted for its own special requirements. The same principle might be used to visually define the registration desk in a hotel lobby or the cashier's booth in a restaurant.

A visual relationship between lighting and intended use may be particularly effective for rooms that house more than one activity. An executive office may contain, in addition to the desk, a furniture grouping to be used for informal conferences. If appropriate lighting is provided for these different areas, the executive will enjoy a visual change of pace to match his changing activities, and the room will be far more



In the office above, light provides a change of pace between desk and conference area. In the railway station above right, it immediately locates the ticket office. But in the "loft" school right, a quest for flexibility led to the use of the same lighting in every area—in spite of their different lighting needs

e. THE LIGHT YOU SEE: LIGHTING TO

COMPLEMENT STRUCTURE

Webster defines complement as "that which is required to supply a deficiency, to make perfect, or to complete a symmetrical whole." And it is in this sense that lighting makes its most vital contribution to the appearance of architecture.

If, for example, an interesting structure is important in the design concept, the architect can enlist light to define and reinforce it, by silhouetting major structural members or washing its surfaces with light.

If the object of the lighting is to emphasize unusual contours, as would be the case with folded plates and most thin shells, it should be remembered that an even wash need not be the only answer. Complete uniformity is difficult to achieve: if the execution is spotty, the attempt might better have never been made. Non-uniformity is not necessarily confusing, and if the shading follows a "natural" pattern, it may be more effective than an even wash in defining the planes of a structure. A folded plate, for example, might be best expressed by lighting that gradually decreased in brightness from the valleys to the peaks.

Negatively, it is perfectly possible to neutralize the effect of an interesting structural pattern by superimposing on it a contradictory pattern of light. Perhaps the most common example of this is the arbitrary placement of fixtures so many feet on center, without regard for the shape of the ceiling they are affixed to. The error may be more glaring if lamps are hung perpendicular to the ridges of a folded plate, but the principle is the same

continued on following page

The form of the shell at right, already well defined by indirect lighting, is further emphasized by luminous elements between its segments. The structure of the roof at far right is also clearly expressed by a graded wash. In contrast, a superimposed light pattern dominates the curves of the shell below; spotty execution mars the definition of the folded plate roof below right




expressive of the work carried on within it than it would be if it were lighted with, for example, a luminous ceiling. (An ever-present bright ceiling might also be a much greater distraction than a planned contrast in lighting patterns.) Similarly, the over-all lighting in a classroom may be supplemented by display lighting

over bulletin boards and chalkboards.

At the opposite extreme is the frequent failure not only to relate the lighting to different activities within a single space, but to different activities from room to room. In an office building, for example, the same lighting (a luminous ceiling, say) is often used throughout, without re-

gard for the different uses of the various spaces. Lighting appropriate for the general offices is assumed to be equally appropriate for private offices; for corridors, where footcandle requirements are minimal; and for the cafeteria, where cheer and relaxation are called for rather than efficient "working" light.







e. LIGHTING TO

COMPLEMENT STRUCTURE (cont.) if the "ridges" are only exposed joists in a classroom.

It is also perfectly possible to use lighting to hide a structure altogether. Beams, pipes, and miscellaneous mechanical equipment are often made "invisible" by painting them and the ceiling in dark colors and placing below them fixtures which produce no uplight. The same technique can just as effectively obliterate a handsome ceiling that was intended to be a prime architectural

feature. And a louvered ceiling suspended beneath a folded plate can erase all kinship between the exterior and interior of a building.

Integrating the structure with the night lighting may require nothing more than lighting the interior so that the light pattern complements the space and structure. If this is done, the exterior will take care of itself. When, instead, the outside walls themselves are lighted by exterior luminous sources, care must be taken that the result is not a huge billboard rather than a structure with an enclosed volume.



f. THE LIGHT YOU SEE: LIGHTING TO MODIFY THE APPEARANCE OF A SPACE

In addition to expressing use and emphasizing structural features, lighting can also be used to alter the appearance of a space, both by the way in which the light is introduced and by the colors of the reflecting surfaces. Designers have long used color to modify the apparent shape of a room, but the space can also be modified visually by the planned introduction of light, with the added advantage of fluidity in design. One can hardly repaint a room every time a change in spatial effect is desired, but lights can easily be turned on or off.

Walls, for example, can be emphasized by painting them in a color that contrasts with the other wall colors in a room. They can equally well be emphasized by lighting them to a brightness that contrasts with the other wall brightnesses. The solidity of a textured wall can be heightened by light, or a polished marble wall can be virtually dissolved in the mirror images that result from misdirected reflected light. Light colors low on the walls of a high-ceilinged room, combined with light directed on the lower planes of the room, can change the proportions of the space.

The ceiling lighting, too, can have a profound effect on the appearance of a space. A ceiling that is the brightest plane in the room may also become the most dominant plane. A solid suspended ceiling ringed by brightness will seem to float on light. A dark ceiling, if it is not picked out

by direct or reflected light, may seem not to be there at all.

A wash of light on walls and ceiling may visually expand a space by erasing the wall-ceiling intersection to produce a neutral sky-like effect. This would be particularly helpful in reducing the claustrophobia often caused by windowless spaces.

In some cases, a dominant pattern of luminous sources can organize a space by breaking up the ceiling plane and rearranging it in elements better suited to the uses of the room. Or the dominant ceiling pattern may be transferred to the floor, where pools of light replace the luminous sources themselves. Similarly, strongly horizontal wall lighting may visually organize such diverse elements as the windows, doors, chalkboards, tackboards and lockers in a classroom—and do it much more naturally and logically than the painted line or molding that is so often used.

Lighting can also extend space by taking advantage of the transparency of glass to emphasize the continuity of continuous planes: wall, ceiling or floor. Glass, as we all know, tends to become opaque—or a mirror—at night. Its transparency can be restored by as simple a device as extending the room lighting a short distance outside, or by suitable exterior lighting to offset the difference in brightness inside and out. The same technique—in reverse—might require suitable interior lighting during the day.


There is, finally, light's ability not only to modify space but to "create" it. Street lighting, for instance, creates space of a sort; other kinds of outdoor lighting, including even hanging lanterns, can effectively create spaces of very different sorts.


Spaces can be modified visually by changing the relationships of surfaces through manipulation of light patterns and reflectances. In the reception area below, one wall is emphasized by finishing it in a lighter color than the other walls and bathing it in uniform light. Conversely, the ceiling in the church below right is made "invisible" by its own dark color and by scattered downlights which give adequate illumination on the pews and altar—but cast no light at all on the ceiling.

Light can also modify space by extending it, as in the church at right. Here light flows on both sides of the glass walls, maintaining the transparency of the glass and emphasizing visually the actual continuity of the floor and ceiling beyond the walls. In the amusement park at far right, the lighting itself virtually creates the spaces—as do hanging lanterns or street lights



The other aspect of lighting to complement structure is exterior lighting—which is often most effective when it doesn't exist. If the interior lighting is related to the structure, as in the building at left, the same lighting will render the building properly at night, revealing the pattern of the fenestration and the interior spaces rather than that of the fixtures: the carefully placed openings in the shell below are equally expressive from the outside by night and from inside by day











g. THE LIGHTING SYSTEM:

THE LIGHTING OBJECTIVES

After the lighting objectives have been defined by deciding how much light is required to see by; how the light seen should look in order to encourage proper use of a space; and what appearance the structure and space should have when rendered by artificial lighting, daylight, or both, these objectives must be thought of in terms of execution.

This process should take place early in the planning, when changes in the choice of materials and colors, or even in the structure, can still be made. Remember that every decision on structure and color is as much a "lighting" decision as is the choice of lighting fixtures. All buildings are designed by adjusting basic schemes to meet many-faceted requirements, and light should be considered from the beginning as one of those requirements.

Daylighting has certainly been one of the key factors in the shaping of plans and structures—from the classic example of a Gothic cathedral where the structure was created to achieve the desired window shapes, and the modeling of the details was based on the light that would render them, to the multiplicity of clerestories, skylights, saw-toothed roofs and so forth used today.

There is equal reason to coordinate the shape of structures with artificial lighting, which can only be fully integrated if it is considered at every stage of design. If the lighting system is applied after the design is completed, half-measures may be the only measures still possible.

The next question is what the lighting equipment itself should look like. Should everything be flush, or should the fixtures be expressive? There are probably as many points of view on this as on whether the bones of a structure should show or be hidden, or on whether cars should have door handles or push buttons. Many architects would like for light to appear without any source. But there is no particular reason why lighting equipment cannot be expressively yet unobtrusively related to the building, in the same way a well-placed shelf is.

The same principle that applies to the design of any building element should also guide the selection of lighting equipment: that is, its relationship to the room functions and to the other building components in terms of dimensions, alignment, shapes, materials, and quality of details. The single most important element in lighting is the design of a light pattern that is logically related to use, space and structure. If the lighting effects are well conceived, achieving adequate equipment details is a relatively simple matter.

One error commonly made in selecting lighting equipment is considering its appearance only with the light off. Flush fixtures that are practically invisible when off may be anything but unobtrusive when lighted, and few light sources can be so dominant as a seemingly innocuous luminous ceiling. On the other hand, suspended fixtures may be relatively inconspicuous if they are placed so that the pattern of light they produce is more prominent than the fixtures themselves,

A largely unexploited opportunity for establishing integrated light patterns is the use of other parts of the building to control and distribute light, instead of relying on the lighting fixtures to work independently.

Walls, ceilings and other surfaces of a room may be effectively used to control reflected light, with surfaces of low reflectance, for example, acting as a foil for highly reflective surfaces, or highly reflective surfaces throughout a small room serving to disperse and diffuse light from a single source. An aisle or counter may be highlighted as effectively by its own light-colored surface as by local lighting. Unusual ceiling constructions or suspended acoustic baffles may house fixtures or provide builtin shielding. Other peculiar features of a space may also be exploited, as when library stacks or space dividers house indirect ceiling lighting.

In summary, the objectives of good lighting are to make a building work well in its intended use, to psychologically encourage that use, and to make the building more beautiful. In accomplishing this, we must remember that light is seen as well as seen by, and that its appearance should be calculated as carefully as the footcandles it produces.

Much unattractive and uncomfortable lighting is the result of following standards that are stated mostly in terms of horizontal footcandle levels, and designed almost solely to fulfill physical requirements. Close

analysis of actual tasks and seeing requirements indicates that this "light for seeing" basis for architectural lighting is applied far too extensively. A very large portion of lighting design should be aimed primarily at the meeting of psychological and esthetic requirements, and even in "utilitarian" lighting, maximum footcandles should be far from the only objective.

For areas such as lobbies, public spaces of banks, gymnasiums, cafeterias, many stores, and an endless list of similar spaces, the basic illumination requirements for seeing are al-



When lights are on, the pattern of "unobtrusive" flush fixtures may dominate a space (above). Suspended fixtures, if logically placed (right), may be subordinate to the light pattern they produce



most negligible if there are no distractions from windows or lighting equipment. More often, the objectives of the lighting design are to balance competing glare and to create the optimum psychological and esthetic environment.

The wide spread between the "required" illumination levels for easy and difficult tasks suggests that the "monotonous" lighting architects have been complaining about is, in fact, not even the best solution in the physical sense, and that without increasing budgets, there could be far fewer footcandles in many areas and

far more where they are really needed. Except in those areas where sustained close work is done, meeting the psychological and esthetic requirements would in most cases also fulfill the requirements for seeing.

Progress in architectural lighting is only going to be made by starting with the broad objectives rather than with the details of footcandles and fixtures. This demands first of all the attention of the architect, who alone can relate the lighting objectives and designs with those of the rest of the building. And it further demands sympathetic collaboration from the

engineer who carries out the design.

Such a process is admittedly much more difficult than just following footcandle tables which are at best incomplete and at worst irrelevant. But everyone should find the extra trouble worth-while: the public and the architect, because in our day good architecture cannot exist without good use of both daylight and artificial light, and the lighting engineers and the lighting industry, because lighting might then become the last instead of the first item in the budget to be trimmed.

See credits pages 296 and 300







Above: In early architecture—and some recent work, daylighting requirements have shaped buildings. Below: Buildings can also shape light. A reflecting screen and white altar are key elements in the lighting of a chapel; a ceiling serves as a lighting cove; or structure doubles as shielding—successfully in a bowling alley, less successfully in a lab where the viewer's position varies





PERFORMANCE STUDY OF CONDUCTIVE FLOORING

Extensive laboratory and field tests by the National Bureau of Standards provide new specification background information on conductive flooring. The presently accepted method of testing the electrical efficacy has been substantiated by the Bureau's studies. The research also showed that the durability and maintenance characteristics do not differ essentially from nonconductive flooring of similar nature

It has long been recommended practice to use conductive flooring in surgical suites to minimize the possibility of electrostatic sparks igniting anesthetic vapors or gases. Functionally, the conductive flooring must have the proper electrical characteristics, but in addition, architects are concerned with matters of durability, maintenance and appearance.

A study,* recently completed by the National Bureau of Standards, supports the presently accepted method of specifying and testing the conductivity of installed floors established by the National Fire Protection Association. †

NBS also concludes that, in general, conductive floorings can be expected to give comparable service to nonconductive floorings of the same type.

The report points out that, although the color range is necessarily limited in some of the flooring materials because of the conductive medium (carbon black) used, still a variety of patterns is possible.

The prime requirement for conductive flooring is that the electrical resistance be within a specified range—less than 1,000,000 ohms and more than 25,000 ohms, as measured by the NFPA method. The upper value was chosen to make sure the electrical resistance is low enough to prevent electrostatic charges from building up to sparking voltage, the lower value to prevent electric shock due to faulty electrical equipment or wiring.

The Bureau of Standards report discusses laboratory and field tests which prove that the NFPA method of measuring the resistance of in-

*Conductive Flooring for Hospital Operating Rooms, NBS Monograph 11. Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C., 20 cents.

†NFPA No. 56 Recommended Safe Practice for Hospital Operating Rooms, May 1958.

stalled floors reasonably simulates the conditions of actual use, i.e., contact with the conductive floor through operating room furniture and shoes worn by the surgical team. Tests indicated that the specification of a top resistance of one million ohms (NFPA method) will prevent electrostatic voltage from reaching sparking level.

The NBS report states that methods of judging the durability and maintenance features of conventional floorings can be applied to conductive floorings as well. The efficacy of several types, however, depends on maintenance procedures and conditions of use. For example, the durability and appearance of linoleum and rubber may depend on periodic waxing. Conductive waxes containing carbon black are available and should be esthetically as well as electrically satisfactory. The report warns that sealers should not be used on conductive floors until proven satisfactory by electrical tests.

With oxychloride conductive floors, moisture content was found to affect the electrical resistance. Laboratory tests indicated that too little moisture might make the resistance go above the top limit, and too much, below the bottom limit. Thus the relative humidity of the room air and the cleaning schedule should be carefully established and controlled when this material is used.

Materials tested in the NBS study included samples of ceramic tile, a plastic coating, concrete terrazzo, latex, linoleum, oxychloride (terrazzo and plain finish), rubber sheets and vinyl tile.

Samples were 18-by-18-in. floors on plywood panels obtained from domestic suppliers of commercially available conductive flooring. Application followed each manufacturer's own practice.

The electrical conductivity of all samples except the oxychlorides and one make of ceramic tile depended on the presence of acetylene (carbon) black. In the case of ceramic, linoleum, rubber and vinyl samples, the carbon black was finely dispersed in the material during manufacture; while with latex, concrete terrazzo and the setting bed for ceramic tile, the carbon black was mixed on the job.

Oxychloride floors are made by combining an aqueous solution of magnesium chloride with powdered magnesium oxide. Various fibrous and mineral fillers are mixed with the paste which sets to a hard mass. Marble chips may be added to the mix and the surface ground to produce a terrazzo floor.

Scope of the NBS study included: (1) measuring the electrical resistance of all samples by established methods, (2) determining the effect on resistance of such factors as aging, moisture, wear and maintenance, (3) determining the effect of variations in test conditions upon measured resistance, (4) checking the measured resistance against an actual electrostatic charge (generated by a person wearing wool clothing and rising from a plastic covered chair-such condition prohibited by NFPA standard), (5) comparing physical properties of the conductive samples to nonconductive floors of the same type. In addition to laboratory tests, field tests were made on five different types of conductive

Effect of Aging. Tests made over a period of 30 months indicated that aging did not affect the resistance of the floors except for several oxychloride samples.

Effect of Room Humidity and Surface Moisture. The results of these tests show that the only material significantly affected by extremes of humidity was oxychloride flooring. Figure 2 indicates that exposure of oxychloride samples to 80 per cent

SAMPLE	DESCRIPTION	METHOD OF APPLICATION				
1. Ceramic Tile	Random pattern of $1/4$ -inthick black conductive tiles (1 $9/16$ in. sq. $3/4$ in. sq and 1 $9/16$ by $3/4$ in. oblong) and green nonconductive tile ($11/32$ by $3/4$ in.)	Tiles were laid in a conductive mortar underbed containing 3 per ce carbon black. 1/16-inwide joints were grouted with nonconducti cement mortar				
2. Ceramic Tile	Brown conductive tile, 1 ½6 in. sq	Same as above. Also provided with tile set in conductive adhesive and nonconductive cement mortar joints				
3. Plastic Coating	Black. Mixture of plastics, solvents and con- ductive ingredients	Applied by spray, brush or trowel to a thickness of 1/16 in.				
4. Concrete Terrazzo	Dark gray conductive matrix with stone chips of black and green	Concrete underbed containing 3 per cent carbon black, and a terrazzo top surface with 2 per cent carbon black (carbon black based on weight of dry cement). The sample was constructed according to specifications of the National Terrazzo and Mosaic Association. Samples were treated with a recommended penetrating type sealing compound				
5. Latex Terrazzo	Black neoprene and cement matrix with pink, green and white chips	Material troweled V_2 in thick; intended for use over existing or new, structurally sound underfloors. Four coats of manufacturer's sealer had been applied				
6. Linoleum	Black. 6-ft-wide strips, ½s in. thick. Burlap backing	Placed over a suitable underfloor by conventional methods. Manufac- turer prescribed brass seam connectors with projecting points to in- tercouple sheets electrically. Manufacturer stated that wax or protec- tive coats should not be used and recommended dry machine brushing				
7. Oxychloride Terrazzo	Green matrix. Approximately 50 per cent of surface covered by black and white nonconductive chips	Material applied V_2 in, thick over suitable underfloor. Liquid synthetic resin bonding agent covered by coarse mineral grains provided anchoring between terrazzo and underfloor				
8. Oxychloride (Plain)	Dark red	Same as above				
9. Oxychloride Terrazzo	White matrix. Approximately 50 per cent of sur- face covered by black and white nonconduc- tive chips	Material laid $lat{1}{2}$ in, thick over asphalt felt and wire mesh and a suitable underfloor				
10. Oxychloride Terrazzo	Red, green and gray matrices. Approximately 30 per cent of the surface covered with black and white nonconductive chips	Material laid V_2 in. thick over 2-insq wire mesh and a suitable underfloor				
11. Oxychloride Terrazzo	Green matrix. Approximately 65 per cent of the surface covered with black, green and white nonconductive chips	Material laid V_2 in. thick over suitable underfloor				
12. Oxychloride (Plain)	Red; other colors available. This cupric oxychlo- ride material contained finely divided copper powder (5 to 10 per cent by weight) of dry mix	Material applied $orall_2$ in, thick over a suitable bonding agent and subfloor				
13. Rubber	Black, Va in. thick. Backed by cotton fabric	Adhesive was used to fasten the sheets to a suitable underfloor and intercouplings similar to those used with linoleum (sample 6) can be used to connect the sheets electrically				
14. Vinyl	Special underlayment of felt with pressure-sensitive adhesive on both sides served to bond the felt to the underfloor and the tile to the felt. Copper foil, 1/2 in. wide, was placed on the felt to provide electrical intercoupling between tiles					
15. Vinyl	Molded terrazzo design of either white or gray field with a black "chiplike" effect. 9-by-9-in. polyvinyl chloride-based tiles, 3_{16} in. thick	Adhesive was troweled onto a suitable underfloor. 1-in. copper foi placed on the adhesive provided an electrical intercoupling between tiles				

CONDUCTIVE FLOORING

rh caused their resistance to fall below the 25,000-ohm minimum and exposure to 10 per cent rh caused their resistance to go above the 1,000,000ohm maximum. Tests to determine the effect of mopping were made using a rubber sponge saturated with water; any excess of water was allowed to remain. Again the oxychlorides were the only samples significantly affected, their resistance falling below the minimum limit, except when the humidity was maintained at 10 per cent.

Testing Method. The Bureau of Standard tests showed that the 1,-000,000-ohm limit measured with a 500-v ohmeter and using standard electrodes gave a reasonably valid criterion of performance for the floors tested. In case of doubt, such as when floors are slightly above the top limit, measurements of resistance between objects in the room can be used to provide evidence of the safety of the floors.

NBS tests also demonstrated that for resilient floors there is a safety factor of about 10 for the present 1,000,000-ohm specification, even at as low a relative humidity as 20 per cent, because the resistance of these floors is relatively independent of the hardness of contacting objects. There appears to be no such factor for hard-surfaced floors. However, there is a very large factor of safety (10 or more) if, as specified by the National Fire Protection Association, wool and plastics are prohibited in the operating suite. In addition. there is another large safety factor if a relative humidity of not less than 50 per cent is maintained, as designated by the NFPA standard.

Physical tests nonelectrical in nature made by the Bureau included indentation (to measure relative foot comfort and resistance to permanent deformation due to a concentrated load such as a table leg), scratch resistance, slipperiness, resistance to scrubbing, water absorption and stain resistance.




Figure 1. Effect of aging on electrical resistance




Figure 2. Effect of relative humidity and daily washing on electrical resistance

Remodeled Molecules Produce Effective One-Part Sealant

Shortly after "curtain wall" became a key word in the architectural vocabulary, it became apparent that the new definition of curtain wall also demanded a new definition of the word "sealant." The oil-based mastics that were—and still aredoing yeoman service as glazing and caulking compounds were simply not adequate to meet the more stringent requirements for sealing the large area panels and panels of the newer types of curtain walls, especially in high-rise buildings subject to substantial wind stresses. So construction people promptly borrowed from the marine and aviation industries the two-part synthetic rubber-based compounds that remain the standard definition of sealant, in spite of the many experiments with resilient gaskets, tapes and compound sealers designed to overcome the hazards of mixing and applying two-part sealants under normal field conditions.

Now Tremco, itself a long-time producer of two-part polysulfide liquid polymer sealants, is offering a new definition—a one-part sealant that the company says is better than the best caulking compounds and similar to more costly two-part liquid polymer sealants.

The most obvious advantage is of course the fact that the Mono Lasto-Meric sealant comes pre-mixed and ready to use without on-site preparation. But more important, by going back to basics, Tremco's research people were able to produce a 100 per cent liquid polymer that, unlike compounds based on solid vinyl or butyl, does not need to be modified or dissolved with oil or other additives. By remodeling a basic acrylic polymer, they came up with a co-polymer whose elasticity, adhesion and resistance to hardening under ultraviolet rays, oxygen and moisture are inherent in the compound itself-not the result of additives that may migrate or disappear in time.

The exclusion of migratory ingredients also makes it possible to use the sealant on both porous and nonporous surfaces and joints without danger of staining. Ordinary precautions should be taken to apply the sealant to clean, dry surfaces, but priming is usually not necessary. And if by chance a first bond is not achieved because of moisture, the compound's unique self-sealing

property comes to the rescue: it regains adhesion when this moisture evaporates and the two surfaces are rejoined.

Mono Lasto-Meric is recommended for channel glazing, bedding and sealing of joints around most types of panels and lights in curtain walls and other forms of building construction, and for caulking and pointing masonry. It comes ready to apply in spouted cartridges; reaches its ultimate set and firmness

in one or two months without noticeable hardening thereafter; and can be tooled after gunning. Shortly after application, it develops a slight skin which can be painted over if desired. The natural water-white color of the co-polymer makes it possible for Tremco to offer virtually any color specified. Present standard colors are black, three shades of gray, aluminum, and white. The Tremco Manufacturing Co., 10701 Shaker Blvd., Cleveland 4, Ohio

Air-Sealed Panels Form "Permanent" Portable Wall

The new Airwall portable wall offers maximum flexibility in interior space division, plus excellent sound retarding qualities, and minus floor and ceiling tracks. The key to its flexibility is a series of interchangeable filler panels, each 36 in. wide and up to 12 ft high, which are fitted with a tongue and groove joint so that they lock firmly together to provide a smooth flush wall. The panels are light enough (about 1.8 psf depending on the facing material used) to be moved by one man, but once in position, they form a highly stable wall with characteristics that belie its portability.

This is accomplished by a telescoping Airwall Cap at the top of each panel. After the panel is in place, an air seal running its length is inflated, raising the telescoping cornice to fit snugly against the ceiling. Thus the panels are held firmly without floor or ceiling attachments.

The only restriction is the need for a rigid ceiling—suspended ceilings won't do unless a beam is provided.


The tight seal at floor and ceiling, plus felt "sound-stripping" between panels, gives the wall about the same sound retarding qualities as a permanent stud and plaster wall.


The panels themselves have an expanded styrene core, faced with hardwood veneer, laminated plastic or vinyl. A different material may be used on each side so that the decor in adjacent rooms can be changed by simply turning the panels around. Additional flexibility is provided by door panels, pass-through panels and window panels that supplement the interchangeable filler sections, and by adapters that make possible right angle, "T" and "X" panel intersections. Airwall, Inc., 16706 South Garfield Ave., Paramount, Calif.

continued on page 244

Although installed *Airwalls* look permanent (below), they can actually be moved at will. They are also self-storing: enough panels for a 36-ft wall can be stacked in 3-ft square and disguised by facing panel as at right







COLOR AND SPECIFICATION MAN-UAL and WOOD FINISHING SYS-TEM (A.I.A. 25) are two hard-covered, loose-leaf books designed "to be set alongside Sweet's files" on the architect's bookshelf. The first, Form 1193, contains a 112-page manual that gives complete product information, including specifications and application data, on a full line of interior and exterior paints. It also includes large color swatches of the paint products, with information on available finishes and light reflectance values for each. Wood Finishing System, Form 1198 contains actual wood chips finished with the various fillers, stains and finishing coat systems in the A-M line. American-Marietta Co., Architect/Contractor Service Dept., 101 East Ontario St., Chicago 11, Ill.

Gas-Fired Unit Ventilator

Contains engineering data, operation and controls information, specification data, dimension drawings, and installation diagrams for Herman Nelson *UNIvent* gas-fired unit ventilators for school classrooms. Bulletin 685-A1, 16 pp. *Dept. PD*, *American Air Filter Co.*, *Inc.*, 215 Central Ave., Louisville 8, Ky.

Aluminum in Architecture

(A.I.A. 15-J) Describes available aluminum alloys, discusses design considerations and limitations, and gives extensive selection guides and property tables. Special sections give technical data on aluminum extrusions, curtain walls, finishes and specialty products, as well as suggested specifications for all types of architectural aluminum. 24 pp. Kaiser Aluminum & Chemical Sales, Inc., Dept. NR-40, 300 Lakeside Dr., Oakland 12, Calif.*

Aluminum for Architecture

(A.I.A. 15-J) Contains comprehensive information on the selection of aluminum alloys and surface finishes, with detailed technical data and guide specifications. Bulletin OA-18, 20 pp. Metals Div., Olin Mathieson Chemical Corp., 400 Park Ave., New York 22, N. Y.*

Industrial Direct Fired Heaters

Comprehensive application manual on industrial heating with direct fired heaters covers definitions of terms; discusses direct fired heater systems; and includes sections on heat loss calculations and air distribution, fuels and fuel distribution systems, and control systems. Text is supported by design procedures, diagrams, and extensive reference tables and charts. 64 pp. Lennox Industries, Inc., Dept. I, Marshalltown, Iowa

Panel-Board Partition System

(A.I.A. 35-H-6) Includes descriptions and illustrations of the different types of partitions available in the *Panel-Board* system, plus elevation and section drawings, a parts list, and specifications. 16 pp. *Penn Metal Company*, *Inc.*, *Parkersburg*, W. Va.*

American Olean Ceramic Tile

(A.I.A. 23-A) Describes types and uses of unglazed and glazed tiles; illustrates (in full-color) available

colors and textures, and typical patterns and installations; and gives installation details on tile trim shapes. Catalog 210, 32 pp. American Olean Tile Co., Inc., 1000 Cannon Ave., Lansdale, Pa.*

Gratings, Flooring and Treads

(A.I.A. 14-R) Presents detailed instructions for selecting, specifying and ordering gratings, plus dimensional drawings and safeload tables for the various types of gratings. Safety treads and nosings are also shown. 16 pp. Borden Metal Products Co., Green Lane, Elizabeth, N. J.*

Quality Plastics for Lighting

(A.I.A. 31-F-2) Illustrates, describes, and gives complete photometric data on *K-Lite* extruded plastic prismatic lens panels. Also available is a calculator for determining the lens panel square footage necessary for any lighting job. *K-S-H Plastics*, *Inc.*, *High Ridge*, *Mo*.

Play Sculptures... Street Furniture Describes, illustrates and gives selection information on a complete line of modern playground equipment in tubular steel, fiberglass, cast stone, aluminum and concrete, plus similar data on a new group of street furniture—planters, bulletins, seating units, and other pieces. 32 pp. Play Sculptures, Inc., P. O. Box 1100, Princeton, N. J.

Wood Hyperbolic Paraboloid


Construction and Analysis of Simple Hyperbolic Paraboloid Shells of West Coast Lumber explains general construction procedures and describes technical analysis of a simple wood hyperbolic paraboloid. Data is based on Forest Products Pavilion at the 1959 Oregon Centennial Exposition. 8 pp. West Coast Lumbermen's Assn., 1410 S. W. Morrison St., Portland 5, Ore.*

Library Equipment and Furniture (A.I.A. 35-B) Provides complete descriptive information, including specification charts, photographs and diagrams, on the Heller line of single and double faced library shelving, charging desks, tables, chairs and miscellaneous library equipment. The Heller Co., Library Div., 58 Wabash

*Additional product information in Sweet's Architectural File

Ave., Montpelier, Ohio

more literature on page 288



TO SOLVE MORE DEMANDS IN MORE APPLICATIONS FOR MORE LIGHT

Increasing with today's architectural demands on the Fluorescent Lighting Industry are the problems relating to the operation, efficiency and life of a Fluorescent Lamp Ballast.


To aid the Fluorescent Lighting Industry in meeting these demands Advance Transformer Company has contributed such important developments as Kool Koil Fluorescent Lamp Ballasts • Single Case Ballasts to operate VHO, SHO, and PG lamps • Advan-Guard Fluorescent Lamp Ballasts, incorporating a thermally actuated automatic protective device • Visa-Volt Color Coding for positive voltage identification • A Nation-Wide Service Stocking Distributor Program • FLB Service Warranty Program . . . All important Advancements keeping pace with the Fluorescent Lighting Industry's great strides. Whether you manufacture, specify, install, use, or maintain fluorescent lighting systems, remember Advance, through constant research, development and manufacturing know-how, is building ballasts that meet today's exceptional demands. Write for details of these Advancements . . .



Manufactured In Canada by: ADVANCE TRANSFORMER CO. Ltd., 5780 Pare St., Montreal, Quebec, Canada

Modular Integrity * by Mills

Change after change, a Mills Movable Wall System maintains its integrity because it has been custom-crafted to the building module. Only Mills design assures you that even after many changes, joints and trim will be tight; partitions, on module. Mills representatives are now showing further examples of Mills-conditioned office space; you may see them by writing to us, The Mills Company; since 1921, manufacturers of movable wall systems: 930 Wayside Road, Cleveland 10, Ohio.



SPECIFICATION OF PAINTS FOR VARIOUS SURFACES AND CONDITIONS

by Ray E. Cumrine, A.I.A., Ketchum & Sharp, Architects

Specification of paints has become much more complicated as new materials have been developed through modern paint technology for practically every surface and service condition. Below is a check list of the principal paint types and their applications.

EXTERIOR SURFACE	PRIMER	FINISH
Concrete and Concrete	1. Polyvinyl Acetate	1. Polyvinyl Acetate or Styrene-butadiene
Block	2. Acrylic	2. Acrylic
	3. Styrene-butadiene	3. Styrene-butadiene
	4. Cement	4. Cement
Brick, Cement Asbestos	1. Polyvinyl Acetate	1. Polyvinyl Acetate or Styrene-butadiene
	2. Acrylic	2. Acrylic
	3. Styrene-butadiene	3. Styrene-butadiene
Aluminum	1. Zinc Chromate	1. Linseed Oil
Galvanized Metal	Zinc Dust and Zinc Oxide, Zinc Chromate or Aluminum	1. Linseed Oil or Alkyd
	2. Vinyl-alkyd wash	2. Vinyl-alkyd
Iron and Steel	1. Red Lead, Blue Lead or Zinc Chromate	1. Linseed Oil or Alkyd
	Chemical-R	esistant
	1. Neoprene	1. Neoprene
	2. Wash Primer and Zinc Chromate Vinyl Resin	2. Vinyl Resin
	3. Phenolic Resin	3. Phenolic Resin
	4. Epoxy	4. Epoxy
	5. Vinyl-alkyd wash	5. Vinyl-alkyd
Hot Metal (To 500°)	1. Zinc Dust or Aluminum	1. Aluminum
Metal Under Water	1. Phenolic Type Zinc Chromate	1. Phenolic Type Zinc Chromate
meral Olider Water	2. Neoprene	2. Neoprene
Wood	1. Linseed Oil	1. Linseed Oil
	2. Alkyd	2. Alkyd
	3. Acrylic	3. Acrylic
Plaster (Stucco)	1. Polyvinyl Acetate	1. Polyvinyl Acetate or Styrene-butadiene
## ##	2. Acrylic	2. Acrylic
*	3. Styrene-butadiene	3. Styrene-butadiene
INTERIOR SURFACE	PRIMER	FINISH
Concrete and Concrete	1. Linseed Oil	1. Linseed Oil
Block	2. Cement	2. Cement
	3. Chlorinated Rubber	3. Chlorinated Rubber
	4. Styrene-butadiene	4. Styrene-butadiene
	5. Acrylic	5. Acrylic
	6. Epoxy or Acrylic	6. Epoxy
	7. Polyester	7. Polyester
	8. Polyvinyl Acetate	8. Polyvinyl Acetate, Styrene-butadiene or Alkyd
	9. Alkyd	9. Alkyd
Brick, Cement Asbestos	1. Polyvinyl Acetate	1. Polyvinyl Acetate or Alkyd
	2. Alkyd	2. Alkyd
	3. Styrene-butadiene	3. Styrene-butadiene
Aluminum	1. Zinc Chromate	1. Alkyd
Galvanized Metal	Zinc Dust and Zinc Oxide, Zinc Chromate or Aluminum	1. Linseed Oil or Alkyd
Iron and Steel	1. Red Lead, Blue Lead or Zinc Chromate	1. Linseed Oil or Alkyd
Wood	1. Linseed Oil	1. Linseed Oil
Trood	2. Alkyd	2. Alkyd
News	1. Alkyd or Polyvinyl Acetate	1. Alkyd
Plaster	2. Polyvinyl Acetate or Styrene-butadiene	2. Styrene-butadiene

NEW LOF **CURTAIN-WALL** BUILDING **STRUCTURALLY SEALED** WITH INLOCK **NEOPRENE GASKETS**



Architect: Skidmore, Owings & Merrill, New York • Contractor: The George A. Fuller Co., New York Glazing Contractors: The Toledo Plate and Window Glass Co., Toledo—Abbott Glass Co., New York

The new, high-rise, 15 story Libbey-Owens-Ford Office Building in Toledo, Ohio, used Inlock Neoprene Structural Gaskets throughout for a resilient and leakproof setting of all window and spandrel components of its curtain-walls.

A striking showplace for L-O-F glass products, this new building has 1120 one inch Thermopane units, with Parallel-O-Grey outside panes, for fixed windows structurally sealed with Inlock Section 759228, and 1200 complementary 1/4" grey Vitrolux spandrel panels, positively sealed with Inlock Section 760161.

The first high-rise building in the world to utilize structural gaskets, the L-O-F Office Building reflects the proven advantages and functional characteristics of Inlock Gaskets. An Inlock closure system offers the owner, architect, contractor, fabricator, and glazier the ultimate in economy of installed cost and in guaranteed—long life—leakproof curtain-wall design.

The use of Inlock Gaskets reduces the technique of glazing to an exact science, thus eliminating any possibility of man failure during installation. We invite you to investigate right now the very real savings on installation and maintenance costs.

Inlock functional designs are patented, cannot be copied or duplicated—our designs and quality may be imitated but never equalled. Tell us your sealing problems. We will design a gasket to solve it. Send for latest Catalog No. 200, showing available Inlock sections, design features, and specification data. Write Inland Manufacturing Division, 2745 Inland Avenue, Dayton 1, Ohio.

Specify...

INLOCK®

NEOPRENE STRUCTURAL GASKET



INLAND MANUFACTURING DIVISION General Motors Corporation, Dayton, Ohio

SOLAR SCREENS OF CLAY MASONRY: 1

by Howard P. Vermilya, A.I.A.

Much has been written about masonry solar screens as shading devices and about how they may be most effective in reducing the sun's heat,* especially for air-conditioned buildings, but little information has been given on their structural aspects.

From their very nature, screen walls are rarely, if ever, load-bearing and while they may be of a variety of materials, those using hollow clay or concrete masonry units are more generally used.

Structural stability is attained by providing the screen wall with lateral support at proper intervals and by avoiding excessive compressive loads. Lateral support may be obtained by cross walls, piers, buttresses or columns when the limiting distance between lateral supports is measured horizontally, or by floors and roofs when the limiting distance is measured vertically (ASA Building Code Requirements for Masonry). The distance between these supports may be computed by the use of the following formulas derived by the Structural Clay Products Institute. (For complete derivation, refer to the Institute's Technical Notes on Brick and Tile Construction, Vol. 8 No. 3.) (1) for restrained ends

$$L=6.33 \times t \sqrt{\frac{Ab}{w \times k}}$$

*See Time-Saver Standards, 3rd Edition, F. W. Dodge Corp., Page 39 "Short Cuts to Solar Angles" Hendrik P. Maas; Solar Control and Shading Devices by Olgyay and Olgyay, Princeton University Press.

(2) for simply supported ends

$$L=5.17 \times t \sqrt{\frac{Ab}{w \times k}}$$

Where:

L=allowable distance between lateral supports in feet

t=actual wall thickness in inches

Ab=ratio of actual bed joint length in a horizontal longitudinal plane to the total wall length.

(Ab=1 for stack, running or common bond, and 0.5 for split bond patterns where each unit is lapped 1/3 over the lower unit.)

w—design wind pressure in pounds per square foot as taken from wind pressure map and wind pressure tables for height zones above ground.

Conditions Involved in Formulas

1. If the solar screen is supported by building it into a reinforced concrete structure, the end condition is fixed to a degree justifying the 1/12th moment coefficient used in Formula 1, while if the screen is supported on a steel shelf angle a 1/2th moment coefficient is indicated as in Formula 2.

Provisions should be made to anchor clay masonry solar screens to the building frame to prevent them from being sucked off their supports. The coefficient of static friction of





TABLE 1

Rectangular Sizes			Structural Data		Shading Data			Estimating Data				
	Nominal Modular Dimensions in inches* Specified Dimension in inches				100% Shading		Units	Mortar				
h Face			n d Shell	k Ratio of Solid Wall Area to Total Wall		Profile Angle	Bearing Angle	No. per sq.	Cu. ft. per sq. ft. of Wall Area		Cu. ft. per 1000 Units	
	Width	Thickness	Thickness	Area	Area in lb.	B	r	ft. of Wall	1/2" joints	3/8" joints	1/2" joints	3/8" joints
4	8	6	5/8	.56	40	23°	49°	4.5	.092	.069	20.3	15.2
4	8	8	5/8 5/8 5/8	.56	54	17°	40°	4.5	.125	.094	27.8	20.8
4	8	12	5/8	.56	80 30	12°	29°	4.5	.193	.145	42.5	31.9
8		6	5/8 5/8	.39		49°	49°	2.25	.061	.046	27.1	20.3
8	8	8	5/8	.39	40	40°	40°	2.25	.828	.622	36.8	27.6
8	8	12	5/8	.39	60 30	29°	29°	2.25	.127	.095	56.5	42.4
8	8 12	6	3/4	.375	30	48°	62°	1.5	.051	.382	34.5	26.9
8	12	8	3/4	.375	40	39°	54°	1.5	.700	.525	46.6	35.0
8	12	12	3/4	.375	60	28°	42°	1.5	.108	.081	72.0	54.0
12	12	6	5/8 3/4 3/4 3/4 7/8 7/8	.34	60 25 33 50	61°	61°	1.0	.042	.032	42.0	31.5
12	12	8	7/8	.34	33	53°	53°	1.0	.057	.043	57.2	43.0
12	1.0	12	7/0	34	50	410	410	1.0	.830	.66	88.2	66.1

^{*}Manufactured dimensions are 3% in. to 1/2 in. smaller than the nominal modular dimensions shown, depending on the manufacturer.



Recognizing that minimum requirements for

metal doors are not enough for today's building needs, U.S.F. has engineered revolutionary door construction to produce unmatched strength, rigidity and appearance. New fabrication and assembly equipment was designed and built to incorporate these new ideas into efficient production methods. The result made

possible a whole new conception in door

openings for multiple dwellings, institutional, commercial and residential use. All this, because we believe it is important that architects and builders can depend on U.S.F. QUALITY DOORS - with all the advantages and economies offered through



UNITED STEEL FABRICATORS, INC. · WOOSTER, OHIO

SOLAR SCREENS OF CLAY MASONRY: 2

by Howard P. Vermilya, A.I.A.

masonry on concrete, 0.70, and masonry on steel, 0.30, is not always sufficient to prevent horizontal movement of lightweight walls. Strap anchors can be employed to resist this movement.

Clay masonry screens which butt against or pass vertical members of concrete should be anchored in slots built into the concrete. Anchors, made of not less than 16-gage galvanized iron, should be at least %-in. wide and spaced not more than 18 in. on center vertically.

2. Mortars for clay masonry units shall conform to ASTM standard specifications, "Mortars for Unit Masonry" C 270. Types M or S shall be used when the distance between lateral supports exceeds 0.7 of the maximum permitted by Formula 1 or 2; when the distance is 0.7 or less, Type N mortar may be used. Mortar bed joints should be completely filled.

 For structural considerations, units in split bond should not lap over the units below less than one third of their horizontal projection area.

4. L, the distance between lateral supports, may be measured either horizontally between walls or columns or vertically between floor slabs or beams when stack, running or common bond is used, but only vertically when split bond is used. (A revision of Technical Notes on Bond and Tile Construction, Vol. 8, No. 3 is contemplated soon, to provide a formula to take care of rotary shear or torsion in the bed joints when a screen wall using split bond is supported horizontally.)

Example:

Location: Dallas, Texas, 5th Floor. Material: 8-by-8-by-8-in. hollow clay units in stack bond.

Frame or supports: reinforced concrete.

Mortar: Type S.

Wind Pressure: Map shows 25 psf for Dallas. Table 3 shows 30 psf for wind at 54 ft (5 stories) from ground.

k: Table 1 shows 0.39 for 8-by-8-in. unit having shell thickness of % in. with %-in, mortar joints.

Ab: 1 for stack bond

t: 7.5-in. actual thickness

L=6.33 × 7.5
$$\sqrt{\frac{1}{30 \times .39}}$$

L=13.9 Feet

If solar screen had been laid in type N mortar, allowable distance between supports could not exceed 0.7 of 13.9 ft or 9 ft 9 in.

TABLE 2

Physical Properties of Clay Masonry Solar Screen Units

Raw Materials:

Units shall be made of surface clay, shale, fire clay or mixtures thereof.

Finish:

Exposed ends shall be uncored and reasonably free from cracks, chips, surface roughness and other defects detracting from the appearance of the wall when viewed from a distance of 20 ft.

Water Absorption:

 Fig. 8)
 Average of 5 tests
 16%


 Individual units
 19%

Dimensional Variation:

TABLE 3 Wind Pressures for Various Height Zones Above Ground

Height Zone	Wind-pressure-map areas (lb. per sq. ft.)								
(fr.)	20	25	30	35	40	45	50		
Less than 30	15	20	25	25	30	35	40		
30 to 49	20	25	30	35	40	45	50		
50 to 99	25	30	40	45	50	55	60		
100 to 499	30	40	45	55	60	70	75		
500 to 1199	35	45	55	60	70	80	90		
1200 and over	40	50	60	70	80	90	100		


Tables from: Technical Notes on Brick and Tile Construction, Structural Clay Products Institute



3 NEW DEVELOPMENTS FROM CARRIER!


6G AND L HERMETIC CONDENSING UNITS

With the development of the 6L80-83-85, Carrier now offers a complete line of hermetic condensing units with refrigeration capacities from 10 to 145 tons for both air conditioning and refrigeration installations. The 6G and L units, entirely factory assembled and wired, consist of a compressor, motor, water-cooled condenser, safety controls and motor starting and protection equipment. If desired, they can be ordered in models without a water-cooled condenser.



9AB AIR-COOLED CONDENSERS


Skillfully engineered, laboratory tested, the new Carrier 15-ton condenser can be mounted on the roof vertically for an extremely low silhouette — or horizontally. Powerful direct drive fans move large quantities of air evenly across the entire surface of the coil—a factor that increases the efficiency by utilizing the full condenser capacity. Other Carrier air-cooled condenser units are available with horizontal discharge in three capacities—5 tons, 7½ tons and 10 tons.



36W FAN AND COIL WEATHERMAKERS

This portion of Carrier's extensive line of fan and coil Weathermakers* with a single piping system will provide individual control of cooling and heating for multi-room buildings. This versatile unit is for overhead type of installation. It can be concealed or mounted in-the-space with an available metal cabinet. A complete line of control packages can be used to meet the most difficult specifications. The unit comes in 4 capacities: 200, 300, 400 and 600 cfms.

*Reg. U.S. Pat. Off.




For complete details about these new products, see the Carrier dealer listed in the Yellow Pages. Or write Carrier Corporation, Syracuse 1, New York.

BETTER AIR CONDITIONING FOR EVERYBODY

Carrier

Experience—the added alloy in Allegheny Stainless



New booklet on A-L's precipitation-hardening stainless steels, AM-350 and AM-355

A tool for anyone interested in high strength-to-weight metals

In this technical booklet, you get the facts on Allegheny Ludlum's precipitation hardening stainless steels, AM-350 and AM-355, metals developed for space age requirements.

AM-350 and AM-355 combine these unusual qualities. They are easy to fabricate. Have high strength-to-weight ratios at room and elevated temperatures

955

combined with excellent resistance to corrosion.

The physical and mechanical properties of the two metals are described in 33 charts and tables. Included are heat-treatment and fabrication data, eight photomicrographs and a section on corrosion resistance with representative values in selected environments.

It's jam-packed with data. For your free copy, see your A-L representative or write Allegheny Ludlum Steel Corporation, Oliver Building, Pittsburgh 22, Pa. Address Dept. R-6.

ALLEGHENY LUDLUM

EVERY FORM OF STAINLESS . . . EVERY HELP IN USING IT





A Bogen sound system is virtual insurance against obsolescence. You plan on the basis of your immediate needs, and start with a system tailored to those needs. Thereafter, as your functional requirements increase, you add the appropriate features and facilities. This is the sensible 'expand-as-you-grow' Bogen approach. For example:

IF YOU ARE PLANNING FOR TWO CHANNELS the Bogen Series II Console provides one channel for programming, and another for either intercom or independent, simultaneous programming.

IF THREE CHANNELS ARE PLANNED the Series III console offers the choice of intercom plus two program channels or three independent, simultaneous programs.

These systems may be ordered with facilities to handle any number of rooms—from as few as 10 to as many as 180 or more—in multiples of 10. And the number of rooms to be served can be increased even after installation.

Here are only a few of the many optional features available for these systems: classroom change signals, fire-alarm or civilian defense sirens, 1-way or 2-way phone and speaker intercom, recorded tape playback, record players, FM and AM radio, vandal alarms, and otherseven facilities for tieing in with independent auditorium and gymnasium sound systems. These, too, may be included in the original installation or added at a later date.

Bogen-Presto offers you other valuable advantages: a free survey of your needs, and engineering assistance—from planning through installation. Service and maintenance is available to you locally, through authorized Bogen-Presto sound installers and distributors.

Write for complete details today.





ZONE_STATE

BOGEN-PRESTO PARAMUS, NEW JERSEY Dept. AR6 Please send your complete 8-page catalog covering centralized sound systems. NAME NAME OF COMPANY ADDRESS

CITY


HIGH FIDELITY COMPONENTS, PUBLIC ADDRESS AND INTERCOMMUNICATION SYSTEMS

Product Reports

continued from page 233

Gold-Plated Building Products


Gilded buildings will be a hallmark of the "Fabulous Sixties" if the manufacturer of a new 23-karat gold coating has anything to say in the matter. The Hanovia Liquid Gold Division of Engelhard Industries has recently produced organic solutions of gold which can be applied to virtually any building product-porcelain enameled steel, stainless steel, ceramic tile, glazed brick, structural glass, ad infinitum. The gold solution is applied to their surface by such conventional methods as brushing, rolling or spraying, or by such unconventional methods as silk screening, rubber stamping and stippling for special effects. The coated components are then fired in an oven to eliminate all constituents of the solution except the gold, leaving a continuous film whose final finish-matte to "brilliant"-depends on the texture of the original surface. Though the layer of gold is very thin (for economy), it is highly resistant to abrasion and will not peel or flake off. And since it is pure gold, it has gold's usual resistance to chemicals. water and sun. Hanovia Liquid Gold Div., Engelhard Industries, Inc., One W. Central Ave., East Newark, Harrison Post Office, N. J.



Multiple Outlet Wiring Strip

New 3-Wire Electrostrip, a multiple outlet assembly designed especially for use with appliances and office machines, makes it possible to locate and relocate electrical outlets anywhere along its length, thus eliminating the need for extension cords and/or costly re-wiring when equipment is added or office layouts are changed. The strip itself mounts easily on any surface. It also meets Electrical Code requirements for equipment grounding; will accept both two and three prong plugs; is listed by Underwriters; and is rated at 20 amps, 125v AC. BullDog Electric Products Div., I-T-E Circuit Breaker Co., Box 177, Detroit 32, Mich.

more products on page 248



The finest lacquers for aluminum are made with

Eastman BUTYRATE

SALES OFFICES: Eastman Chemical Products, Inc., Kingsport, Tennessee; Atlanta; Chicago; Cincinnati; Cleveland; Framingham, Massachusetts; Greensboro, N. C.; Houston; New York; St. Louis.

West Coast: Wilson Meyer Co., San Francisco; Los Angeles; Portland; Salt Lake City; Seattle.

Butyrate lacquers provide clear, weather-resistant coatings that won't yellow, even under prolonged exposure to sunlight. They have high strength and flexibility ...withstand oxidation and discoloring...and are little affected by salt spray or rapid temperature changes.

When outdoor aluminum surfaces are protected with Butyrate lacquers, cleaning and maintenance costs are at a minimum. Usually, the action of rain itself is enough to keep aluminum surfaces clean.

This combination of features makes Butyrate lacquers particularly advantageous for use on aluminum curtain walls, siding, spandrels, louvers, solar canopies and architectural trim and hardware.

Your client's interests are well served when you specify a protective coating of Butyrate lacquer on all exterior aluminum surfaces. Butyrate lacquers can be easily applied in the aluminum fabricator's plant and are available from lacquer manufacturers in all parts of the country.

An informative 15-minute 16mm, sound color film has been produced especially for viewing by those who design in or specify aluminum in an outdoor application. Would you like to see it? See below.

The aluminum exterior of the American Sterilizer Company plant at Erie, Pennsylvania, is protected against weather and oxidation with a clear, colorless Butyrate lacquer.

ARCHITECTS! ENGINEERS!

HERE'S HOW TO GET the complete story on this new method of preserving exterior aluminum.

 Send for Eastman's catalog on Butyrate lacquer. It tells you where this new protective coating has proved particularly successful and why these lacquers are so effective in preserving aluminum surfaces.

2) Check Sweet's Industrial Construction File, Sweet's Architectural File, or see 15-M of the A.I.A. Alphabetical Filing System for specification details.

 Send for sound color film. Indicate the date you plan to show the film and an alternate date.



A Design and Engineering Achievement in

REINFORCED CONCRETE


Concrete Reinforcing Steel Institute 38 South Dearborn Street Chicago 3, Illinois

Like a mother hen, the new control tower at the Newark Airport is the guardian for the many aircraft which land and take off from this terminal every day.

Constructed of reinforced concrete, this structure rises 150 feet above the runways. Three floors containing all air traffic control equipment are cantilevered out to a 37-foot overhang to provide

an optimum view of all air and ground traffic.

Today, in every type of construc-tion, reinforced concrete is enabling architects and engineers to work with greater freedom in designing buildings to more readily meet a functional intent. Before you build, be sure to investigate the many advantages of this more flexible and more economical construction method.



No matter what the size of the operation you plan, there's a proven top-performing Hobart dishwasher that will pay for itself.

Sizes range from the UM Series (small) for fountain or counter service to the flight-type (large)—up to 26 feet long. Hobart recently custom-built two ranch-house-length flight-type dishwashers (gigantic)—longest and largest in the world—to meet the staggering demands of the fabulous Fontainebleau Hotel in Miami Beach.

Hobart flight-type dishwashers

provide completely automatic power water-scrapping, power washing and rinsing, with operator supervision reduced to a minimum. Dishes are continuously racked in conveyor between Delrin-tipped, resilient, stainless steel "flight links"—stainless steel specially treated to protect chinaware against markings. Side links, rollers

and tie rods of stainless steel. Famed Hobart combination jet-powered and revolving wash system insures thorough sanitation. Dozens of other exclusive features make it the most advanced dishwasher made. Nationwide service through over 200 offices—largest network in the industry.

Inquire about Hobart's complete line of over 50 semiautomatic, dual-drive automatic or flight-type automatic dishwashers. There's one exactly right for any plan.


Hobourt MACHINES



The World's Oldest and Largest Manufacturer of Food, Bakery, Kitchen and Dishwashing Machines


Please sen dishwashe medium	nd me more r line; Ho n-sized oper	e informati bart dishw rations, [] l	Oept. HAR, on on: the the thick the	ie complete small op ons.	Hobart erations,
Firm nam	e				
My name.					
Address_				neState.	
58			×M	EM CM	GM

SERIES OF MODELS



Radiant-Acoustic Ceiling

In addition to providing draft-free radiant heating and cooling, the new Sanacoustic HCS ceiling system is said to absorb up to 90 per cent of the sound that strikes it. The system is made up entirely of standard components-water-carrying coils, sound-absorbing insulating blanket, and perforated metal panels which form the finished ceiling-and is said to be easy to install and economical to maintain. It also leaves the floor area free, permits fan rooms and risers to be smaller, and makes it possible to eliminate 50 to 75 per cent of the ductwork that would otherwise be required. Johns-Manville Corp., 22 East 40th St., New York 16, N.Y.



Trough Structure of Plywood

Trofdek is an application of the folded plate idea in which sheets of plywood are glued to light lumber stiffeners in a series of miniature troughs, producing a roof or floor component with exceptionally light weight. The new component, which is being manufactured in the U. S. by member firms of Plywood Fabricators Service, Inc. (an affiliate of Douglas Fir Plywood Assn.), is particularly suitable for long spans, and has been used for roofs, floors and concrete forms. The troughs are


joined on a 16-in. module running parallel to the span and vary in depth from 5\(^1\)\(^1\

Double-Duty Chalkboard

Colorlith, a lightweight, rigid material composed of cement, asbestos and selected pigments, not only pro-

vides the hard, smooth writing surface and light reflectance required of high-quality chalkboards, but also is strong enough for use on betweenroom and free-standing partitions, and as a double-duty surfacing for wardrobe panels, flush doors and walls. It comes in brown, green and gray, as well as in white for use as a projection screen. Johns-Manville Corp., 22 East 40th St., New York 16, N. Y.

more products on page 260



CONSTRUCTION DETAILS

for LCN Closer Concealed-in-Door Shown on Opposite Page

The LCN Series 302-303 Closer's Main Points:

- 1. An ideal closer for many interior doors
- 2. Mechanism concealed within door; flat arm not prominent, and provides high closing power
- 3. Door is hung on regular butts
- 4. Closer is simple to install and to adjust
- 5. Hydraulic back-check protects walls, etc., on opening
- 6. Practically concealed control at little more than exposed closer cost

Complete Catalog on Request—No Obligation or See Sweet's 1960, Sec. 18e/La

LCN CLOSERS, INC., PRINCETON, ILLINOIS


Canada: Lift Lock Hardware Industries, Ltd., Peterborough, Ontario



TRINITY LUTHERAN CHURCH
ROCKFORD, ILLINOIS
LCH CLOSERS, INC., PRINCETON, ILLINOIS

Construction Details on Opposite Page





Quality Air Conditioning and Heat Transfer Equipment Since 1925



available to you!

space and cost less to install.

and utility synonymous.

Semi-Circula Stainless Steel-





MOST SANITARY WASH

FIXTURES

BRADLEY WASHFOUNTAIN CO. 2203 West Michigan St. Milwaukee 1, Wis.

Bradley Marmorite bowls in four colors and Vitreous Enameled

Washfountains in six colors make many pleasing color combinations

Bradley Washfountains are famous as the standard against which

all other wash fixtures are measured. Their foot control leaves hands

completely free to wash in clean, tempered, running water. They are self-rinsing, stay clean longer and require far less maintenance than

And now Bradley's harmonizing color combinations make beauty

ordinary fixtures. They save water, provide more facilities in less

BRADLEY washfountains





SELECTED FOR NOB HILL \$8,000,000 APARTMENT

- largest, most lavish co-operative apartment west of Chicago
- occupying an entire square block on plush San Francisco Nob Hill
- LUMA-SHEEN will add the finishing touch of refinement to the Comstock's elegant decor.

Initiated with the largest loan in San Francisco building history . . . 16 levels . . . 193 apartments, almost all of them balconied with panoramic vistas to the Golden Gate, San Francisco Bay and wooded hills beyond . . . a garden-lobby with porte-cochere . . . a tree-shaded garden sundeck high above city streets . . . all possible mechanical and personal conveniences . . . five penthouses surrounded by five tree-shaded terraces. This is luxury where EVERYTHING HINGES ON HAGER!


Hager LUMA-SHEEN hinges are specified. The original *permanized* aluminum-colored finish, that matches perfectly the modern aluminum door hardware and trim.

Comstock Co-operative Apartment San Francisco

Developed by: ALBERT-LOVETT CO., San Francisco

General Contractor: The Pacific Co., Berkley, California.

Hardware: California Builders Hdwe Co., San Francisco.



Luma-Sheen finish Available...on Brass or Steel Butts-Specify LS

Comstock recognition of the beauty and permanence of LUMA-SHEEN finish, caps the climax of 6 years of nation-wide acceptance.

Its electrolytic finish has the true aluminum color...permanized. It's been proved in practically every conceivable situation.

When you want it to stand up to the test of time—specify Hager LUMA-SHEEN (symbol LS) on that next job!




C. HAGER & SONS HINGE MANUFACTURING COMPANY, ST. LOUIS 4, MO. IN CANADA + HAGER HINGE CANADA LIMITED, KITCHENER, ONTARIO.



Go modern fast and easy. Specify and install the new wafer-thin, surface-mounted QPCX7 400 Sunbeam Visionaires. A handsome, wraparound plastic enclosure gives the fixture a semi-recessed look. The diffuser is completely reinforced in metal and may be opened from either side. Exclusive Sunlux. bottom lens panel assures long lasting luminaire efficiency. No "hardware" mars the clean styling.

LUMINAIRES


SHIELDED







SUNBEAM LIGHTING COMPANY LOS ANGELES, CALIFORNIA GARY, INDIANA




A suffusion of light...for Reynolds' Metals Headquarters...through




GLASS BY AMERICAN-SAINT GOBAIN

Designed with flair and detailed with exquisite finesse, Reynolds' new Regional Head-quarters Building in Detroit is a major landmark in the architecture of this community-conscious corporation. The structure succeeds as a self-assertive display piece, but it presents its message in remarkably pleasing tones—thanks to the art of architect Yamasaki and his associates. As a major supplier of glass for the Reynolds Building, we are pleased to see our products in such skillful mating of materials—and used so imaginatively in their own right. American-Saint Gobain Corporation.




LUSTRAGRAY®

glare-reducing, neutral-tinted window glass increases the depth and luster of the unique facade . . . assists in controlling light levels without sacrificing visibility. Its greater opacity from outside makes it more effective as a background for the filigreed aluminum screen. At night, artificial lighting inside is pleasingly modulated.



Minoru Yamasaki & Associates create sculptural illumination with these versatile ASG glasses



BLUE RIDGE HUEWHITE®

crowns the Reynolds Building in a many-faceted skylight. This translucent white glass admits glare-free, softly diffused light. Color transmission is true. The finely engraved, non-directional pattern makes a rich, distinctive surface, yet is easy to maintain. Illuminated at night by lights carried in the skylight's trusswork, each segment takes on the character of a luminous crystal.

Skylight Manufacturer: Super Skylight Products Company Glazing Contractor: Cadillac Glass

The installations and samples pictured on this page only suggest the variety of design solutions available through American-Saint Gobain whenever glass is part of your plan.

Every important type of flat glass — in the widest range of characteristics, sizes and designs—is available to you from this one source.

For detailed information, see the following Sweet's files:

Architectural: 7a/Am...16d/Am...3e/Am.

Industrial Construction: 6a/Am...3b/Am.

Light Construction: 2e/Am. Plant Engineering: 5b/Am.

For other information, call the American-Saint Gobain district office nearest you . . . or write:

AMERICAN-SAINT GOBAIN CORPORATION

Dept. AR-20, 625 Madison Avenue, New York 22, N. Y.



COLORED PLATE GLASS

Available from ASG in steel gray, light gray, smoked topaz (shown), sapphire blue, pink, amber. True surface parallelism, flatness and polish. Water-white, heat absorbing; also heavy plate up to 1" thick.



BLUE RIDGE NUWELD® MESH

Has chromium dipped, welded wire mesh. An approved fire retardant where safety is a factor; also effective as a decorative glass. Polished surfaces, or ribbed and hammered patterns. Thickness: 1/4".



BLUE RIDGE HUETEX®

Tempered glass spandrel material, 5/16" thick . . . ceramic enamel in 12 standard colors (or to your color spec), permanently fused to back of glass . . . aluminum backing protects enamel, insulates.



BLUE RIDGE® CORRUGATED HUEWHITE

Deeply corrugated, with Muralex® pattern on both sides, for greater obscurity. Huewhite transmits, reflects light with true color fidelity. Overall thickness: 1"; corrugations 21/2" on centers.




The Producers' Council of THE AMERICAN INSTITUTE OF ARCHITECTS awards* Certificate of Merit to


WATERLOO

*Presented at the A.I.A. Convention in San Francisco on April 18, 1960

The Producers' Council, Inc. of
Washington, D.C. has awarded a Certificate
of Merit in the 1960 Building Products
Literature Competition to a comprehensive
air diffusion equipment catalog published by
Waterloo Register Co., Inc. The Award
was made for "an outstanding effort in the
production of informative, high quality
product literature."



Air Diffusion



Write for your free copy of this comprehensive guide to the quality-built Waterloo line.

WATERLOO REGISTER COMPANY, INC.

P.O. BOX 72, WATERLOO, IOWA

WR120*

256



Give your designs and plans even greater sales appeal by supplementing them with a detailed COLOR DYNAMICS program.

- This system of painting has demonstrated that it improves efficiency, comfort, morale and safety in many fields of business and industry. Color Dynamics is replacing the drab, bleak and inharmonious color schemes of yesterday with attractive and functional color patterns based upon the principles of the energy in color.
- With Color Dynamics, it is possible to specify colors for work areas that relieve eyestrain, reduce nervous tension and physical fatigue, and improve the productive efficiency and safeguard the well-being of employees.
- We'll gladly tailor a COLOR DYNAMICS program to your plans, without cost or obligation. It will

Watch the Garry Moore Show—CBS-TV—Tuesday Evenings



PITTSBURGH PLATE GLASS COMPANY


IN CANADA: CANADIAN PITTSBURGH INDUSTRIES LIMITED

contain samples of recommended colors, correct types of coatings, and suggestions for proper surface preparation.

• Mail this coupon or call your nearest Pittsburgh Plate Glass Company branch and arrange to have one of our Color Dynamics representatives see you at your convenience.

Mail this Coupon for Detailed Color Plan

Paint Div	ision, Dept.	AR-60, Pittsbur	gh 22, P	a.
		ative provide me ree COLOR DYN		
Please send	me free copy	of your booklet or	COLOR D	YNAMICS
for	industry, _ _ commercial b	hospitals	5,	_ schools,
NAME				
ADDRESS_				



Ultramodern ASM headquarters at Metals Park, Novelty, Ohio demonstrates geodesic dome construction. Architects: John Terence Kelly, Cleveland, Ohio; General Contractor-Engineering: Gillmore-Olson Co., Cleveland, Ohio; Electrical Engineers (Plans & Specifications): John Paul Jones, Cary & Millar, Cleveland, Ohio; Electrical Sub-Contractor: Doan Electric Co., Cleveland, Ohio.

Nepcoduct fits the job perfectly at ASM's New Geodesic Dome Headquarters



Continuous curve of building posed unusual problem in installing underfloor raceways.

To provide complete electrical flexibility, underfloor raceways were specified for American Society for Metals' ultramodern National Headquarters building at Novelty, Ohio. But they had to conform to the continuous curve of the semi-circular building. "Nepcoduct" fit the job perfectly without the use of elbows or special fittings—which meant economical installation. National Electric's "Nepcoduct" Under-

floor Raceway was the up-to-the-minute answer to a very new problem in electrical construction.

"Nepcoduct" Underfloor Raceways are but one of a complete line of modern underfloor and surface electrical distribution systems available from National Electric For complete details, write to National Electric Division, H. K. Porter Company, Inc., Porter Building, Pittsburgh 19, Pa.

NATIONAL ELECTRIC DIVISION



H. K. PORTER COMPANY, INC.

PORTER SERVES INDUSTRY with steel, rubber and friction products, asbestos textiles, high voltage electrical equipment, electrical wire and cable, wiring systems, motors, fans, blowers, specialty alloys, paints, refractories, tools, forgings and pipe fittings, roll formings and stampings, wire rope and strand.

MILLIONS OF FEET OF CELOTEX® RIGID ABOVE-DECK ROOF INSULATION...AND

FAILURES EVER!"

30 years of experience! That's what's behind this unsolicited testimonial . . . job-tested assurance from one of the leading roofers in southwestern Missouri ... proof again that rigid above-deck insulation by Celotex is "best for balanced roof performance!"

REGULAR

PRESEAL

CHANNEL-SEAL

> RIGID ABOVE-DECK ROOF INSULATION BY CELOTEX ASSURES:

- 1. Fuel Savings
- 2. Power Savings
- 3. Heating Equipment Savings
- 4. Condensation Control
- 5. Structural Stability
- 6. Ideal Base for Built-up Roofing



Roofing & Contracting Co.

October 26, 1959

Celotex Corporation 7 North Brentwood Blvd. St. Louis 5, Missouri

During these years of new products and fantastic claims as to their Gentlemen: performance, we feel it in order to commend a product that has been tried and found satisfactory over the years.

We have been applicators and suppliers of Celotex Roof Insulation for approximately thirty years and have used millions of feet of it on buildings of all types and under all conditions, and not one time have we had a failure. This is a record that few products can boast of and we can, without hesitation, recommend it as one of the finest products on the market. Yours truly,

QUEEN CITY ROOFING & CONTRACTING CO.

R. P. Diquater R. P. Stiefvater President

RPS/jb

If it's "by CELOTEX"

BUILDING PRODUCTS BY

THE CELOTEX CORPORATION 120 S. LA SALLE STREET, CHICAGO 3, ILLINOIS

you get QUALITY...plus! See 1960 Sweet's Architectural File, Catalog 10a Ce.—Write for Specifications, Samples, Information Manual.



THE VAST WALDORF LOBBY, MOST GLAMOROUS "CROSSROADS" IN THE WORLD, WEARS A RICH, CLASSIC PATTERNED BIGELOW. SHOWN IS A CORNER OF LUXURIOUS PEACOCK LOUNGE.



THERE'S A CARPET FOR EVERY PURPOSE AND DECOR IN BIGELOW'S WIDE SELECTION

Bigelow Carpet is selected by top designers for the most important architectural jobs. Reasonable price, long economical service, and top performance under traffic—as well as beauty—are prime considerations in every Bigelow Carpet designed for use in public areas. Special designs, colors and textures available. If you plan an installation, consult Bigelow's Carpet specialists about colors, patterns, weaves, at prices your client can afford. No charge for this service. Contact Bigelow through the nearest sales office or by writing to Bigelow Contract Department, 140 Madison Avenue, New York 16, N. Y.



Bigelow sales offices are located in the following cities: Atlanta, Ga.; Boston, Mass.; Buffalo, N.Y.; Chicago, III.; Cincinnati, Ohio; Cleveland, Ohio; Dallas, Texas; Denvar, Colo.; Detroit, Mich.; Hartford, Conn.; High Point, N. C.; Kansas City, Mo.; Los Angeles, Calif.; Minneapolis, Minn.; New York, N. Y.; Philadelphia, Pa.; Pittsburgh, Pa.; St. Louis, Mo.; San Francisco, Calif.; Seattle, Wash.



EGSCO® Metal Wall Panels for structural

versatility....

EGSCO metal wall panels provide the building designer with maximum selection. Their versatility and adaptability to all types of construction are virtually without limit. Their variety of color and configuration lead to design innovations where used alone, but also are compatible and easily adapted to other wall components of masonry, metal or glass.

EGSCO panels are made of aluminum or steel in contemporary structural colors, of baked-on epoxy enamels scientifically bonded to the metal. Together with their ample insulation, concealed fasteners and structural strength, EGSCO wall panels assure sound construction of enduring appearance.

Modest in material price to begin with, EGSCO panels are designed for a specially developed erection technique that reduces erection man-hours substantially below the

norm, further contributing to overall construction economy.

EGSCO erection crews have the experience and know-how to erect any of these metal wall combinations quickly, soundly and at a realistic cost.

Wall panels are tan Shadowall® with aluminum channel mullions projected from window jambs.

Band of gray Shadowall® is a monitor, set back about 25 feet.

Site: New Transistor Plant, Philco Corporation, Lansdale Division, Lansdale, Pa.

General Contractor: Wallace Engineering & Construction Co., Philadelphia.



ELWIN G. SMITH & CO., INC.


write direct to:

Manufacturers of EGSCO® Metal Wall Products

Boston • Chicago • Cleveland • Detroit • New York • Philadelphia • Pittsburgh • Toledo

263

GRIFFIN Agood name to specify'




For over 60 years, Architects and Hardware Consultants have recognized Griffin as "A Good Name to Specify!" Why? Because when you specify Griffin, you specify a product made by craftsmen... a product unsurpassed in quality and performance... a product designed to meet all architectural and building specifications. Whatever your hinge requirements may be, Griffin is a good name to specify! Write today for free catalog. Griffin Manufacturing Company, Erie, Pa. GRIFFIN HINGES

Product Reports



Prefab Form for Concrete Stairs

A new prefabricated metal form for reinforced concrete stairs comes complete with metal risers; reinforcing and temperature rods; plate, channel or angle stringers; and brackets and nosings if specifiedall welded into a rigid one-piece unit, ready to receive the concrete pour with a minimum of additional forming. Each unit is constructed to the exact specification of the architect, although there are standard riser and railing types he may choose from if desired. Advantages to the architect include flexibility of design, accuracy in dimensions and in the spacing of reinforcement, better finish, lower material and labor costs, and greater speed of erection. Stairbuilders, Route 66, McCook, Ill.



Sculptured Structural Tile

A new series of sculptured glazed structural ceramic tile units were designed to permit greater versatility of design, when used as decorative inserts or for overall patterns and textures. The 8-by-16-in. units come in four patterns as shown, and in all Stark colors and glazes. Stark Ceramics, Inc., Canton 1, Ohio

more products on page 268

Now from MOE LIGHT

completely new
ENGINEERED
RECESSED
LINE

unique new design!

Exclusive "no light leak" design developed by MOE Light and Benjamin engineering staffs of the Thomas Industries organization.

Moe Light 3 Point Superiority

1. FRAME WITHIN A FRAME
2. FULL REFLECTOR
3. PUSH-LATCH

OUTSTANDING NEW FEATURES

Trim interlocks with reflector, eliminates light leaks. Frame within a frame means outer trim need never be removed.

Push-latch releases glass easily. No tools needed for relamping or cleaning.

Full-size, one-piece interlocking aluminum reflector with "POL-SPEC" finish (300-watt has "ALZAK" finish).

Drawn seamless trim of modern narrow design, to blend with modern interiors.

FREE! new technical

Complete technical data on entire new line—specifications, coefficient and candle power tables, section and plan views, trim details.



THOMAS INDUSTRIES INC. Lighting Fixture Division 207 E. Broadway, Louisville 2, Ky., Dept. AR-6

Send new free 34-page Technical Catalog and Reference Manual on MOE Light Engineered Recessed Lighting.

YOUR NAME_____



MOE

THOMAS INDUSTRIES, INC.


LIGHTING FIXTURE DIVISION

Executive Offices:

207 East Broadway, Louisville 2, Kentucky

Leaders in Creative Lighting

The World's Largest Single Source of Lighting for Home, Commerce and Industry



COLOR SELECTION? YES, YES!

Soaring brightly, brilliantly—or whispering in seductive mutes, Vicrtex colors speak many languages; say so many things—all of them nice—about the way you choose to use them. It would be too easy to rest awhile and say we have the biggest, grandest and most versatile panorama; look for yourself. You'll agree that

VICRTEX V.E.F.* VINYL WALLCOVERING AND UPHOLSTERING FABRICS

speak your color language.


Send today for samples, prices and the new "Walls of Fame" brochure.

L. E. CARPENTER & COMPANY

Empire State Building, New York 1 • LOngacre 4-0080 • Mills: Wharton, N. J. Available in Canada: CANADIAN RESINS AND CHEMICALS, Montreal and Toronto

*Vinyl Electronically Fused





How to keep the lights on when power fails



Long-Life Emergency Power Powerful Exide batteries handle lighting loads for a whole building and last as long as 25 years with only occasional watering.

Plan an Exide Emergency Lighting System when the building is erected. When a power failure occurs, this fail-safe lighting system switches on automatically to prevent panic, injury or theft. When not in use, automatic charging equipment keeps the power source fully charged, always ready.

Exide provides systems to suit structures of all sizes and kinds—stores, offices, theaters, schools, hospitals or factories. Plan now for economy in the future. Exide Emergency Lighting can save thousands of dollars in only a few minutes of use. Get the full details. Write to Exide Industrial Division, The Electric Storage Battery Company, Philadelphia 20, Pa.



Product Reports

One-Coat Plastic Wall Coating

Poly-Wall, an acrylic copolymer vinyl flat wall finish for use over new plaster, wall-board or previously painted surfaces, is designed to be applied in one-coat with brush, roller or spray. It is self-sealing, odorless, easy to apply, quick-drying and scrubbable, and comes in 20 colors. Mathews Paint Co., 598 West Ave. 26, Los Angeles 65, Calif.



Window Gasketing


A synthetic rubber gasketing and stripping material called Climatite has been developed to serve as an anchor and cushion for large panes of glass, protecting them from wind shock and vibration damage. The gasketing is extruded and formed into perimeter gaskets with molded or vulcanized corners to meet the architect's specifications. It is a custom product, available in different shapes to conform to the structural design of the glass walls. Such gaskets have been extruded to encase double-pane insulating glass up to 15 ft in height or length. Included in the line is an adhesive-backed rubber stripping designed for use with various glazing compounds. The Firestone Tire and Rubber Co., 1200 Firestone Parkway, Akron 17. Ohio

Custom Wool Cut-Pile Carpets

The Custom-Wai collection of custom wool carpets includes five qualities, all densely packed cut-pile ranging from low to shaggy in pile depth and \$11 to \$27 per sq yd in price, which may be made up in any specified color, size and shape, either as rugs or as wall-to-wall carpet. Rugs may be finished with dyed-to-match wool fringe, or with machine-beveled edges. Waite Carpet Co., Oshkosh, Wis.

more products on page 272

PATTERNED PANELS OF EXPOSED AGGREGATE...




fresh dimension in form, color and texture! For the architect, exposed aggregate panels of precast concrete offer new, unlimited opportunity for giving design distinction to walls. Textures, colors, light-and-shadow effects possible are broad as nature itself—from mottled fist-size rocks to pea pebbles and brilliant mineral chips. And to this, the concrete matrix adds any desired color contrast. Decorative panels of exposed aggregate are just one of many evidences of concrete's infinite versatility and its growing contribution to progress in residential design. This is living concrete—material for modern living!

For the newest in homes . . .

LIVING


PORTLAND CEMENT ASSOCIATION
... a national organization to improve and
extend the uses of concrete





NEW STRAN-STEEL PANELS CUT COLOR COSTS

Now you can execute your ideas in lasting color using low-cost, practical steel. Attractive, new Stran-Steel ribbed panels are protected with durable color coatings applied at the factory. Panel exposure is a full yard wide and as long as you want. Take your choice of nine compatible Stran-Satin colors—light blue, deep blue, light green, mist green, light grey, slate grey, orange, yellow and white. Colors that are more than skin deep—triple baked-on coatings bonded to galvanized heavy-duty steel. This color is on to stay. It won't fade, chip or peel. Stran-Steel color panels are available in 22-, 24- and 26-gauge to suit your needs—for roofing, siding, curtain walls, canopies, decorative facades as well as interior uses. For details, mail the coupon today or call the Stran-Steel architectural products dealer near you. Check the Yellow Pages under Steel.



0	0, 1	
1	ran steel	
U	U	

STRAN-STEEL	CORPORATION,	Dept. AR-26,	Detroit 29, I	Michigan
-------------	--------------	--------------	---------------	----------


Please send complete information on the new Stran-Steel Color Panels and new Stran-Wall System.


Name______Title

Address_____Company____

Address Company City Zone State

STRAN-STEEL IS A DIVISION OF NATIONAL STEEL CORPORATION





ARCHITECT — Phillip Trutter and Associates

CONTRACTOR — Franklin Cress

DOORS INSTALLED BY — Barker Lubin Co., Springfield, Illinois



Maintenance free beauty . . . quality controlled construction . . . adaptation to low headroom, are but a few of the outstanding Raynor features that met and surpassed the overhead type door specifications for the Springfield Fire Department shown above. Every Raynor Door is designed and engineered to meet and surpass the exacting specification requirements of todays modern architectural design, your assurance that "when you specify Raynor, you specify the finest."

Contact your nearest Raynor Distributor and request the NEW RAYNOR ENGINEERING MANUAL, it will provide you with every necessary detail for the complete line of Raynor Overhead Type Doors & electronic operators.

RAYNOR MFG. CO.

Dixon, Illinois

Hammonton, New Jersey




Builders of A Complete Line of Sectional Overhead Doors



Product Reports

Fireproofing for Lightweight Steel Red Top Firecode plaster, a new material formulated for direct spray fireproofing of lightweight steel beams and various types of steel deck units, is said to offer major savings in weight and cost. Since the plaster itself is light in weight, and less of it is needed to provide required fire resistances, the weight and size—and hence the cost—of foundations, columns and beams is reduced accordingly. Direct spray application also cuts labor costs. The product offers a wide range of fire ratings-in some instances as high as 4 hours-depending on the thickness of the coating and the type of deck to which it is applied. United States Gypsum Co., 300 W. Adams St., Chicago 6, Ill.




Load-Bearing Panel Wall System Stran-Wall, a new panel wall system for one and two-story structures, consists of a lightweight load-bearing steel structure, porcelain curtain wall panels, and the necessary aluminum extrusions and attachments. The framing itself is quickly and easily assembled by welding or selftapping screws; the panels slip into slots and grooves in the framing; and aluminum mullions, jambs, sills and headers are designed to be snapfit or attached to the structure by concealed screws. Other design features include a water seal and ventilation to reduce condensation, and a choice of hopper, fixed and projected windows. According to its manufacturer, the Stran-Wall system is designed to go up faster, easier, and at considerable savings over conventional steel frame plus curtain wall systems. Stran-Steel Corp., Div. of National Steel Corp., Detroit 29, Mich.

more products on page 280

SIGNS OF DISTINCTION IN BRONZE

nitects and building owners agree that the copper alloys provide much desired change in architectural metals. Here are two distinguished examples showing the broad variety in texture, , and warm, rich color available to translate architectural epts into reality. Modern design, as shown here, does not ree special production of intricate shapes. Instead, economical use ade of standard bars, channels, angles and formed sheet metal. or more outstanding examples and fabricators' detail drawings, e for "Architectural Metals by Anaconda." This 64-page book e first comprehensive publication on the architectural uses of er and copper alloys. It gives practical and detailed informaon the available metals, their compositions, colors, forms, sical properties, finishes, maintenance and suggested specificas. For your complimentary copy write: The American Brass pany, Waterbury 20, Conn. In Canada: Anaconda American s, Ltd., New Toronto, Ontario.



Write today on your firm's letterhead requesting your copy of Architectural Metals by Anaconda, Publication B-15.

BRONZE-The Architectural Metal of Distinction

ANACONDA

ARCHITECTURAL METALS


Made by The American Brass Company

National Bank, Wichita, Kansas (below). This facade of bronze and illustrates the beautiful effect accomplished by applying a statuary finish me of the bronze work and leaving other components in the natural, at finish of the metal. The installation consisted largely of sheet metal, flat, or formed with a press brake. Standard sizes of drawn red brass channels rectangular tubes were used for the stops in the glass area; and extruded es for the door rails, panel dividers, and thresholds. ARCHITECT: Forsblom arks, Wichita. FABRICATOR: The Alumiline Corporation, Pawtucket. R. I.



Embassy of Switzerland, Washington, D. C. (above and below). Bronze metals in sheet, rectangular tube, and extrusions were used by the fabricator to execute the architect's designs for spandrels, mullions, fascias, and columns. The grille (below), seemingly of solid bars, is actually fabricated from standard size, rectangular red brass tube. ARCHITECT: William Lescaze, New York. FABRICATOR: A. F. Jorss Iron Works, A-lington, Virginia.





OZALID NEWSLETTER

NEW IDEAS TO HELP YOU WITH ENGINEERING REPRODUCTION AND DRAFTING



Ozalid Viewfilms produce color images in seconds . . . and at lower cost than conventional methods.

Need low-cost color in a hurry?

Four-color, three-color, or even two-color for that matter . . . no problem; Ozalid's Viewfilms provide the perfect low-cost answer.

Suppose we want to produce a performance chart in which each factor is a different color.

It's a snap. Just take translucent paper and draw the desired curve or dotted line (as the case may be) on the sheet.

Next, run the master through your Ozalid machine together with an Ozalid Viewfilm of the proper color. Want to add more material in a different color? Just prepare another master, select a different colored film, and run them as you did the first pair. When you're all through, overlay the films in sequence and tape them into register. Your result is a composite color chart that's very dramatic...very convincing!

This is just one illustration to start your mental salivary glands working. We are sure that you can find uses we haven't even dreamed of, once you get going. And if you discover any new applications for this best of all possible color worlds, tell us about them so we can spread the good news to others.

When it comes to cost estimating...

... there's nothing like a handy whiteprinter to cut preparation time of cost estimates, according to the Stackpole Carbon Company, St. Mary's, Pa. The company's Supervisor of Cost Estimating has just written us a letter on the subject which we pass on to you verbatim. "Our estimates are made in pencil on printed translucent vellum in pad form. These are reproduced on specially cut and punched Ozalid copy paper. Originals carry only basic information that has to remain constant. And from the originals we produce duplicate originals on Ozalid sepia line intermediate paper (#402 IT) as required, and these are used until the basic information is obsolete. To revise a cost, it is only necessary to add current rates and extend. With this simple Ozalid method we have eliminated typing, proofreading, and copying errors."

The Supervisor goes on to say that Stackpole uses Ozalid copying in many other areas of its business because of convenience and economy. Perhaps we'll be able to tell you about these uses in a future Newsletter.

Here's what 100 usable feet per minute can do for you


Speed up your production? Of course! But that's only the beginning. Look at it this way. One Printmaster 1000® working at a usable 100 feet per minute matches the output of several smaller, slower machines but takes up less valuable floor space while handling widths up to 54 inches! You save on production time and costs due to higher working speeds! And the Printmaster 1000 is probably the toughest, most durable unit ever produced. This means even greater savings in downtime and service charges. Our first recommendation for any shop having heavy work loads is this 100-foot champ...the Printmaster 1000.

Ozalid - Division of General Aniline & Film Corp. In Canada: Hughes-Owens Co., Ltd., Montreal

Trinity Lutheran Church, Walnut Creek, California. Architects: Belluschi and Skidmore, Owings and Merrill, San Francisco. Structural engineer: Isadore Thompson. Contractor: Fred von Guenthner.

Space provided: nave seating 299 people; choir loft with seating capacity of 40; mothers' room and rest room; men's rest room; sacristy; vestry; equipment room. Structural framing: glulam arches spaced at 14'-9". Exterior walls: Port Orford cedar siding over plywood web and aluminum foil insulation; stone veneer. Interior walls: exposed stone; plywood with 2"x2" strip-

ping. Heating and ventilating: warm air heating with provision for future summer cooling system. Lighting: indirect lighting by special incandescent fixtures under windows. Lights are directed upward through windows and are reflected downward by the ceiling. Roof: built-up roofing with Dolomite aggregate surface. Area: 6,500 square feet. Cost: \$13.90 per square foot.



Adaptability of glued laminated timber arches by Timber Structures, Inc. to the requirements of unique design provides effective structural framing which complements the skillful handling of other materials.

TIMBER STRUCTURES, INC.

P. O. BOX 3782, PORTLAND 8, OREGON

Division offices in Ramsey, N. J.; Schiller Park, Illinois; Dallas, Texas


DISTRICT REPRESENTATIVES IN MAJOR CITIES THROUGHOUT THE UNITED STATES



MEMBER A.I.T.C. AND PRODUCERS' COUNCIL

Ford Staff Building Sound Engineers* specified ALTEC





An ALTEC paging system which employs 96 loudspeakers carries messages and music throughout the Ford Motor Company staff building near Detroit. For the auditorium, 2 of ALTEC's famous "Voice of the Theatre" loudspeakers were specified. An ALTEC-engineered sound system was first choice for this fine building for many reasons-pure reproduction, dependable service under all conditions, longer life, ease of installation and service.

These are the reasons you'll find ALTEC commercial sound systems in hundreds of commercial and civic buildings, hospitals, churches and shopping centers everywhere. On your next project, consult any of the hundreds of ALTEC engineerconsultant contractors at no cost or obligation. He can supply over 100 different sound components or design a complete system according to your specific requirements. Find him in the phone directory yellow pages or write ALTEC at either address below.

See our catalog in Sweet's Architectural File 34/AL; Industrial Construction File 17e/AL, 1960 Edition

*H. A. Roseberry & Sons, Inc., Detroit



ALTEC LANSING CORPORATION, Dept. AR-13D A subsidiary of Ling-Altec Electronics, Inc. 1515 Manchester, Anaheim, Calif. 161 Sixth Avenue, New York 13, N.Y.



used for the World's Largest Modular Engineered Public Cold Storage Plant. — 2 stories high - 122 ft. by 162 ft.

Saves up to 40% on operating costs! CHECK THESE MASTERFREEZE FEATURES . . .

- Expandable & Portable
- Positive Moisture Seal
- •Lifetime Construction
- Designed For Any Size Any Delivered & Erected At Lower Cost Shape Building or Interior

CORPORATION SISTER BAY 5. WISCONSIN

or Contact Your Nearby Armstrong Contracting Office



Air Powered Hydraulic DOCKBOARDS IN NEW Construction or Remodeling

CUSTOM ENGINEERING SERVICE AVAILABLE

Freightliner will Cus-tom Engineer AERO-BOARDS to FIT your capacity requirements and installation speci-fications.

CHECK THESE ADVANTAGES:


CHECK THESE ADVANTAGES:


Low Initial Cost . Inexpensive to Install and
Operate . Stores Upright — out of the way
. Manual-automatic-"Air-over-Oil" activated
— from power supplied by air system standard on many docks . Safe — One Man Operation . No Electrical power required at
dockboard . Standard, 10,000 lb. cap. model
adaptable to most installations.
AERO-BOARD, ready to install. . \$410.00

Write for your copy of the AERO-BOARD specifi-cation brochure. It includes detailed AERO-BOARD specifications, photos, installation diagrams, air compressor requirements, name of local supplier.

AERO-BOARDS are sold and serviced by Leading Materials Handling Equipment Distributors.


Mfd. FREIGHTLINER CORPORATION Dept. 6A, Box 3591





Installation: T. King Haswell, Jr., Pittsfield Contractors Architect: Alphonse Marchand

versatility...





Excellent Light Diffusers • Suspended Ceiling • Touch of Color • Artistic Effects • Ease of Installation

Smithcraft Lighting of Chelsea, Massachusetts, selected Sinko THIN-CELL Louvers, because of their versatility, for installation in the Board Room of Goodbody and Company, Investments in Pittsfield, Massachusetts. The 100 foot-candle lighting installation makes following the Board an unusually easy visual task.

The diffusing element is approximately 10 feet from the floor. The large element units are equipped with T-12 cool white Slimline lamps and are shielded by Sinko THIN-CELL Plastic Louvers providing a pleasing and efficient 45° x 45° shielding.

Whatever your lighting requirements might be, check into the versatility of Sinko THIN-CELL Louvers.

We invite you to write for Bulletin 32A which gives you complete details on Sinko THIN-CELL Louvers.



SINKO MANUFACTURING AND TOOL CO.

7310 W. Wilson Avenue

Chicago 31, Illinois



unique new
asbestos-cement
structural sheet
bends around
corners...

and
over
obstructions

"K&M" KAMWALL

- Staples... or nails within ¼" of its edge without predrilling
- Saws with an ordinary hand saw or scores with a knife
- · Asbestos-cement, fire-proof and durable
- Unusually versatile

No other asbestos-cement structural sheet has ever had the qualities of KAMWALL. Remarkable new KAMWALL is unique!

While giving you all the advantages of asbestoscement (fire-rot-and-vermin-proof, water-resistant, economical, requires no maintenance), it bends around corners and over obstructions . . .


conforming to irregular surfaces and foundations. It permits unusual architectural and design effects . . . light, narrow framing members. It saves labor, time . . . reduces on the job breakage.

Versatile new KAMWALL covers all conventional asbestos-cement applications—and then some! It's ideal for soffits, as underlayment for tile floors, for interior partitions, for finishing off sides and ceilings of recreation rooms, for fire barriers, plus many other uses you'll probably be telling us about.

Write today for a sample of KAMWALL and a comprehensive illustrated brochure. Get all the facts for consideration on future jobs. Keasbey & Mattison Company, Ambler, Pa., Dept. B-3460.



KEASBEY & MATTISON at Ambler



Vina Lux floors serve TWA

More and more architects across the nation are specifying Vina-Lux vinyl asbestos tile because . . .

- ▲ It's an honest product skillfully made by men dedicated to quality.
- It's a vinyl flooring reinforced with asbestos fiber stable, durable and attractive.
- ▲ It's available throughout the United States through responsible outlets.
- It's made by a company earnestly trying to serve the architect with constantly improved products that solve architectural floor problems.
- Finally, Vina-Lux performance is guaranteed by its maker.

For complete specification data and color chart, consult Sweet's Architectural File or write us.




AZROCK FLOOR PRODUCTS DIVISION

Specialists in the manufacture of vinyl asbestos tile and asphalt tile flooring
UVALDE ROCK ASPHALT CO. * 514A FROST BANK BLDG. * SAN ANTONIO, TEXAS



This man is replacing dollars with sand!



100 plus contracts have proved that

Vibroflotation®

saved money on foundations

From Vancouver to Maine, from Newfoundland to Florida, architects and engineers have stretched their building budgets by specifying soil compaction by VIBROFLOTATION.

Find out how you can do the same ...

Proven Applications


Deep Foundations • Dams Bridges • Airports • Tunnels Commercial Foundations Industrial Foundations Write for booklet A-24

VIBROFLOTATION FOUNDATION CO.

930 Fort Duquesne Boulevard Pittsburgh 22, Pa.

ATlantic 1-2500

Product Reports




Laminated Wood Door Knobs

Stratawood decorative door knobs are made of a tough combination of resin bonded layers of thin wood shaped to fit comfortably in the hand. Available with either vertical or horizontal graining, the knobs are durable as well as decorative; will not check or crack. P. & F. Corbin Div., American Hardware Corp., New Britain, Conn.



Economical Paneling for Stores


Two new economical paneling systems-one for ceilings and the other for upper walls-have been designed specifically for store interiors. Both can be installed or rearranged quickly because the panels are fitted in moldings rather than cemented. The ceiling system uses 2-by-4-ft Marlite panels grooved on four sides to fit into grid moldings suspended from an unfinished ceiling. The upper wall system uses similar panels that fit into special H-shaped vertical moldings which give the system its rigidity. Horizontal moldings at top and bottom complete the installation. The 2-ft-wide panels are available in 5- to 8-ft lengths in a wide range of colors and patterns. Marsh Wall Products, Inc., Dover, Ohio



more products on page 284

Now there's one just right for any installation...

Feeder Panelboards



BRANCHES



Fµsible switch, 30 to 600 amps.—250-v. AC or DC; 2 and 3 poles, single and double throw.



Quick-make, quick-break fusible switch, 30 to 600 amps.—250-v. AC or DC; 600-v. AC, 2 and 3 poles.



Automatic protection, 15 to 800 amps. → 250-v. AC or DC; 600-v. AC, 2 and 3 poles.

See our catalog in SWEETS

Your preference-with or without doors!

From Frank Adam's complete line of feeder panelboards you can specify those that perfectly meet the needs of any project, small or large.

"Add-On" feature provides space for the easy and economical addition of future branches as required by merely installing enclosures with temporary blank space covers.

Many other exclusive engineering innovations that guarantee more dependable safety and efficient per-formance have made this Frank Adam competitivelypriced equipment first choice among architects and engineers who insist on getting the quality they specify.



BOX 357, MAIN P. O. - ST. LOUIS 66, MO.

usduct · panelboards · switchboards · service equ	LETTERHEAD
Send the following Frank Adam Bulletin	s for our AIA File:
☐ Distribution Panelboards	Lighting Panelboards
Name	
Title Mail to Frank Adam Electric Co., P. O. E	Box 357, Main P. O., St. Louis 66, Mo.






FOR SLIDING GLASS DOOR DESIGN FREEDOM

PUT THE LOAD ON MILLER

Here are sliding glass doors to free your thinking: Miller doors with load bearing columns. Now heavy steel tubes (encased in aluminum) may be incorporated in Miller aluminum frames at the muntin bar, interlockers and meeting jambs—within the depth of sill and head section. Eliminate 4" x 4" columns. Maintain sight lines on extra wide openings. Use smaller headers.

For more information, put the load on a Miller Dealer. Have him show you how to go higher, wider and handsomer with Miller quality load bearing frames.





(Left). Detail shows steel tube, aluminum encased, load bearing mullion as integral part of frame.

(Right). Weatherseal is more than a part—it's also how the door maker relates it to the total door design. Miller's engineered method results in a smooth, easy sliding door that seals securely around the entire perimeter of opening vent.

Write for catalog & new "Miller View Points" publication. See your dealer, or Sweet's Arch. File 16d/Mi, or Sweet's Light Construction File 5a/Mi.

"BUILT TO LAST A HOUSE TIME"



Miller Sliding Glass Door Co., Inc.
3216-AR Valhalla Dr., Burbank, Calif.
Eastern Sales Office: c/o T. F. McGrath Associates, 520
Post Rd., Darien, Conn., OL 5-9721.
Member of Sliding Glass Door & Window Institute.
Member of Building Contractors Association.







For full details, write:



WANT TO KEEP THAT BUILDING CLEAN AFTER IT'S BUILT?

Specify NIXALITE bird barrier and control. You'll not only keep your design clean, but, you'll help lower maintenance costs for your client.


Nixalite, the porcupine-like barrier can be installed on ledges, pediments, columns, etc. . . . in fact, anywhere birds are likely to roost. It is inconspicuous but does a conspicuous job of keeping birds of all sizes away.

It's flexible base bar carries 120 sharp prongs to the foot, curved and staggered in varying angles to cover a complete 180° orc. And, being of nickel stainless steel, it doesn't substitute one form of maintenance for another ... won't streak or discolor other building materials.

Do yourself and your client a favor by specifying NIXALITE, the permanent bird barrier and control.

COMPANY OF AMERICA

DEPARTMENT 36 1722 - 1st Avenue Rock Island, Illinois



Here you see one of the striking new 1000 SERIES desks by GF—
designed by one of America's leading architectural firms.
Functionally styled, with all-flush surfaces and clean uncluttered lines. Combines the modern "architectural look" with unmatched GF quality. Models for both private and general offices. For that new office building on your drawing board, specify this architect-styled beauty
The General Fireproofing Company, Dept. Z-12, Youngstown 1, Ohio.



Pre-Enameled Aluminum Products
The new line of Colorweld aluminum
building products features preenameled color finishes so durable
they can withstand heavy embossing
and stamping operations without
damage. Because of the resulting
drop in fabricating and finishing
costs, the items in the line will be
lower in price than any colored aluminum products now on the market.
They include 4- and 8-in. ribbed siding, V-beam roofing and siding, and

insulated field-assembled panels in a choice of 20 standard colors. In addition, a custom color service in a new *Reynocolor* line will offer other stock building products spray-enameled to any color specification. *Reynolds Metals Co.*, *Richmond 18*, *Va.*

Thin Ceramic Facing Material

CV Durathin, a new ceramic facing material only \(^3\)\s in. thick, is expected to reduce both initial costs and installation costs because of its thinness and light weight and its large (up to 18 by 24 in.) unit sizes. It will also offer the durability, low maintenance and wide color range usually associated with ceramic veneer. Federal Seaboard Terra Cotta Corp., 10 East 40th St., New York 16, N. Y.


Cost-Cutting High Strength Bolt

A new design high strength bolt with a larger head and shorter thread length is said to make possible savings up to 40 per cent in bearingtype connections, as compared to standard high strength bolts. Its principal advantages are the larger bearing area under the head, which permits use of only one washer per bolt, and the shorter thread length which prevents the shear plane of the connection from passing through the threaded portion. Increasing the shear area of the bolt increases the allowable shear stresses so that onethird fewer bolts are needed in bearings type connections. Russell, Burdsall & Ward Bolt and Nut Co., 100 Midland Ave., Port Chester, N. Y.



Low-Cost Swimming Pool

A low-cost heavy-duty swimming pool features ribbed steel sidewalls that combine vertical strength with enough horizontal flexibility to withstand the stresses of freezing and thawing. The prefabricated, interlocking sidewall panels, which are assembled at the site and embedded in a reinforced concrete bottom, also eliminate the forms, reinforcing steel, and concrete that go into concrete pool walls. This reduces wall costs by as much as 80 per cent, bringing overall savings to around 50 per cent: the larger the pool, the greater the savings. Since the wall panels are flexible, Coraloc pools can be built in any shape at no extra cost. They will meet the strictest building codes, are easily maintained, and need not be drained in winter. Coraloc Industries, Inc., 9460 Wilshire Blvd.. Beverly Hills, Calif.



Van equipped cafeteria for 1845 Cathedral's restoration

Van . . . founded only two years after the 112-year old St. Peter in Chains Cathedral was first built . . . is proud to have fabricated and installed the new food service departments in the restoration of this landmark . . . head-quarters of the Archbishop of the Diocese. As many as 500 members of the parish can be served at one time.

• Use Van's century of experience for your food service equipment needs . . . whether new, expansion or modernization.



Branches in Principal Cities


429 Culvert Street

Cincinnati 2, Ohio

Streamline



TUBE AND SOLDER-TYPE FITTINGS CAN SAVE YOU UP TO 15% AND YOU GET A BETTER INSTALLATION TOO!



You can install STREAMLINE DWV COPPER TUBE AND FITTINGS at savings up to 15% and get the most modern drainage system possible . . . a compact, space-saving system that's lightweight, sanitary, non-rustable and clog proof.

COMPARISON WITH RUSTABLE MATERIAL PROVES INSTALLED COST OF STREAMLINE DWV COPPER TUBE AND FITTINGS IS LOWER!*

3" ALL COPPER DWV DRAINAGE INSTALLATION

> COST TO PLUMBING CONTRACTOR

\$62.46 Stack Fittings and Tube 50.89 **Drainage Branch Lines** 1.31 Solder and Flux 60.00 Labor

TOTAL COST OF INSTALLATION

3" GALVANIZED AND DURHAM DRAINAGE INSTALLATION

> COST TO PLUMBING CONTRACTOR

\$53.01 Stack Fittings and Pipe **Drainage Branch Lines** Lead and Oakum Labor

TOTAL COST OF INSTALLATION

30.91 1.00 120.00

3" IRON DRAINAGE INSTALLATION

COST TO PLUMBING CONTRACTOR

\$26.52


30.78

120.00

4.87

Stack Fittings and Pipe **Drainage Branch Lines** Lead and Oakum Labor

TOTAL COST OF INSTALLATION




Complete technical information on Stream-ine DWV Copper Tube and Solder-Type Fittings is included in big, new 32-page Bulletin D-459. Send for your free copy today.





MUELLER BRASS CO., PORT HURON 8, MICHIGAN

285



PLASTER CAPTURES THE CONTOURS OF CREATIVE THOUGHT

Ready adaptability to any design, assured performance in any application, make plaster the perfect medium to express your ideas

From the curve of a conch shell might have come inspiration for this spiraling sweep of dormitory stairs at the new Air Force Academy. Such complex design calls for exceptional subtlety and strength of material. The architects chose plaster.

Only plaster permits the flexibility of intricate design. Only plaster combines visual and textural beauty with such strength, lightness, durability, fire-resistance and acoustical values.

Through continuing research at United States Gypsum, today's lathing and plastering systems can meet the demands of the most daring architectural concepts. You can plan boldly with plaster—with the help of your skilled plastering contractor. For plaster truly . . . captures the contours of creative thought.



UNITED STATES GYPSUM

the greatest name in building

continued from page 232

Mortise Locks and Latches

Offers complete information on Sargent mortise locks, and illustrates trim, handle sets and miscellaneous locks. Sargent & Co., New Haven 9, Conn.*

Waterloo Air Diffusion Equipment

(A.I.A. 30-J) Contains complete application and specification data on Waterloo line of return and supply registers, grilles, volume control dampers and door ventilators. Catalog 1-59, 58 pp. Waterloo Register Co., Inc., P. O. Box 72, Waterloo, Iowa*

Industrial Insulating Materials

Presents properties and specifications for a complete line of heat and cold insulations. Thermal conductivities and tables of recommended thicknesses for each product, and application instructions for product types are also included. 24 pp. Industrial Insulation Div., BaldwinEhret-Hill, Inc., 500 Breunig Ave., Trenton 22, N. J.*

How to Lay Out a Parking Lot

(A.I.A. 38-M, 14-A-3) Includes suggested layouts for 45-, 60- and 90-degree angle parking with recommended stall widths and lengths, aisle widths, and entrance and exit dimensions. Various types of equipment for self-service parking-automatic gates, parking barriers, parking guides and sonic detectors—are also covered. 40 pp. Western Industries, 2742 West 36th Pl., Chicago 32, Ill.

Manual of Paper Food Service

Though aimed at managers of restaurants and institutional food facilities, this detailed manual also gives information of interest to architects planning such facilities: the cost of paper food service, planning kitchens for paper service, planning for storage and disposal of paper, and special situations encountered in various types of food service facilities. 60 pp. Paper Cup and Container Institute, Inc., 250 Park Ave., New York 17, N. Y.

Spang Underfloor Duct

Engineering manual gives dimensional drawings, a selection guide, installation suggestions and typical specifications on Spang standard and double-capacity duct for underfloor electrical distribution systems. Bulletin 515, 36 pp. The National Supply Co., Two Gateway Center, Pittsburgh 22, Pa.*

Heifetz Design Gallery

Comprehensive catalog contains reference information, photos, drawings and specifications on Heifetz line of pendant fixtures, wall fixtures and chandeliers. Catalog A, 64 pp. The Heifetz Co., Clinton, Conn.

Dylite Panels: Modular Components (A.I.A. 19-K) Details methods of using Dylite modular sandwich panels, and gives information on the sizes and types of panels available. Also shows study houses in various styles adaptable for construction with the panels. Bulletin C-10-291, 34 pp. Koppers Co., Inc., Dylite Panel Plant, Plastics Div., Box 57, Harper Station, Detroit 13, Mich.*

*Additional product information in Sweet's Architectural File more literature on page 292



Berlin EZ-A-WAY Bleachers, originators of these construction features:

• Square Tubing in steel under-structure
• Scissor Cross Bracing—a patented exclusive feature in EZ-A-WAY

excusive reature in C2-A-WAI Bleachers.

Slidearm Bracket—provides means for adjusting Bleacher for "floating" operation.

Floating Action—an innovation in EZ-A-WAY Bleachers permitting true "floating" action.

Brake Mechanism—automatically locks front row section without use of floor attachment.

Slide Support—designed to lock successive rows.

Wheels—EZ-A-WAY Bleachers are equipped with 4" diameter, 11/2" wide non-marking wheels.

A.WAY mechanical folding bleachers are


EZ-A-WAY mechanical, folding bleachers are completely safe...they meet all safe code requirements in the United States...the only bleacher approved by California Division of Architecture without requiring manufacturer to run a load test under supervision of the Division...the only mechanical, folding bleacher approved by the Board of Standards, New York City. You tell us the type of Bleacher setup you want...we have it.

Berlin EZ-A-WAY mechanical Folding Bleachers seat 1200 at end of gymnasium. Gymnasium sent 1200 at end of gymnasium. Gymnasium may be transformed into two separate practice courts by means of Berlin motorized folding partition for different simultaneous events.



Berlin EZ-A-WAY Bleachers with students seated view of Berlin Backstops.

SEND FOR COMPLETE BLEACHER CATALOG



BERLIN CHAPMAN CO.


BERLIN . WISCONSIN A DIVISION OF BERLIANA CO



"This is the finest Holly's yet!"

"We owe a lot to Bastian-Blessing for the success of our latest restaurant... both for their planning and layout service and the top-quality food service equipment they sell!" That's a comment from Ward Webster, president of the Holly chain of restaurants and grills in Michigan and Indiana, talking about their tenth location. "We're delighted with the way Bastian-Blessing handled our latest job."

What's the secret of the overwhelming preference for Bastian-Blessing? No secret, really—just a constant reliance on ideas like finest quality, performance and proved long life. That's why leading chains buy more Bastian-Blessing fountain-food equipment than all other makes combined ... that's why we're so confident we can please you, too. Whatever the size of your operation, you'll get most for your money with Bastian-Blessing.





Holly House, South Bend, Indiana, newest of the Holly chain. Fountain, kitchen equipment and counters contracted from Manting Equipment Co., Grand Haven, Mich. The inviting contemporary building design is matched by an informal interior treatment. All counters, fountain and food preparation equipment were handled by the Bastian-Blessing distributor in one convenient "one-stop" operation.

Listed under "Restaurant Equipment and Supplies" in all cities over 10,000 population





Ten-stool coffee shop: Time- and stepsaving layout combined with convenient Bastian-Blessing fountain units mean speedier service for Holly customers... bigger turnover (and profits!) for Holly.



Kitchen area: A place for everything—and everything placed for faster, more efficient food preparation! Coordinated layout is the result of careful planning between Bastian-Blessing, their distributor and Holly management.

BASTIAN-BLESSING


World's largest manufacturer of fountain and counter food-service equipment

The Bastian-Blessing Co.
4205 W. Peterson Avenue
Chicago 46, III., Dept. 4-F
Please rush your new Drive-In
Planning Booklet SA-400.
1 55 " 55 1"

am:	Expanding Remodeling
	Planning to Build.

Individual			
Company			
Street or RR			
City, Zone, State		il and	

GRIDDLE STANDS . SANDWICH UNITS . SODA FOUNTAINS . REFRIGERATED DISPLAY CASES . SINK UNITS . DISHWASHING MACHINES . FOOD WARMERS




goes where you want it

with the original square perforated face diffuser

Uni-Flo square and rectangular ceiling diffusers with perforated faceplates provide a high rate of aspiration and great flexibility to meet the requirements of modular construction or any arrangement of partitions.

The air pattern can be adjusted on the job for vertical or horizontal deflection, and for one-, two-, three-way, or 360° discharge without altering the appearance.

Quiet,
draftless
air distribution
with minimum
ceiling
smudging



These attractive units are inconspicuous and blend well with all types of ceiling construction; the engineered air flow minimizes ceiling smudging.

Patented* design assures low pressure drop for draftfree comfort at very low noise levels. Imitated by many but unequaled in performance. Available in recessed or surface-type units for all types of acoustical, plastered, or metal pan ceiling applications. Complete performance data available . . . guarantees job performance.

For complete information, call your local Barber-Colman Air Distribution field office or write for Catalog No. F-6597-2.

Also available with factory-built hinged assembly for control of room coverage.



*Patent No. 2821891

BARBER-COLMAN COMPANY

Dept. F. 1104 Rock Street, Rockford, Illinois

Exotic Hardwoods

... for Modern Design discusses facilities of, and types of paneling, plywood, lumber and veneer available from, J. H. Monteath Co., 2500 A Park Ave., New York 51, N. Y.*

Bulletin Boards . . . Chalk Boards Give selection data and specifications on Bancork bulletin boards, plus similar information on Banrite chalk boards. 8 pp. Bangor Cork Co., Pen Argyl, Pa.

RLM Standard Specifications

. . . for Industrial Lighting Equipment includes three new specifications for 1500ma semi-direct units: upward revisions of many existing specifications, new specs for aluminum reflectors, and added provisions for inspecting and testing. 52 pp. RLM Standards Institute, Inc., 326 Madison St., Chicago 6, Ill.

Insul-Fil Technical Bulletin (A.I.A. 37-D-2) Features engineer-

ing drawings, heat loss graphs, installation and thickness specifications, and similar technical data on Insul-Fil granular insulation for underground steam lines and heating systems. Insul-Fil Co., Inc., 250 Pettit Ave., Bellmore, L. I., N. Y.

High Temperature Water Systems Describes full line of International-LaMont generators, and gives such engineering data as flow rate and heat content tables plus information on choice of system pressurization and pump arrangement. Bulletin 1600, 16 pp. The International Boiler Works Co., 109 Maple St., East Stroudsburg, Pa.

Pneumatic Tube Systems

Describes components and operation of Transitubes automatic pneumatic tube systems for hospitals. 4 pp. The Grover Co., 25525 W. Eight Mile Rd., Detroit 40, Mich.

Water-Repellent Masonry Insulation (A.I.A. 37-C-2) Two new booklets, one on cavity walls and one on block walls, describe the advantages, applications and properties of Zonolite water-repellent masonry fill insulation. Both 4 pp. Zonolite Co., 135 S. LaSalle St., Chicago 3, Ill.*

Insulated Curtain Wall System

(A.I.A 17-A) Describes, with specifications and details, Thermo-Sash insulated setting frame for glass or panels, as well as single and double hung windows. 12 pp. Kesko Products, Bristol, Ind.

Water Cooling Coil Catalog

Introduces new direct selection method for all types of water cooling coils; describes the coils and their applications; and gives detailed selection data including pyschrometric charts and curves. Catalog 406, 60 pp. McQuay, Inc., 1600 Broadway St. N. E., Minneapolis 13, Minn.

Continental Easy Estimator

Gives complete selection information. detailed specifications, and prices on Continental line of heavy duty electrical transmission and distribution equipment for commercial, industrial, residential and governmental installations. 300 pp. Continental Electric Equipment Co., Dept. CAT, 205 W. Fourth St., Cincinnati, Ohio

*Additional product information in Sweet's Architectural File

SPECIFY WITH CONFIDENCE

You are sure of permanent satisfaction when you specify HAWS-for 50 years the pace-setter in developing better materials, design and skilled workmanship. You seek drinking facilities that will do credit to your design achievements, and yield the utmost in sanitation and service. To realize these aims...specify HAWS with confidence.

Semi-Recessed Model 73, in stainless steel; similar models in vitreous china, porcelain enameled steel

Model 7X, enameled iron, valve assembly available.

HAWS Electric Water Coolers in full range of capacities and styles; floor and wall models for commercial, industrial and private uses. Restaurant and cafeteria types, remote coolers, wall insert units

Cantonment type Model 1505 typifies HAWS dramatic styling achievements.

Deck-Type Fountains in enameled iron and stainless steel, may be equipped with a wide selection of HAWS faucets and fixtures. Popular units for classrooms and commercial operations.


Model 10Y, multiple founplastic; available also in iron (Model 10X).





DRINKING FAUCET COMPANY

1441 FOURTH STREET . BERKELEY 10, CALIFORNIA







and ARMCO STEEL BUILDINGS

New selection of roof slopes adds even greater variety



Brand new choice of roof slopes in Armco Steel Buildings gives you more freedom than ever before in designing with these modular structures. First, there is a new series of single slope-roof buildings, ranging in width from 5'-4" to 24'. Next, a series of self-framing buildings, with widths from 8' to 32', is available in a 4:12 roof slope and a low silhouette 2:12 slope. A rigid frame design in widths from 32' to 120' is also offered in both 4:12 and 2:12 roof slopes. In addition, the truss type series of Armco Buildings makes a 2.4:12 roof slope available in widths from 60' to 120'.

These choices provide wide freedom of design, coupled with the economies of production-line building components. Send coupon for facts. Armco Drainage & Metal Products, Inc., 6850 Curtis Street, Middletown, Ohio.

New steels are born at Armco

ARMCO DRAINAGE & METAL PRODUCTS, INC.

6850 Curtis Street, Middletown, Ohio

I want details about Armco Buildings for the following use:

Approximate size or floor area:

Name_

__Title_

Address

ress_____


Zone__State__

ARMCO DRAINAGE & METAL PRODUCTS




Subsidiary of ARMCO STEEL CORPORATION

OTHER SUBSIDIARIES AND DIVISIONS: Armco Division • Sheffield Division • The National Supply Company • The Armco International Corporation • Union Wire Rope Corporation




The only all new line of surface and concealed door closers. Size for size, Sargent's Powerglide Line does a bigger job better.* Meets or exceeds the Federal performance



*SARGENT POWERGLIDE LINE EXCLUSIVES

- heaviest spring in a rectangular closer . . . works under less stress in longer chamber.
- Dearing seats machined directly in closer body . . assures perfect alignment of needle bearings.
- extra thick iron case and heavy-duty spindle . . . provide added strength, longer life.
- two springs and double chamber for greater checking capacity on larger sizes.



specifications for conventional type. For all applications, all door sizes... exterior and interior. Call your Sargent supplier or write Sargent & Company, New Haven 9, Conn.



SARGENT

The newest fashion in a complete line of architectural hardware



- Maximum strength minimum materials.
- For fast delivery welded plate construction, plates always in stock.

Write today for Catalog No. 825



LIGHTING FOR 1 ARCHITECTURE

Lighting: Design or Accident? CREDITS

pages 220-1

a. | 1 | 2

 Solomon R. Guggenheim Memorial Museum, New York City. Frank Lloyd Wright, Archt. Photo: © Ezra Stoller

2. U. S. Air Force Academy, Colorado Springs, Colo. Skidmore, Owings & Merrill, Archts. Photo: H. LaPlant


pages 222-3

 Art School, Society of Arts & Crafts, Detroit, Mich. Minoru Yamasaki & Assocs., Archts. Photo: Baltazar Korab

2. United States Pavilion, Brussels World's Fair. Edward D. Stone, Archt. Photo: Raymond Badjou

3. Metropolitan Museum of Art, New York City. Photo: Charles Payne

 Lillian Schmidt Elementary School, Columbus, Ind., Harry Weese & Assocs., Archts. Photo: Bill Engdahl, Hedrich-Blessing




Slosberg Music Center, Brandeis University, Waltham, Mass. Harrison & Abramovitz, Archts. Photo: © Ezra Stoller

2. Morris Store, San Francisco, Calif. Frank Lloyd Wright, Archt. Photo: Maynard L. Parker

3. Harwyn Shoe Store, Roosevelt Field Shopping Center, Hempstead, N. Y., Ketchum, Giná & Sharp, Archts. Photo: Alexandre Georges

4. Dexter Chevrolet, Inc., Detroit, Mich., King & Lewis, Archts. Photo: Baltazar Korab


pages 224-5



 McManus, John & Adams, Inc., New York City. Designs for Business, Inc., Designers. Photo: Ben Schnall

2. Ticket Offices, Pennsylvania Station, New York City. Lester C. Tichy, Archt. Lewis Smith, Lighting Designer.

3. Mills High School, San Bruno, Calif. John Lyon Reid & Partners, Archts. Photos: Roger Sturtevant



 Lambert Terminal, St. Louis, Mo. Hellmuth, Yamasaki & Leinweber, Archts. Henry (continued on page 300)




Dignity and beauty of the traditional pew have been maintained . . . with comfort custom-crafted into each seat. Others have tried to imitate it, but only Endicott Cushion-Eze has the unique construction which is patent protected by the U.S. Patent Office. Dowels placed between the sections provide controlled tension and firmness—foam cushioning will not pad or pack after years of service.



Please attach to your professional letterhead and mail to: HLAGRO STEEL PRODUCTS CORP. SOMERVILLE, MASS.

MEDART SAFE-WAL prevents wall crash injuries in gyms and class rooms!



MEDART ALSO MAKES THE WORLD'S FINEST:

Basketball and uniform courtesy Rawlings Sporting Goods Co.

Telescopic Gym Seats
Basketball Backstops
Basketball Scoreboards
Gymnastic Apparatus
Physical Therapy Equipment

shows durable construction.



SAFE-WAL plastic-foam vinylcovered wainscot is easy to install and maintain—low in cost

A new development—already proved in scores of schools everywhere—designed especially to guard against injuries caused by body impact against walls of multi-purpose play rooms and gymnasiums.

- Crash foam made of polyurethane foam similar to crash padding in automobiles and aircraft.
- SAFE-WAL is sound-absorbing, sanitary, goodlooking.
- Eliminates expensive wall protective mats, tile or terra cotta facing, wood paneling, plaster, other wall finishes.
- · Easy to install over rough walls.
- Dirt-, grease- and moisture-resistant—rot- and vermin-proof.
- No maintenance required except occasional wiping with a damp cloth.
- Made in willow green and buff. Many other colors available at small extra cost.


Write for brochure

MEDART

SPECIFY the best, then INSIST on it!

Mary Control

FRED MEDART PRODUCTS INC. . 3540 DE KALB . ST. LOUIS 18, MISSOURI




FRANTZ

doors give you new freedom of design

Frantz overhead type doors, in both extension spring and torsion spring styles, are custom made to suit exact architectural requirements. They are designed to fit odd size as well as conventional size openings—up to 18' wide and from 12' to 14' high—for commercial, light industrial and heavy industrial application, with manual or electric operation (chain hoist available).

Frantz Doors are noted for their easy operation. They require no trained installation crews and are virtually maintenance free. Each section is pre-bored and numbered to permit easy installation without previous experience. Versatility of use and quality of manufacture make Frantz preferred by many builders for commercial and industrial installations. Coast to coast distribution through local lumber and material supply dealers insure prompt service.



Write for Frantz Catalogues or consult Sweet's Architectural File, No. 16i/Fr.

FRANTZ

MANUFACTURING COMPANY

Dept. A-6

Sterling, Illinois

Get the Latest Data




Automatic Ice Making



It's easy to include automatic ice machines in your planning IF you have the necessary facts and figures. These two bulletins covering 2,000 pound and 5,000 pound capacities outline the operation principle and list such specifications as weight, water connections, the refrigerant and electric requirements, etc. Custom built units of larger capacity are also available. Write for Bulletins, Dept. 24A-RTAR.

HENRY VOGT MACHINE CO.

SALES OFFICES: New York, Chicago, Cleveland, Dallas, Camden, N.J., St. Louis, Charleston, W.Va., Cincinnati



WOOD FINISHES

- popular light effects traditional darker tones
- outstanding color permanency Gloss, Satin,
 or Dull finish

PRATT & LAMBERT - Inc.

NEW YORK . BUFFALO . CHICAGO . FORT ERIE, ONT.



Husky fittings mean

Whether by automobile or movement of gases and liquids by pipeline, today's trend in transportation is toward efficiency and economy. HUSKY steel welding fittings are designed to provide both. In fact, a welded system using HUSKY fittings can now be installed for no more than a threaded system. Or, looking at it another way, you can save as much as 85% per fitting over the welded fittings now in use! HUSKY fittings are ideal for all Schedule 40 piping and fully comply with A.S.T.M. A234 specification...perform admirably at much lower cost. * ASK FOR FULL PARTICULARS FROM YOUR WHOLESALER ... OR WRITE NIBCO INC., Dept. KS-2106 Elkhart, Ind.

transportation, too! HUSKY REDUCING





HUSKY ECCENTRIC REDUCER



HUSKY 45° ELBOW











Current jobs where HUSKY FITTINGS are being used include the following: KAISER PERMANENTE CEMENT PLANT, Nanakuli, Hawaii; U.S. STEEL CORP., Chicago, Illinois; TEXAS A & M COLLEGE, College Station, Texas; WOODLAND CHRISTIAN CHURCH, Lexington, Kentucky; PURDUE UNIVERSITY, West Lafayette, Indiana; MCCHORD AIR FORCE BASE, McChord, Washington; SONOMA COUNTY CIVIC CENTER BUILDINGS, Santa Rosa, California; NORTHWEST ORIENT AIRLINES FACILITIES, Minneapolis, Minnesota; FIRST BAPTIST CHURCH, Lima, Ohio.



This new authoritative 8-page booklet shows and tells you all about the use and application of color in the manufacture of concrete building products. Published as a service by C. K. Williams & Co., a leading producer of iron and chromium oxide pigments for over 82 years.

SPECIAL FEATURE

A special 4-page section contains 46 actual color chips which show you the many colorful effects you can obtain in finished concrete products through proper use of iron and chromium oxide pigments as made by Williams. You'll also find a special section devoted to specific concrete color recommendations, and a section on how to determine final color. You will come to depend on this booklet as a prime reference source for concrete color information. Don't miss sending for your free copy. The supply is limited, so fill out and mail the coupon today.



C. K. WILLIAMS & CO. 640 N. 13TH STREET DEPT. 92 EASTON, PENNSYLVANIA

Gentlemen:

Please send me	_ copies of
your new booklet titled	"What You
Should Know About C	Color in the
Manufacture of Concre	ete Building
Products."	- Humanng

MY NAME	JOHN STATE OF STATE O
COMPANY	
TITLE	
ADDRESS	

LIGHTING CREDITS


(continued from page 296)

- J. Poehling, Lighting Designer. Photo: Bill Hedrich, Hedrich-Blessing
- 2. Wayne Memorial Community Auditorium, Wayne, Mich. Eberle M. Smith & Assocs., Archts. & Engrs. Tobias J. Gersbach, Design Assoc. Photo: Baltazar Korab 3. Parke-Davis Warehouse, Menlo Park, Calif. Minoru Yamasaki & Assocs., Archts. Photo: Roger Sturtevant
- 4. International Business Machines Pavilion, Brussels World's Fair. Eliot Noyes, Archt. Photo: Courtesy of IBM

pages 226-7


A	5	
(continued)	THE REAL PROPERTY.	6

- 5. Reynolds Metals Bldg., Detroit, Mich. Minoru Yamasaki & Assocs., Archts. Photo: Baltazar Korab
- Lambert Terminal, St. Louis, Mo. Hellmuth, Yamasaki, Leinweber & Assocs., Archts. Photo: Hedrich-Blessing



- St. Paul's Lutheran Church, Sarasota, Fla. Victor Lundy, Archt. Photo: George Cserna
- 2. Tivoli Gardens, Copenhagen, Denmark. Photo: Courtesy of Danish Information Office
- 3. Seagram Bldg., New York City. Mies van der Rohe and Philip Johnson, Archts. Richard Kelly, Lighting Designer. Photo: © Ezra Stoller
- 4. Church of St. Clement, Alexandria, Va. Joseph H. Saunders, Jr., Archt.

pages 228-9



- 1. Deering Milliken Co. Bldg., New York City. Carson & Lundin, Archts. Photo: Joseph W. Molitor
- 2. McGregor Memorial Conference Center, Wayne State University, Detroit, Mich. Yamasaki, Leinweber & Assocs., Archts. Photo: Baltazar Korab
- Chartres Cathedral. Photo: William Lam
 Beth Sholem Synagogue, Elkins Park,
 Pa. Frank Lloyd Wright, Archt. Photo: P.
 E. Guerrero
- Kresge Chapel, Massachusetts Institute of Technology, Cambridge, Mass. Eero Saarinen & Assocs., Archts. Anderson & Beckwith, Assoc. Archts. Photo: Ben Schnall

 St. John's College, Annapolis, Md. Richard J. Neutra & Robert E. Alexander, Archts. Photo: Joseph W. Molitor


7. Bowlerama, Detroit, Mich. Hawthorne & Schmiedeke, Archts. Photo: Baltazar Korab 8. Forestry Laboratory, Yale University, New Haven, Conn. Paul Rudolph, Archt. Photo: Ronald C. Binks



- ...the most COMPACT, Code Regulated Directional ever produced by any lighting Manufacturer.
- all CAST ALUMINUM construction.
- SATIN ALUMINUM finish.
- 6" letters, red or green.
- INCANDESCENT or FLUORES-CENT.
- GUARDED protection with %" thick stencil face.
 - NO external hardware.
- Easy relamping with new patented cast hinge.
- Special wording available.

The state of the s
your McPhilben representative has a 50 Line sample unit ask to see it or write for complete specification data sheets Sec- tion E, pages 7-8; 7a-8a.
mc Philben
LIGHTING
1329 Willoughby Ave., Brooklyn 37, N. Y. in Canada: mcPhilben division of
Wakefield Lighting Ltd. London, Ontario

Modern plants burn coal the modern way



Ultramodern Beaver Dam High School, Beaver Dam, Wisconsin, was designed by Raymond N. LeVee Associates as a functionally planned structure, adaptable to fit present and future needs.

Consequently, the school's compact coalburning heating plant was engineered to provide ample space for additional equipment as school facilities expand. The plant, easily extendable to any new addition, is located in the west wing of this modern U-shaped school. All piping is located in tunnels along the outside walls, assuring easy maintenance of the entire heating system.

Simplified boiler room operation is

maintained with push button control of equipment. Another outstanding feature is the zone system of temperature control which permits heating of only those sections that are in use. The school's unusual design, while contributing immeasurably to the academic and recreational life of Beaver Dam students, also has proved itself effective in adapting space to present and future needs.

District engineers of the Bituminous Coal Institute have detailed information on how coal-burning plants lend themselves to modern architectural design. If you have a problem in power plant design, write for the name of the BCI representative in your area.

BITUMINOUS COAL INSTITUTE

Dept. AR-06, Coal Building, 1130 17th St., N.W., Washington 6, D.C.

See our listing in Sweet's Files: A-30j/Bi; PE-4a/Bi; IC-18b/Bi

SEND COUPON FOR GUIDE SPEC-IFICATIONS, with complete equipment criteria and boiler room plans:

HEATING PLANT DESIGNED FOR

FLEXIBILITY AND EXPANSIBILITY

	OAL INSTITUTE
Coal Building, 113	
Washington 6, D.	
Gentlemen: Please	send me:
GS-1 (low-press type underfeed	sure heating plant, screw- stoker)
GS-2 (high-pres	sure heating and/or pro- type underfeed stoker)
GS-3 (automatic	c package boiler for heating nts)
Case histories o	n larger plants
Name-	
Title	
Company	
City	Zone State AR-D6
i	



NEW! MORE UNIFORM SHAPE SPEEDS FLOOR

Now! Here's a stronger, easier-to-use permanent steel base for concrete floors and roofs...and for both conventional and light-aggregate concrete. It's all-new Tensilform by Wheeling!

A full twenty-five per cent stronger, new Tensilform permits fewer, lighter floor and roof supports ...provides excellent lateral stability for all types of structures.

What's more, Tensilform is produced by Wheel-


ing Corrugating Company, long experienced in the fabrication of corrugated steel sheets and other sheet steel products. So it always has close-fitting corrugations . . . always lays quickly.

You gain many other advantages as well by specifying strong, dependable Wheeling Tensilform as a permanent base for concrete floors and roofs! These include:

· Earlier occupancy because shoring is eliminated

WHEELING CORRUGATING COMPANY

Warehouses: Boston, Buffalo, Chicago, Columbus, Detroit, Kansas City, Louisville, Minneapolis, New Orleans, New York,



AND ROOF CONSTRUCTION!


... and Tensilform can be installed in any weather.

- · Excellent "U" factors with low initial cost.
- · Lower fire as well as extended coverage rates.
- Cleaner construction because precision-formed Wheeling Tensilform cuts cement seepage.


Get the complete story on Tensilform for floor and roof slabs from your Sweet's File. Or write to Wheeling Corrugating Company, Wheeling, West Virginia.

IT'S WHEELING STEEL!

Philadelphia, Richmond, St. Louis. Sales Offices: Atlanta, Houston.



EXCELLENT "U" FACTORS AT LOW INITIAL COST! Save your client money by (1) lowering construction costs, and (2) minimizing heating and cooling costs throughout building's life.




SUPERIOR FIRE RESISTANCE! Cuts annual costs because this superior fire resistance is reflected in reduced fire and extended coverage rating.



IMMEDIATE, SAFE WORKING DECK! As soon as it's laid, Tensilform speeds construction by providing a sturdy, safe working deck that's used by all crafts.



FULL INFORMATION IN YOUR SWEET'S FILE! Our catalog is in Sweet's. It has complete load tables, deflection charts; in fact, everything you'll need to specify Wheeling Tensilform. (Extra copies upon request!)



motel to skyscraper, where quality needs be

better than best,

specify Adlakefirst name in non-residential windows of aluminum



for your desk filecomplete catalog and architect specifications, mail coupon.

Dept. K-2106 The Adams & Westlake Company Elkhart, Indiana Please mail new catalog on Adlake double hung, pivot, projected windows and curtain walls. Architect

Owner

ports

The Record Reports
On the Calendar
June
 1- 4 Annual Assembly, Royal Architectural Institute of Canada Fort Garry Hotel, Winnipeg
8-11 Annual Meeting, National So- ciety of Professional Engi- neers—Statler Hotel, Boston
9-11 60th Annual Convention, New Jersey Society of Architects and New Jersey Chapter,
American Institute of Architects — Berkeley-Carteret Hotel, Asbury Park, N. J.
12-24 Fourth Annual Seminar for Teachers of Architecture, jointly sponsored by the Amer-
ican Institute of Architects and the Association of Collegi- ate Schools of Architecture;
theme, "Technology in Architecture" — Sagamore Lake, N. Y.
13-15 Annual Meeting, American Society of Heating, Refriger- ating and Air-Conditioning
Engineers—Royal York Hotel, Vancouver
13-15 Annual Meeting, American Association of Cost Engineers —Rice Hotel, Houston
15-18 British Architects' Conference for 1960—Manchester, Eng-
land 19-22 Annual Convention, National Parking Association — San
Francisco 19-25 National Convention (second


- National - San
- (second of three in 1960), American Society of Civil Engineers-Reno
- 25-ff. First International Congress for Automatic Control; through July 5-Moscow
- 26-29 61st Annual Meeting, American Society of Landscape Architects-Waldorf Astoria Hotel, New York City
- 26-ff. Annual Meeting and Exhibit, American Society for Testing Materials; through July 1-Chalfonte-Haddon Hall, Atlantic City
- 27-29 13th Annual Conference on Aging, sponsored by the University of Michigan-Ann Arbor, Mich.

July_			
6-8	Conference on civ	il engineer-	
	continued of	n page 308	

address

windows and

curtain walls



ARCHITECT: Frazier, Raftery, Orr & Fairbank, Geneva, III. CONSULTING ENGINEER: Wm. A. Gayelek, Elgin, III.

CONTRACTOR:

A. J. Ironsides Heating & Ventilating, Elgin, Ill.


WHOLESALER: Inland Supply Company, Elgin, III.

PUBLISHING HOUSE COOLED QUIETLY WITH B&G PUMPS


The Church of the Brethren at Elgin, Illinois, publishes numerous religious papers. In the office and factory of this organization, the 300 ton cooling load of the two buildings is handled with chilled water, circulated by four B&G Universal Pumps. Two additional Universals are used as condenser water pumps.

Universal Pump motors are specially constructed and selected for extra quiet operation. Long sleeve bearings are used in both motor and pump—another assurance of smooth vibrationless operation and long life. The oversized shaft is made of special alloy steel with an integral heat-treated thrust collar to absorb end-thrust. Water leakage is prevented by the diamond-hard "Remite" Mechanical Seal—a B&G development.

Note, too, that vertical split case construction with removable bearing frame permits easy servicing without breaking pipe connections or motor leads.



Battery of B&G Universal Pumps used to circulate chilled water through cooling system. No vibration eliminators or flexible connections are needed.



One PD35 Booster is used to circulate hot water for heating and cold water for cooling in building connecting plant and office; one 2" Booster circulates boiler water through fuel oil preheater.



BELL & GOSSETT

C O M P A N Y
Dept. GF-32, Morton Grove, Illinois

Canadian Licensee: S. A. Armstrong, Ltd., 1400 O'Connor Drive, Toronto 16, Ontario

FIBERGLAS ROOF INSULATION FITS

... smooth, tough, impact-resistant topside


... underside allows conformity to deck

Fiberglas* Roof Insulation conforms to the deck, lays flat and stays flat, because it's engineered for the deck. This rigid insulation board is made of durable, inorganic glass fibers faced with an asphalt and paper-mopping surface that's smooth, tough, and impact-resistant. And it won't warp, buckle, or shrink.

Fiberglas Roof Insulation is now available in the new 3' x 4' and 4' x 4' sizes that cover more deck area faster. There are fewer joints and less chance for trouble due to roof traffic. These larger sizes have the same high thermal efficiency, non-corrosive properties, and ease of cutting and laying that have made Fiberglas Roof Insulation in the 2' x 4' size the accepted leader for many years.


Recommended for above the deck: Perma Ply* Roofing Felt, the Fiberglas Built-Up Roofing

ROOF DECKS LIKE A GLOVE!



that provides a long-lasting roof. Monolithic (single-unit) construction forms a solid, weatherproof slab of asphalt reinforced with Fiberglas Perma Ply. Best specification for quality roofs from top to bottom: Fiberglas Roof Insulation and Fiberglas Built-Up Roofing. For complete descriptive literature, write: Owens-Corning Fiberglas Corporation, Dept. 68-F, 717 Fifth Avenue, New York 22, New York.





boiler room

Cleaver-Brooks packaged boilers help make the boiler room beautiful at Whirlpool

The place: Whirlpool Corporation's administrative center outside St. Joseph, Michigan.

The architects: Smith, Hinchman & Grylls, Detroit.

The Installation: A matched pair of Cleaver-Brooks Model CB heating boilers installed by C. L. Mahoney Company, Kalamazoo.


A boiler room with draperies on the picture window speaks for the cleanliness, the lasting beauty of Cleaver-Brooks' packaged boilers. And that's not all. Remarkable compactness means freedom from the design limitations of larger, bulkier units.

Save on construction, too thanks to the design and low headroom requirements of a Cleaver-Brooks boiler. The boiler can be placed on grade without fear of high water table or bedrock problems.

All this plus long-range operating economies through Four Design Standards combined only in a Cleaver-Brooks boiler: 4-pass gas travel . . . 5 sq. ft. of heating sur-

face per boiler horsepower . . . forced draft . . . updraft construction.

Write today for facts about Cleaver-Brooks packaged boilers (15 to 600 hp; 19 sizes, 130 models; steam or hot water; oil, gas or combination oil/gas fired). Send for your Cleaver-Brooks layout guide to simplify boiler room planning. Cleaver-Brooks Company, Dept. G, 362 E. Keefe Avenue, Milwaukee 12, Wis.



Matched pair of Cleaver-Brooks Model CB boilers as installed at Whirlpool Corp.



ORIGINATOR AND LARGEST PRODUCER OF PACKAGED BOILERS

The Record Reports

ing education curricula, jointly sponsored by Cooper Union, the American Society of Civil Engineers and the American Society for Engineering Education, under a grant from the National Science Foundation—Ann Arbor, Mich.

10-22 Atomic Shelter I; seminar for architects and engineers involved with planning and preliminary design aspects of buildings, shelters and facilities to resist nuclear weapons—College of Engineering and Architecture, Pennsylvania State University, University Park, Pa.

11-18 Second World Conference on Earthquake Engineering— Tokyo and Kyoto, Japan

18-19 School Architecture and the Newer Educational Media; the annual A.A. Cleveland School Building Conference — Washington State University, Pullman, Wash.

18-29 City and Regional Planning; 22nd annual special summer program—Massachusetts Institute of Technology, Cambridge 39, Mass.

24-ff. Atomic Shelter II; seminar for architects and engineers involved with analysis and design of structural and radiation shielding systems—College of Architecture and Engineering, Pennsylvania State University, University Park, Pa.

Augi	ıst		
29-ff.	Annual Hospital	Convention, America Association—Civi	

Auditorium, San Francisco
Office Notes

Offices Opened _____

Architect Joseph Fuller, A.I.A., announces the opening of his office for the practice of architecture at 103 Park Ave., New York 17, N. Y.

New Firms, Firm Changes_

Elting, Deknatel & Associates, Inc., is the name of a new architectural firm established by Winston Elting, F.A.I.A., and William F. Dekcontinued on page 312 horizontally...





Eastern's Star

give the most in beauty & versatility

BEAUTY With stylish Eastern's Star horizontal and vertical Venetians—the "slatty" look is gone forever. Exclusive S-Shaped slats *interlock* to form a "one-piece" drapery effect. Big choice of colors offers unusual styling opportunities.

VERSATILITY Custom made to your specifications, Eastern's Star Venetians serve with distinction in office, school, hospital or home. They're the only venetians protected with the exclusive Du Pont Ludox* anti-soil compound which ends washing for ever!

MORE PRIVACY, MORE VISIBILITY Closed, Eastern's Star Venetians provide complete privacy; open, they offer a wider, clearer view.



*Du Pont's registered trademark for its anti-soil compound



1601 Wicomico St., Baltimore 30, Md.

Makers of acoustical systems and drapery hardware

Eastern Products Corporation 1601 Wicomico St., Baltimore 30, Md.
Please send complete details on Eastern's Star Venetian Blind.
name
name

WHEN YOU NEED A BUILDING FAST Frame it with steel to keep work

Other trades can move in quickly when you build with steel. Fabricated in the shop, structural steel arrives at the site *ready to go into place*. No expensive, time-wasting extra field operations. No form work. No new skills during construction.

In a surprisingly short time, your steel framework is erected. And even before the framework is completed, other trades can get started. Floors, curtain walls, electric wiring, plumbing—everything that makes a building habitable—can be installed more quickly. Your client moves in much sooner.

Your structural steel fabricator can get you all the structural steel shapes you need. And fabricate them just the way you need them. Let him show you what he can do. You'll be glad you did.




noving




for Strength
... Economy
... Versatility





Where power blackouts must not happen



Save the children...

specify


KOHLER ELECTRIC PLANTS

Sudden darkness can cause panic and disaster.

When normal power fails, Kohler electric plants provide immediate electricity—lighting for swimming pools, auditoriums, gymnasiums, corridors, stairways, exits, power for automatic heat.

Increasing dependence on electrical equipment makes emergency power vitally important in schools, hospitals, other public and commercial buildings as well as the home. And Kohler electric plants are known everywhere for reliability.

To help you write specifications for varied applications, Kohler Co. will send on request a manual with data on sizes from 1000 watts to 100 KW, gasoline and diesel. Write Dept. G-55.



KOHLER CO. Established 1873 KOHLER, WIS.

KOHLER OF KOHLER

Enameled Iron and Vitreous China Plumbing Fixtures • All-brass Fittings Electric Plants • Air-cooled Engines • Precision Controls

The Record Reports

natel, A.I.A., with offices at 25 East Jackson Blvd., Chicago.

The Engineers Collaborative, consulting structural engineers with offices at 116 South Michigan Ave., Chicago (Kenneth C. Naslund, Partner), have announced the merger with their firm of Wiss and Associates. Jack Wiss, who becomes an executive member of TEC, will have offices in the firm's Structural Model Laboratory, 570 Northwest Highway, Des Plaines, Ill.

The architectural firm of Hoffman and Crumpton (R. L. Hoffman, F. T. Loeffler and G. M. Wolfe, Partners) announces a change in the firm name to Hoffman, Loeffler and Wolfe—C. A. Gaus and R. E. Girts Associated, with W. B. Chalfant, Associate Architect. Offices are at 700 Century Building, Pittsburgh 22, Pa.

George H. Miehls has been reelected chairman and treasurer of Albert Kahn Associated Architects and Engineers, Inc., for the coming year. Other executive officers reelected are: Sol King, president; Sheldon Marston, executive vice president; G. K. Scrymgeour, vice president and secretary; R. E. Linton, G. S. Whittaker, V. C. Wagner and Saul Saulson, vice presidents. Offices of the firm continue at 345 New Center Building, Detroit 2, Mich.

Newly elected associates in the firm of Kelly and Gruzen, architects-engineers with offices at 10 Columbus Circle, New York 19, N. Y., have been announced as follows: Robert B. Middlebrook, associate in charge of the design department; John H. St. Germain, associate in charge of institutional, hospital and prison work; and Arthur Klein, comptroller and business manager.

Charles Handley Marshall, A.I.A., and William Albert Lewis, A.I.A., announce the formation of a partnership for the general practice of architecture to be known as Marshall and Lewis, Architects. Offices are at 2125 Maryland Ave., Baltimore 18.

Robert H. Street, Architect, announces his partnership with Edward H. Street, Architect, in the new firm of Street and Street, Architects, with offices at 405 Commerce Union Annex, Nashville 3, Tenn.

Frederic P. Wiedersum Associates, continued on page 316

CANVAS AWNINGS



Casual good looks or an air of elegance ... you can strike any mood with colorful, versatile canvas. And thanks to amazing new advances in textile chemistry, you can be sure your choice of gay stripes or handsome solids will have a richness, color fastness, and durability never before possible.

But the smart decorative effect of canvas is only half the story. Use it to shade pool-side areas, to keep sun heat off window glass, to give weather protection for entrances and walkways. You'll find canvas awnings and canopies soon pay for themselves in the savings, comfort, protection, and beauty they provide.

CANVAS AWNING INSTITUTE, INC. and NATIONAL COTTON COUNCIL

P. O. Box 9907 / Memphis 12, Tenn.

See our catalog 19e/Ca in Sweet's Architectural Catalog or write for a free copy. It contains original and practical ideas plus helpful information for specifying canvas.






RCA VICTOR "MURAL TV" and Stereo BUILT-INS

"Off the floor, in the wall . . . and BEAUTIFUL"

The world's first complete line of Color "Mural TV", Black and White "Mural TV" and high-fidelity Stereo... all specifically designed to be built into the walls of new and existing homes. You are invited to write for specifications and literature on RCA Victor Builtins. RCA Sales Corporation, Box 1226A-13, Philadelphia 5, Pa.



The Most Trusted Name in Electronics




Bally walk-ins Aluminum or steel sectional construction

Sanitary! Strong! Efficient! You can assemble any size cooler, freezer or combination in any shape from standard sections. Add sections to increase size as your requirements grow. Easy to disassemble for relocation.

ARCHITECTS: see 8 pages of engineering data in Sect. 26/A of Sweet's Catalog.

Bally Case and Cooler, Inc., Bally, Pa.

Get details - write Dept. AR-6 for FREE book.



FRESH LOOK IN CURTAIN WALLS ...YOUR OWN PATTERNS IN

for more information, write: Stylon Corporation, Milford, Mass. Western Subsidiary: Redondo Tile Co. Redondo Beach, California.



ALUMILITED COUNTER
DOORS—BY COOKSON
—Best for Schools and Every Need



WORLD'S MOST WIDELY SPECIFIED COUNTER DOORS FOR * SCHOOLS * CAFETERIAS * OFFICES * SHOPS & STORES * POST OFFICE WINDOWS * SERVICE ENTRANCES * TICKET WINDOWS * NEWS STANDS





COOKSON COMPANY


1525 Cortland Avenue, Dept. AR San Francisco 10, California Sales and Service Representatives Throughout the U.S.A.

ALSO STEEL ROLLING & FIRE DOORS . WOOD COILING PARTITIONS . GRILLES

This modern home of West Coast lumber is the answer to a family's desire for a dwelling that would be "interesting both spatially and structurally." Many of the economies of the cube are retained, yet prominence of design is achieved through the use of unique roof planes, free modulation of interior space, and highly defined roof beams and exterior diagonal bracing members. Though glass was used extensively, the design retains the strong protective and sheltering characteristics of West Coast lumber.


MODERN DESIGN USES WEST COAST LUMBER

DOUGLAS FIR, WEST COAST HEMLOCK, WESTERN RED CEDAR



For detailed information concerning West Coast Lumber, write:
WEST COAST LUMBERMEN'S ASSOCIATION

1410 S. W. Morrison St., Portland 5, Oregon



BURT LOUVERS ARE VITAL VENTILATING EQUIPMENT

Air removed from a building with gravity or fan ventilators must be replaced. Burt Wall Louvers, with fixed or adjustable blades, provide efficient, weatherproof air inlets. The Burt line is complete, from general purpose models to industrial types and includes removable screens, louver operators and other accessories. Burt experience and specialized equipment also provide every facility to economically construct special units when required.



Series of Burt Adjustable Louvers



Send for FREE Data Book!

Write for Burt Data Book SPV-17-B. It Supplies quick data on Burt's complete line of modern Wall Louvers.

FAN & GRAVITY VENTILATORS - LOUVERS - SHEET METAL SPECIALTIES

The Burt Manufacturing Company

48 E. South St.

AKRON 11, OHIO
MEMBER AIR MOVING & CONDITIONING ASSOCIATION, INC.

The Record Reports

Architects, has announced the addition to its staff of Reid Lighton, to serve in the firm's departments of college, commercial and banking work. The firm has its headquarters in Valley Stream, L. I., N. Y., with other offices in New York, Trenton, Washington, D. C., and Miami.

New Addresses _

George Demers, Consulting Engineer, 845 St. Cyrille St. W., Quebec 6, Canada.

Friedman, Alschuler and Sincere, Architects and Engineers, 130 North Franklin St., Chicago 6, Ill.

Lyles, Bissett, Carlisle & Wolff, 1800 Gervais St., Columbia, S. C.


Bertram A. Weber, Architect, 234 South Wabash Ave., Chicago 4, Ill.

Engineers Ask Equal Status With Doctors and Lawyers

As the Labor Standards subcommittee of the House considered proposed amendments to the Fair Labor Standards act, it had before it a request from the National Society of Professional Engineers that registered professional engineers be granted the same status presently given licensed doctors and lawyers who are excepted from the minimum salary provisions for professional employes.

A spokesman for N.S.P.E. asked Congress through the subcommittee chairman, Rep. Phil M. Landrum (D-Ga.), to curb the Wage and Hour Administrator's "discriminatory actions toward professional engineering, and to extend to that worthy endeavor the same professional status and recognition given law and medicine."

There is, presently, a salary test providing that professional employes must earn at least \$95 per week. In making its plea to Congress, the N.S.P.E. said, "Since every state legislature and since the Congress of the United States has declared the professional status of licensed engineers, we respectfully suggest that there is no justification or warrant for the Administrator to ignore that fact in providing the special exception from the salary test for licensed and certified professionals."



WILLIAM E. BOYD RESIDENCE, EL PASO, TEXAS ARCHITECT: RAY PARRISH, SCOTTSDALE, ARIZONA ROOFING CONTRACTOR: L. & K. SHEET METAL ROOFING CO., EL PASO, TEXAS

... and architects everywhere are doing just that as they "re-discover" the visual excitement which an imaginative treatment of this basic structural element can so easily provide. And they are simultaneously "re-discovering" FOLLANSBEE TERNE. For here is a roofing material almost uniquely adapted to the special idiom of contemporary design. Alone among architectural metals, it possesses a natural affinity for color, and through a wide diversity of application techniques, permits a positive


approach to the problem of form. TERNE, moreover, is surprisingly inexpensive, particularly when its cost is related to a life-expectancy measured in decades rather than years.

Your inquiry is solicited.

FOLLANSBEE STEEL CORPORATION
Follansbee, West Virginia

Follansbee is the world's pioneer producer of seamless terne roofing.


NEW FLUSH-TO-WALL WATER COOL



EXCLUSIVE WESTINGHOUSE "WALL LINE"

No unsightly plumbing—far faster . . . easier—less expensive to install. Now, Westinghouse makes water coolers as upto-date as today's architectural designs! No more exposed plumbing to mar clean, functional lines . . . or to catch trash and dirt. No more jutting into passageways and work areas. With the Westinghouse "Wall Line" all plumbing is concealed neatly inside. As a result, instead of the usual 18" to 22", these Westinghouse Water Coolers project only 12½", take 30% less space, keep corridors clear! New slip connections make installation far faster and easier, too. What's more, the Westinghouse "Wall Line" includes models for on-the-floor, on-the-wall, and in-the-

ERS INSTALL NEATLY-ANYWHERE!



wall . . . offering you complete flexibility of design. On-the-wall models can be mounted on the floor to provide correct drinking height in schools. Get all the details on this exciting new line of coolers. Call your Westinghouse Water Cooler Distributor listed under "Water Coolers" in the Yellow Pages—or mail the coupon. Specify electrically refrigerated water coolers for schools, they are only slightly higher than non-refrigerated fountains.

YOU CAN BE SURE ... IF IT'S Westinghouse

WESTINGHOUSE ELECTRIC CORP.
Water Cooler Dept., Columbus, Ohio.
Please send me more information on your new Westinghouse "Wall Line" Water Coolers.

NAME
NAME
ADDRESS
CITY
ZONE
STATE
AR-6

. . . MAIL COUPON NOW .



Structoglas puts more free light on the subject

Architect Walter Pierce specified Structoglas for skylights in Berea College's new Industrial Arts Building. These translucent, shatterproof fiberglass reinforced panels let in free natural light—filter out glare. Structoglas eliminates the problem of maintenance: no breakage, no repairs, no painting. And continuous exposure tests after more than three years prove that Structoglas resists fading, erosion and discoloration 2½ times longer than ordinary fiberglass panels. For descriptive literature, write Structoglas Inc., Dept. 602, Cleveland 9, Ohio.





on corrosion and wear-resistant

FLOORS

Pennsalt's new AIA file covers important new data on corrosion and wear-resistant floors for laboratories, institutional kitchens, cafeterias in hospitals, schools and industrial buildings, as well as food processing plants and other industrial applications.

Complete recommendations, sample specifications, characteristics, applications data, and estimating data are included for Penntrowel® trowel-on surfacing and Furalac mortars. Chemical resistance table (based on extensive ASTM tests and the company's own in-plant experience) lists relative resistance of coatings to 99 different corrosive agents. Write for AIA File No. 23-G today.




Corrosion Engineering Products Dept. 362

PENNSALT CHEMICALS CORPORATION

Natrona, Pa.

Represented in Canada by G. F. Sterne & Sons, Ltd., Brantford, Ontario



JOHNSON Forced Draft BURNERS


For firing with Oil only . . . Gas only . . . or Combination Oil or Gas. Wired, tested and completely assembled at the factory ready for easy, inexpensive attachment to any boiler or heat receiver. They provide smoother, more efficient combustion regardless of stack conditions and firebox pressure variations. Powered by the

inson 2

famous Johnson Mod. 53 Burners, these "packaged" units are available for any heating need, in sizes from 28HP to 560HP.

S. T. JOHNSON CO.

940 ARLINGTON AVE. CHURCH ROAD OAKLAND 8, CALIF. BRIDGEPORT, PA.



AVOID BUCKLING & WARPING OF MAPLE FLOORING

with EDGE GRAIN CONNOR'S "LAYTITE"

UP TO 50%

LESS EXPANSION

in the use of Edge Grain

(According to Forest Products Laboratory)

Use "LAYTITE" EDGE GRAIN for:

- * LESS EXPANSION AND CONTRACTION
- * MORE YEARS OF HARD WEAR
- * LIGHTER AND MORE UNIFORM COLOR
- * LESS DIFFICULTY IN HUMID AREAS

CONNOR Forest Products Since 1872

SCHOOL AND GYM FLOORS OUR SPECIALTY
See Sweet's File Specs #13J/CO.

® U.S. Pat. Off.

CONNOR LUMBER AND LAND CO.

PHONE VI - 2-2091

P.O. BOX 810-G

WAUSAU, WISCONSIN

For the VERY BEST in Commercial Refrigerators specify PUFFER-HUBBARD!



Especially constructed of the finest "Life-Time" materials in the most modern design for commercial application, Puffer-Hubbard refrigerators provide the utmost in reliability and economical operation. Distributed by leading dealers from coast to coast.

All Models Available in Stainless Steel or Genuine Porcelain Enamel Finish

OVER 300 MODELS TO CHOOSE FROM

Choice of: Reach-Ins • Pass-Thrus • Salad Boxes • Dough Retarders • Sliding Door Models • Beverage Coolers • Storage Freezers • Baker Freezers • Two-Temp Cabinets • Standard Temp Walk-Ins • Freezer Walk-Ins • Special built Cabinets.

Write For Illustrated Catalog

PUFFER-HUBBARD REFRIGERATOR

COMPANY RAND HAVEN · MICHIGAN



Facts now available on

FIRST INDIRECT GAS FIRED STORAGE WATER HEATER

P-K brochure on new SCALEFREE 230 spells out advantages

No scaling . . .
No drop-off in rated efficiency . . . No fuel waste . . . No on-the-job assembly . . . No complicated maintenance . . . No limitations on placement . . .

See how quickly you can hook up and check out this completely automatic, completely safe, completely packaged storage water heater.



WRITE TODAY

for complete technical data on the P-K Scalefree 230 — the heater specifically designed for commercial and industrial water heating.





106 Morgan Avenue, East Stroudsburg, Pa.


"Rust bug" chewing up your client's stack?

Lock him out with A. O. Smith glass-protected smokestacks



Put A. O. Smith smokestacks in your specs and build lasting client satisfaction. Glass-lined inside and out, they're virtually impervious to condensate attack... last longer, as much as 3 to 5 times longer than conventional steel stacks. Now available in a variety of colors. Easy and economical to install, too! No need for special equipment or highly skilled workmen. Write Dept. AR-60 for complete information.







Washington Topics

continued from page 70

from individuals, partnerships, trusts or corporations.

"As it was necessary to resort to regulatory agreement for control of mortgagors who were not corporations, it has been decided to resort to this as the control instrument for the corporate owners, too," FHA said.

For this reason, control through stock ownership will not be required.

Nor will FHA control the charges. It will be left to local, state, or municipal authorities to supervise care, health standards, fire laws, etc.

However, FHA requires that with the applications certification from authorities that they have adequate standards which are enforced or will be enforced.

The agency made a strong effort through a preliminary letter to determine the need for nursing homes. Because of a wide difference in replies as to the assistance in regard to need, FHA is not at this time stipulating the exact criteria state agencies must use in determining need. It did recommend, however, that each field office director arrange an early conference with state officials or local authorities to "explore this subject and arrive at mutual understandings with these officials."

Where mortgagors desire to borrow money for equipment or operating capital, the agency said it would recognize secured loans subject to its stipulated considerations.

Some Upgrading Seen

It was noted that the FHA Minimum Property Standards for Nursing Homes are somewhat higher than the average of state standards.

Commenting on this, the letter for field offices stated, "We believe this upgrading is in keeping with our overall objective of improving standards and is economically feasible in light of the more liberal financing which this program makes available. . . . On the other hand, these standards are not as high as those used by the Department of Health, Education, and Welfare under the Hill-Burton program. As it is a government-grant program they can realistically require higher standards.


"We have tried to keep in mind the critical need for safe and sanitary continued on page 328




20 years of Auto-Banking experience... at your service!



The first drive-in window specifically designed for motor-banking service was installed by Mosler in 1940. Ever since, architects have drawn on Mosler's



unparalleled experience in Auto-Banking to solve a great variety of knotty problems arising from the need for modern, *practical*, drive-in facilities.



Now, Mosler has put much of this valuable experience in a 16-page, carefully detailed brochure that's



yours for the asking. It describes *types* of installations, related facilities, covers conversions as well as




new installations, points out pitfalls and lists a variety of design features that make for efficient, comfortable

	The Mosler Safe Company Dept. AR-660, 320 Fifth Ave., New York 1, N. Y. Send me information on "AUTO-BANKING PLANS MANUAL"
	YOUR NAME
	TITLE
	COMPANY
1	ADDRESS
8	CITYSTATE

motor banking...all based on actual experience. Above are sample pages. Send for complete brochure, today.

STAINLESS STEEL AND VISION-VENT® SELECTED FOR MEXICAN BANK BUILDING



Officially dedicated in November of 1959, the new "Edificio Banco Popular" (Popular Bank Building), Monterrey, Mexico, embodies the concepts and materials of advanced architecture.


Architects used Republic ENDURO® Stainless Steel for vertical mullions, coping, sill facias, and panels. This ensured the *long-range* economies of strength, corrosion-resistance, ease of cleaning, and a lustrous beauty that will never fade from sun or weather.

Architects also utilized Republic's Truscon VISION-VENT Window-Wall System. Thus were realized the *immediate* economies of mass-production, fast erection, design flexibility, and 5% gain in usable floor space (made possible by insulated panels less than 1½" thick).

For information on Republic Stainless Steel for architectural applications and on Republic's Truscon VISION-VENT Window Wall System, call your Republic representative or return the coupon.

ELECTRUNITE® STAINLESS STEEL TUBING—Republic Stainless Steel Tubing and Pipe are ideal for troublesome corrosion applications. Available in a full range of sizes and wall thicknesses. Republic—the world's largest producer of alloy and stainless steels—offers complete technical service. Return the coupon for information.

ARCHITECTS SPECIFY REPUBLIC LOCKERS—Because they like them. They're Bonderized! Architects like—the quality look and feel—the quiet operation—the baked enamel finish in three popular standard colors—the positive, automatic locking—the double leaf pin hinges—the tamper-proof latching that assures minimum maintenance. Mail coupon for details.





EDIFICIO BANCO POPULAR, Monterrey, Mexico. Architects: Mario Pani, Salvador Ortega Flores, and Ramon Lamadrid R. Designers: Armando Cardenas and Dr. Emilio Rosenblueth. General Contractor: Constructora Popular, S.A.

REPUBLIC STEEL



World's Widest Range of Standard Steels and Steel Products

REPUBLIC STEEL CORPORATION DEPT. AR-9655

1441 REPUBLIC BUILDING . CLEVELAND 1, OHIO

Please send more information on:

- ☐ Stainless Steel for architecture ☐ VISION-VENT Window-Walls ☐ Stainless Steel Tubing and Pipe ☐ Republic Lockers

Name___

Company_ Address_

Zone___State_ City__

nursing homes for the many people with small incomes. Naturally, where economic conditions justify it, offices (FHA) should encourage construction in excess of the minimum."

The agency hopes, it said, that the more adequate financing offered under this program will serve to improve the widely known conditions of fire hazard and overcrowding in substandard structures that now exist in some nursing homes.

House Ups VA Hospital Funds To \$75 Million for 1961

The \$900 million program of hospital modernization and rehabilitation proposed by the Veterans Administration for the next 12 years got a satisfactory nod from the House when it voted \$75 million for fiscal 1961 to launch the effort.

The Appropriations Committee had recommended only \$39.1 million

for VA hospital modernization and improvement, but the full House voted 218 to 155 to accept an amendment proposed by John P. Saylor (R-Pa.), increasing the sum of \$75 million.

The same measure left the House carrying in \$150 million for slum clearance and urban renewal, \$80 million for the Federal aid to airports program, and \$144.8 million for public buildings construction.

Appropriations Unit Questions Private Design of U. S. Jobs

The Army Corps of Engineers and the Bureau of Reclamation of the Interior Department were in the position of defending before Congress their practice of contracting out certain architectural and engineering work. Testifying before a House Appropriations subcommittee, top authorities in the two agencies explained that design work on certain projects was passed to private firms when Corps or Bureau personnel were not able to do it with their own staff.

Speaking for the Bureau was Commissioner F. E. Dominy. Lt. Gen. E. C. Itschner, retiring this fall, was the witness for the Army Corps, of which he is chief. The testimony was heard on the fiscal 1961 public works appropriations bill.

For Economy . . .


"I think in general," said Commissioner Dominy at this year's hearing, "we employ outside firms and outside engineering skills only to the extent that is obviously in the interest of the government, and to carry out the program more economically, but we do use our own trained forces for the great majority of the engineering work which we perform."

The Department of Justice is known to be investigating at the present time the practice of so-called sundowners, those architects and engineers employed by the Federal government who take outside work to make extra money. Justice is looking into possible conflicts of interest, it was said. Mr. Dominy touched on this phase of the subject when he told the subcommittee members he was convinced none of his architects or engineers were doing the outside


continued on page 332



manually operated MECHANICAL DOCK RAMPS



offer features your clients will want



TRAILER DOORS CAN BE OPENED AFTER SPOTTING TRAILER AT DOCK. Rite-Hite ramp platform swings up to within 10° of vertical, providing ample room to swing trailer doors open and begin unloading without delay.


NO LEVERS PROJECT ABOVE DOCK FLOOR to create hazard to dock traffic and personnel.

ONLY THREE MOVING PARTS. Rite-Hite's simple counterbalanced design and rugged simplicity eliminate maintenance problems.

PLATFORM CAN BE SHIFTED FROM SIDE TO SIDE to permit lining up should trailer be spotted off-center.

OVERHEAD DOORS CAN CLOSE IN FRONT OF RAMP due to ramp's almost vertical position when not in use. Protects against illegal entry of building, provides complete seal against drafts, eliminates fire hazard.

EASY TO OPERATE.
Unique compensating counterweight makes operation almost effortless. A slight lift of the hand floats platform up or down.



You can specify Rite-Hite Mechanical Ramps with complete confidence—5 manually operated models—6 truck operated models—all having full 10-ton capacity.

For descriptive literature and installation details, write Dept. A-660.



LOOMIS MACHINE COMPANY
133 FOURTH STREET, CLARE, MICHIGAN



ONLY COAL TAR PITCH gives roofs the complete, lasting waterproofness necessary to prevent deterioration. Coal tar pitch is slightly more expensive than other materials, but offers the assurance of documented 40-year service and life-long "self-healing" properties. Koppers roofing specialists will be glad to tell you more.



KOPPERS TAR PRODUCTS DIVISION, PITTSBURGH 19, PA.

DISTRICT OFFICES: BOSTON . CHICAGO . LOS ANGELES . NEW YORK . PITTSBURGH . WOODWARD, ALABAMA

PENNVERNON® GRAYLITE glare-reducing for workers in new Connecticut State

Pennyernon Graylite takes the glare out of sunlight, yet lets plenty of refreshing light come through the windows of the new Connecticut State Highway Department Building, Weathersfield, Connecticut. All elevations are glazed with Pennyernon Graylite "56"—PPG's neutral gray, glare-reducing heavy sheet glass. Its neutral gray tint doesn't change the hue of outdoor colors, doesn't limit your choice of interior colors.

GRAYLITE has an unusually brilliant, unmarred fire finish—both sides. Because it is drawn under careful control, wave and distortion are negligible.

Talk over the distinct advantages of Pennvernon Gray-LITE sheet glass with your PPG Architectural Representative, or see Sweet's 7a/Pi.




Architect: Henry F. Ludorf, A.I.A., Hartford, Conn.

Contractor: Felix Buzzi & Son, Inc., Torrington, Conn.

PPG Products installed: Pennyernon Grayllte "56", Polished Plate Glass,

Herculite® heat-tempered Glass Doors and Sidelites,

Twindow® insulating glass units, and Mirrors



Paints • Glass • Chemicals • Fiber Glass In Canada: Canadian Pittsburgh Industries Limited



glass...a shade easier on the eyes Highway office building



work on government time or using government materials.

. . . And Special Skill

Lt. Gen. Itschner emphasized that the Corps contracts out its design work only when it is unusually complicated or specialized. In an effort to place as little work outside the ACE shop as possible, he explained, the Corps transfers certain work from overburdened districts to districts with lighter planning loads. He added that lower pay scales in the government meant loss of architectural and engineering personnel and forced the Corps to contract out some of its design work which it otherwise would handle.

"We are not able to retain many of our better designers and engineers and architects because we cannot pay them as much as they are offered in architect-engineer firms," he testified. This becomes an even greater

ELLISON BRONZE CO., INC.

Jamestown, New York

presentatives in 72 principal cities in U.S., Canada and Puerto Rico

BALANCED DOOR

problem for the Corps in period of high construction activity.

He protested a suggestion that further restrictions be placed on the hiring of non-Federal architects and engineers in the vast public works program. Additional restrictions, he said, would make it increasingly difficult for ACE to accomplish its program.

Outside Design Almost Double

The General denied that the pressure of deadlines was a factor in contracting out design work. Outside architect-engineer contracts in the Corps' program amounted to 7.4 per cent of all work in 1954. This climbed to 16.2 in 1957, dropped back to 12.3 per cent in 1958, and now has risen to 13 per cent due to the new starts in the civil works program.


Lt. Gen. Itschner expressed confidence that this problem would now "take care of itself."

The Corps spokesman again advanced the recommendation that Congress provide all the money for a single construction project at one time rather than through annual appropriations. Committee members resisted this, however, noting such a course would not cure the problem of constant and more expensive design changes.

On his side of the argument, General Itschner said appropriating the full amount for each job would mean earlier completion of that project and lower its cost through assurance to the contractor that he could move through the job to completion without uncertainties of additional financing. He added that under the present system bidders on the first contract are never sure of subsequent contracts on the same project. This moves them to include in the initial contract bid all the cost of mobilizing and demobilizing their equipment and personnel.

Committee Chairman Joe Cannon (Mo.), and other members wondered at this point if Congress would not still be plagued with requests for additional funds even if a single lump-sum were appropriated per project.

He asked, "Would we . . . be able to close the contract with the contractor and regardless of what happened and regardless of future contingencies, pay him that amount and continued on page 336



now being distributed nationally Buildings by direct


Varco . . . Uniframe . . . New names in your area? Not for long.


This pre-engineered building line is being introduced nationally after over 10 years of research and planning, and two years of test marketing in the southern United States. Acceptance was so great it was necessary for us to nearly double our new manufacturing facilities. It was inevitable we would offer our products on a nationwide basis. This is now being accomplished through a network of skilled distributors. In only a few months, they have erected Varco structures for industry and business in practically every section of the country.

We think you will find the Varco Uniframe an architectural asset for many types of business, industrial and community building designs. Varco offers the usual advantages of rigid frame building, plus UNIFRAME CONSTRUCTION.

Uniframe means that nuts and bolts have been eliminated from the steel framework through a unique system of welded construction. It creates a solid building . . . a building of strength and beauty . . . and does it at low cost.

Your Varco Distributor looks forward to the opportunity of assisting you. He has a complete line of buildings available in clear span widths up to 120 feet. Mail the coupon and find out more.






active learning

Jour understanding of the importance of controlled heating, ventilating and natural air cooling—or year-round air conditioning—in every school or college classroom will suggest the use of a dependable unit system, which meets the varying usages, occupancies, activities and exposures with tailored comfort and economy—and you most certainly will think of Nesbitt's leadership in this field for more than 40 years.

You may know, as well, of the distinct contribution of Wind-o-line radiation when integrated with Nesbitt Syncretizers: how it provides a separate protection against cold window downdraft; and how its copper tubing can serve to pipe a whole series of classroom Syncretizers in a forced hot water system with large savings in building and equipment costs.

Now, in the new Series 600 line, you are given a complete fresh gamut of line and color to satisfy your urge for distinctive classroom design. But more than that: in the new 600 line of integrated storage cabinets—developed after extensive studies of educational requirements—Nesbitt provides the more flexible fixed and mobile units, and a cabinet sink-bubbler, as demanded by creative teaching.



no more, and he would complete the project according to specifications for that amount, and no more?" The witness admitted this would not be the case since the contractor would have claims if he found conditions different from those outlined in the bidding documents.

Eliminate Design Changes?

This prompted detailed discussion on design changes with the Corps chief explaining that changes would always be necessary unless a great deal more money is spent on design.

"Why is it that the school (West Point), which above all schools emphasizes mathematics and physics, cannot compile specifications which can be submitted to a contractor, just as we submit a contract for a building down here on Pennsylvania Avenue?" Rep. Cannon queried.

General Itschner replied that there are more change orders in military

construction designed by private architects and engineers than in civil works construction, and observed that those buildings on Pennsylvania Avenue required just as many change orders as the structures built by the Army Corps.

The chief promised that his Corps would work toward the objective of no changes, and felt it could approach the goal, but he said there always would be change orders.

The committee did not go so far this year as it did in 1959 when it recommended that engineering and design costs be limited to five per cent of the construction cost of a project. That move was blocked after the American Institute of Architects, the National Society of Professional Engineers and others protested it.


The Appropriations Committee's report this year on Bureau of Indian Affairs, National Park Service and Forest Service said the material submitted to it by these agencies indicate that savings both in construction costs and personnel can be expected from greater use of standardized plans and specifications. As N.S.P.E. noted, however, the report gave no reasons for this conclusion.

The House group said the agencies involved should be able to effect a minimum reduction of 10 per cent in their engineering and design and construction supervision staffs in fiscal 1961 to offset at least part of the added program workload.

NPS has advised the committee that it cannot state its engineering and design costs as part of construction cost because of insufficient accounting data. It is moving toward a "break out" of these engineering and design costs in its future operations, however. Nearly 85 per cent of its program involves structures costing less than \$100,000 each, meaning relatively higher design charges.

The Bureau of Indian Affairs, on the other hand, reported an average of eight per cent of total estimated project cost for engineering, design and other related technical work. Of this, engineering and design costs were said to average approximately 3.5 per cent. The Bureau claimed the cost was favorable compared with similar work charges made by private architects and engineers.

The Indian Affairs bureau report indicated it had stopped all new concontinued on page 342



ST. BERNARD CATHOLIC CHURCH GRAYSON GILL, INC., ARCHITECT-ENGINEER

NATURALITE CIRCULAR SKYLIGHT AND CEILING DOME

Dramatic Occent with Natural Light

NATURALITE, INC. 5115 EAST GRAND AVENUE DALLAS 23, TEXAS TAYIOT 1-2377



San Francisco
scores a homer with
Candlestick Park,
America's
newest
stadium

America's newest baseball arena is lit at night for maximum "playability" with 1147 Westinghouse Type VRC-20 1500-watt floodlights. The precise aiming of the lights was under the direction of Westinghouse Lighting Sales Engineer Reed Hansen, (below), and they are designed to burn at over-voltage increasing their normal candle power 37 percent. This means that players under most conditions enjoy visibility as good as daylight gives without the glare and shadows that frequently plague them on sunny afternoons.

Westinghouse floodlighting system maintains IES standards of intensity for playing areas. The striking design of the wind baffle tops massive concrete stadium. Two of the eight floodlighting towers that are spaced around perimeter of stadium are shown here.







Giants' new home is Powered-Up for maximum nighttime "playability"

San Francisco's Giants racked up a 3 to 1 victory to open their season and inaugurate their new home in the West, Candlestick Park—one of the finest baseball stadiums in America.

Candlestick Park is a massive concrete structure that has an air of being weightless and soaring. Utilizing precast and prestressed beams and supports, the stadium consists of two tiers of seats (some radiant heated) that provide maximum "seeability" for 45,000 fans—with the upper deck topped by a unique wind baffle. To challenge the teams, foul lines extend 335 feet, and it's 420 feet straight from home plate to the fence. A giant scoreboard not only keeps tabs on the game in progress but also on action in both major leagues. A press, radio and loge-seat mezzanine, dress-

ing rooms, refreshment areas and an 8700-car parking lot complete the impressive installation.

The careful attention applied to the architectural design and construction extends to the electrical distribution system serving the stadium. To give the field maximum "playability" at night, 1147 1500-watt Westinghouse floodlights make this one of the best-lighted baseball diamonds in the country. Included in the electrical system are eight power centers (one for each lighting tower), master lighting control panel, individual lighting panelboards, dry-type transformer, motor (cont.)

YOU CAN BE SURE ... IF IT'S Westinghouse

J-94143-3



Checking scale model of Candlestick Park are Lyle E. Patton, Consulting Electrical Engineer; John S. Bolles, Architect; Walter A. Haas, President of the San Francisco Recreation and Park Commission; and Raymond S. Kimbell, General Manager of the San Francisco Park Department.




Economical power distribution for Candlestick Park was achieved with eight Westinghouse unitized power centers of 750- to 225-kva ratings, each having plenty of expansion room. Each power center steps 12-kva primary power down to 120/208 volts to serve lights and electrical equipment. Inspecting one center: M. P. Buswell, Westinghouse Area Sales Manager; C. L. Harney, General Contractor; and L. E. Patton.



Motor control and protection are afforded by the Westinghouse motor control center under examination by H. G. Dechene of Brayer Electric; L. E. Patton; and D. G. Hartman, Westinghouse Sales Engineer. Such control centers group all controls together in interchangeable, space-saving, easily installed modular units. Starter units control and protect motors for air distribution units from centralized location.






Giants' new home (cont.)

control center, air handling equipment and motors. All are Westinghouse products, chosen for their ability to provide dependable, uninterrupted service. Careful attention to future uses for the stadium produced an electrical system capable of expansion. For example, the field lighting and related power supply equipment can be easily enlarged to provide the extra illumination required for nighttime football games. For information about how the Westinghouse products that Powered-Up Candlestick Park can meet your electrical needs, call your nearby Westinghouse Electrical Construction Engineer. Or write, Westinghouse Electrical Corporation, Box 868, Pittsburgh 30, Pennsylvania.

OWNER: San Francisco Stadium Inc., for City and County of San Francisco ARCHITECT-ENGINEER: John S. Bolles, San Francisco E. Elmore Hutchison, San Francisco CONSULTING ELECTRICAL ENGINEER: Lyle E. Patton, San Francisco GENERAL CONTRACTOR: Chas. L. Harney, Inc., San Francisco ELECTRICAL CONTRACTOR: Brayer Electric Co., San Francisco WESTINGHOUSE DISTRIBUTOR: Westinghouse Electric Supply Co.,


YOU CAN BE SURE ... IF IT'S Westinghouse

TUNE IN WESTINGHOUSE-CBS TV-RADIO COVERAGE, PRESIDENTIAL CONVENTIONS, JULY 10-29



Comfortable heating for Giants' locker room and clubhouse area is provided by Type AH horizontal air distribution unit, one of four in Candlestick Park. The inherent design of stadium construction, with widely separated points of heating demand, is an excellent application of Sturtevant air handling equipment.

Tough, durable Micarta® is ideal surfacing for Candlestick Park's refreshment counters. This hard-working plastic surface is immune to scuffs, knocks, hot liquids and rough treatment . . . is easily cleaned, never needs refinishing. Shown are Tom Morse, U. S. Plywood Salesman; Joe M. Moore, Cabinetmaker; and Bill Lyle, Westinghouse Micarta Salesman, examining Micarta counter top.





Central High School, San Angelo, Texas. Architect: Caudill, Rowlett and Scott. Associated Architect: Max D. Lovett. General Contractor: Rose Construction Company

RUGGED BEAUTY

For The Eyes of Texas

FLINTKOTE INSULROCK®

Roof Decks

San Angelo's beautiful new Central High School, with rugged INSULROCK Roof Deck, adds comfort insurance in all climatic conditions. The school's gymnasium and the natatorium are insulated from the sun's heat by the same INSULROCK Roof Decks that, indoors, give high light reflectance and absorb a lot of spirited noise. Almost 29,000 square feet of 2" INSULROCK, on bulb tees, cover these two buildings and adjacent corridors.

Central High School was winner of an Award of Merit in the 1959 Honor Awards Program of the A.I.A.



INSULROCK, made of portland cement bonded, chemically treated long wood fibers, is strong, lightweight, insulating,

acoustical, non-combustible . . . economical. Its INSUL-GLO 70* factory-applied finish makes possible light reflectance of 60-70%.

Manufacturer of America's Broadest line of Building Products



THE FLINTKOTE COMPANY INSULROCK DIVISION

Executive Office: New York, New York * General Sales Office: Richmond, Virginia * Plants: North Judson, Indiana; Richmond, Virginia * District Sales Offices: Atlanta, Georgia; Cleveland, Ohio; Dallas, Texas; Kansas City, Missouri; Los Angeles, California; New York, New York *A trademark of The Flintkote Company

Washington Topics

struction at one time after last year's Congressional criticism, directing that engineering and architectural work henceforth be done by its own staff. It claimed that work would thus be speeded and cost of reduced.

Spur to House Sales Seen in Lower FHA Downpayments

Speculative home builders are expected to move their unsold houses

much faster as a result of the Federal government action lowering payment requirements on FHA-insured mortgages in the moderate price range.

The National Association of Home Builders reported that in many cases builders were unable to sell their product because prospective purchasers fell just short of qualifying. The margin might have been only a few hundred dollars, and the FHA action could tip the scales.

The new minimum down payment schedule calls for \$600 where the FHA value is \$15,000, compared with \$650 before the change; \$800 on FHA value of \$17,000 compared with \$1100 previously, and \$1200 on FHA value of \$19,000 where it had been \$1700.

Lack of Terminal Facilities Called Air Traffic Bottleneck

A spokesman for air line pilots says the nation is far behind in air terminal facilities compared with its advances in aircraft and the increased density of air traffic.

Clarence N. Sayen, president of the Air Line Pilots Association, told the Aero Club of Washington, D. C. that the lack of adequate terminal facilities is one of the most critical problems facing commercial aviation. This lack was called the primary bottleneck in the functioning of any air traffic system.

Highways But Not Runways?


He blamed much of this problem on a lack of adequate Federal expenditures for the Federal aid airport program. His comment: "The nation can complete 3589 miles of four-lane highway and 184 miles of six-lane or more per year, but it "requires practically a national emergency to secure another 1000 ft of concrete for a runway at an airport."

The present air traffic system can deliver the aircraft to the airport much more rapidly than the capacity of the airport can receive them, he asserted. He held that the severe bottlenecks exist both in getting the aircraft from the en route phase to the ground, and from the landing phase to the parking ramp.

In his opinion, huge sums of money are being wasted and the air traveler is grossly inconvenienced by the airport terminal limitations.

HHFA Asked for Major Study Of Housing Credit Picture

Concerned over the fluctuations of credit for home financing, the Senate's subcommittee on housing has called for a thorough study and report by the Housing and Home Finance Agency. The report would be continued on page 344




Permanent Installation.

Cuts Man-days from Yearly Building Maintenance.

Manual operated Roof Railer can be moved to any roof position and swung into operating area by one man

Albina Hi-Climbers (power staging) used in conjunction with Roof Railer. Daily work preparation time is cut to the minimum. Swing stage can be moved and lowered to desired work area by one man in minutes.

> Electric horizontal power shown in illustrations.




MAINTENANCE

COSTS

Storage Position

WRITE FACTORY FOR FULL DETAILS

2100 N. Albina Ave., Portland, Oregon



Famous Park Avenue beauty enjoys Flexalum light control

Regard the Seagram Building. What glamour it adds to Park Avenue! How hapely! How well-groomed! For its 3,676 windows, the architects naturally chose Plexalum Twi-Nighter venetians. What's more, Hunter Douglas engineered two custom features so that haphazard slatilts and blind heights wouldn't interrupt he symmetry of the building's facade. A special 3-stop action keeps the blinds fully raised, fully lowered, or set at one happy nedium, while the unique tilt mechanism

fixes slats at a 45-degree angle. No other window covering is so ideal for buildings with curtain-wall construction.

Naturally, Hunter Douglas is concerned with the people *ins*ide, as well as sight-seers *outs*ide. Flexalum venetians give real light control, let in soft, diffused light, or make rooms dark and strictly private. As for maintenance problems, there aren't any. Only Flexalum venetians are designed as an integrated whole, so they don't suffer from malfunctions that often afflict blinds

whose parts have been garnered from several sources. Flexalum venetians won't rust, chip, crack or peel. And they're guaranteed for 5 years. See our latest specs in Sweet's Architectural File 19d/Br or write to: Dept. AR-6, Bridgeport Brass Co., Hunter Douglas Division, Bridgeport, Conn.

Flexalum &

Washington Topics

made no later than next January 1 and would cover:

- 1. An analysis of total mortgage credit requirements which may be needed to support new residential construction activity of 16 million permanent nonfarm units on a stable basis during the 10-year period starting January 1, 1961.
- 2. The extent to which this volume of credit may be available, on a stable basis, without revision of the enabling legislation or the ad-

ministrative policies of the Federal National Mortgage Association, or without the creation of a new institution to provide an active secondary market for loans insured by the FHA or guaranteed by the VA.

3. The desirability of creating an independent board to establish interest rate policies for programs administered by the FHA and VA, and to establish purchase and marketing policies of the FNMA or any other institution created to provide a secondary market for loans insured by FHA or guaranteed by VA.

The subcommittee's report suggested that FHA's contribution to a more stable mortgage money market could be improved by study in these areas; amount, method and collection of the agency's insurance premium; increased use of certifying agents to reduce processing delays, and the possibility of FHA operating solely through its fee and premium income.

A New Fanny Mae?

The subcommittee took the position that FNMA, as it now stands, cannot be expected to supplement and stabilize the flow of mortgage credit to the extent desired. This, it said, would mean reconstituting FNMA or creating a new institution, such as a central mortgage bank.

PHA Expects Unit Totals of 25,000 This Year, 30,000 Next


Congress has been informed that the Public Housing Administration expects the start of approximately 25,000 new public housing units this fiscal year (ending June 30). PHA Commissioner Lawrence Davern told a House Appropriations subcommittee that about 3,000 such units will get underway during the next fiscal period.

Mr. Davern described the maintenance of these public housing units as a constant problem, one that becomes more and more difficult each year with project income going down. On the question of cost, he said the agency is operating on a policy that called for project design and materials to conform to what is being done for middle income private housing in the locality. This involves an "economical use" of the land.

The Commissioner held a national cost limit to be unworkable because it raises costs in low-cost areas and pinches them in the high-cost localities.

OCDM Wants More Shelters, Congress Backs Off

The nonmilitary defense program of the nation was outlined to Congress by Leo Hoegh, head of the Office of continued on page 348



CONTROLLED VENTILATION WILL DO FOR YOU!

- Assures the right ventilator for every job
- ★ New Economy and Ease of Installation
- All Aluminum Quality Construction means trouble free, maintenance free

Here's the reason. You can tell at a glance which of the Cook line will work for you. Cook has the most complete line of air control ventilation equipment available. Cook ventilators are engineered to your exact job requirements for top efficiency and lasting economy. We'll be glad to send you a copy of our new booklet which takes the mystery out of specifying ventilating equipment.

Ventilation c	me a copy of satalog.	your 1960 Controlled
Name		ATTEMATOR
Position		
Street Address		
City	Zone	State

Cook	ALL SPUN ALUMINUM VENTILATORS
THE LOREN COO	OK COMPANY · BEREA, OHIO



... MARMET has it!

You have a choice of two curtainwall systems when you specify MARMET. The 5212

Series, or the 5142 Series used on the magnificent luxury apartments (under construction) above, provides strong vertical accent lines with heavy aluminum mulls designed to receive spandrels and lite sections, stacked one atop the other. With lightweight muntins, these panels can easily be handled by two men . . . often stacking from the inside, saving the cost of exterior scaffolds.

Where the effect of heavier horizontals is preferred . . . MARMET's 6442-43 gridwall system employs large interlocking grid sections pre-assembled at the factory with heavy aluminum horizontals. Vertical mulls lock together with provision for controlled expansion at each joint. These special expansion joints absorb cumulative expansion horizontally and/or vertically in structures such as the hospital at the right.

Whether its economy or effect that's most important on your next curtainwall requirement . . . remember MARMET has it!

series 5212 & 5142



for LOWEST ASSEMBLY COST Vertical mulls receive stacking panels series 6442-43




for HEAVIER HORIZONTALS pre-assembled gridwall sections

For additional information on the complete line of MARMET products—consult Sweet's Catalog File No. 17a or write to MARMET for catalogs 60-wc





the inside, saving
s 6442-43 gridwall

St. Mary's Hospital Detroit Lakes, Minn. Architect: Foss & Company Moorehead, Minnesoto




300-X Bellis Street, Wausau, Wisconsin






Overly Church Spires



Overly "A" Label, Type 50 Doors



Overline Stainless Steel Entrances



NEW Overly Fire Barrier protects these lives

The successful Underwriters' Laboratory test of the new Overly Fire Barrier with exit hardware has brought an end to the need for illegal fire protection and safety compromises that would endanger these lives. For the first time, architects can specify and actually receive a fire

barrier that is both panic-proof and fire-proof.


Manual throw bolts, the great hazard on earlier panic doors, are no longer used. A unique Overly frame that contains an automatic top bolt eliminates the danger of a locked inactive leaf under panic conditions. This new Overly-crafted product with Sargent exit hardware uses fully labeled doors and hardware, not just "labeled construction," which means not really U/L tested. In the Overly Fire Barrier, the doors are staunchly secured against fire and heat pressure, yet both leaves are easily released by the smallest child under panic conditions.

For the first time, architects now have a maximum performance fire barrier that is fully tested up to 3 hours for fire and panic conditions. The Overly Fire Barrier permits architects to design greater safety into schools and public buildings, and also assures building owners of more favorable rate considerations in fire and safety insurance. This is the first and only fire barrier product to satisfy both U/L fire safety and

casualty and accident requirements.

Overly's new Fire Barrier is the most recent in a series of modern safety advances pioneered by Overly craftsmanship in U/L approved door, frame, Fire Barrier* and accessory products. Other Overly products include Overly Tilt-A-Front construction, specially designed for one and two story buildings; Overly Church Spires, carefully crafted artistry in all metals; Overly Roofs, prefabricated and erected by Overly anywhere; and Overly Doors and Frames, available in over 90 styles.

*Overly Fire Barrier installations may be found at the following locations: Our Lady Of Angels High School, Cincinnati, O.; Marion County Schools, Marion County, W. Va.; Carlisle Schools, Carlisle, Penna.; St. Casimir School, Lansing, Mich.; Longfellow School, Harvey, Ill.; and Weirton Schools, Weirton,



Overly Pre-fabricated Roofs

Inchitects Craftsman



MANUFACTURING COMPANY

Greensburg, Penna. • St. Louis 19, Missouri • Los Angeles 39, California

Civil and Defense Mobilization, when he went before a House appropriations subcommittee to request more than \$7 million for research and development during the fiscal period beginning July 1. Four million dollars is being spent in this field this fiscal year.

Included is the construction of government underground control centers and constant experimentation with prototype shelters of various kinds. Director Hoegh has told Congress, "There is every evidence that the program is beginning to pay off, and that shelter construction is gaining real impetus. Home builders are including shelters in homes at reasonable costs. Millions of individuals have asked for our books on shelter plans. Newspaper ads are beginning to appear. Construction companies and local builders are advertising home shelters built to the specifications of OCDM.

"Many private architects and builders are creating prefabricated shelters built from their own designs, but still meeting OCDM specifications. Many industries have incorporated fall-out shelters in their institutions. Thousands of shelters are being built by people and industries throughout the nation."

Current Program Varied

In its 1960 (fiscal year) program, the agency is building one underground garage which can do double service as a fallout protection area; three school prototypes which can provide fall-out protection in cafeteria areas, an assembly area and in classrooms, all underground, and an understreet shelter as well.

Two protective hospital projects are in the current program—one in Texas, the other in New Jersey.

OCDM also is constructing 38 community shelters, each with capacity of 50 persons, and a city block shelter, along with 100 family shelters, some of which already are completed. Funds requested for fiscal 1961 would finance construction of 250 additional prototypes to complete the program, Mr. Hoegh said.

More Prototypes Wanted

The agency would like to spend \$2.5 million on prototype construction alone next fiscal year. Another \$1 million would go into shelter phases of the research and development effort. More surveys of existing structures to determine their worth as shelter areas are planned if the money is forthcoming. Buildings already surveyed for this purpose are located in Contra Costa County, Cal.; Tulsa, Okla.; Montgomery, Ala.; and Milwaukee.

The General Services Administration, in its own budget request, sought \$6 million to be spent next year on special fallout shelter construction in existing Federal buildings.


Congress Not So Eager

Congress apparently is not as enthusiastic about the idea of shelters in government buildings as is the OCDM. The independent offices appropriations bill for fiscal 1961 has carried a provision prohibiting use continued on page 356



METROPOLITAN WIRE GOODS CORP.

N. WASHINGTON ST. and GEORGE AVE. WILKES-BARRE, PA. See why Pittsburgh Corning Products make the things you build cost less, last longer, look better



Central Park School, Dundas, Ontario, Canada. Architect: Allen & MacIver, Hamilton, Ontario.

example: PC Glass Blocks to brighten the world of learning

The learning environment gets a new lift from disciplined design with PC Glass Blocks. Here is the one material able to combine the desirable characteristics of window and wall at once. Precise direction and diffusion of transmitted natural light. All the insulation value of a 12" concrete block. And the brilliant sparkle of 12 ceramic face colors for color accents—now available on architect's specifications. Like the church described on a following page, this school wall dramatizes the increasing authority over design which Pittsburgh Corning's growing line of PC Glass Blocks puts at the architect's disposal.


Take advantage of the coupon on the fourth page of this advertisement.



example: FOAMGLAS® insulation to keep heat in its place for good

Most roof insulations do an adequate job of controlling heat flow when they're first installed. But only FOAMGLAS roof insulation maintains its initial permanence level for the life of the building. The reason is simple. FOAMGLAS is the only thermal insulation composed entirely of sealed glass cells. Result: moisture can never penetrate FOAMGLAS to form a heat leak as it does in other materials. Insulating performance never varies. This is one of the many excellent reasons for a FOAMGLAS specification on a roof . . . as well as walls or piping—wherever heat flow must be controlled. Page 4 of this advertisement details more of the FOAMGLAS insulation story.

Take advantage of the coupon on the fourth page of this advertisement.



example: PC Glass Blocks to add color with dignity in a reverent place

Brilliant color in a disciplined design adds warmth, welcome and restrained identity to the church you see here. The continued evolution of glass blocks has made such interpretations possible . . . at an initial cost far lower than possible with other materials. PC's Color Glass Blocks have provided a whole spectrum of professionally selected shades for the architect. And very soon PC will announce a dramatic new use of architectural light and shade. These are the vital elements of design authority which have become the continuous thread of design oriented PC Glass Block development by Pittsburgh Corning, And see how good design can be added to important functions as in the classroom shown on page 1 of this advertisement.


Take advantage of the coupon on the fourth page of this advertisement.

Grace Evangelical Lutheran Church, Peoria, Illinois. Architect: Richard Hapke, Peoria, Illinois.



example: FOAMGLAS® core insulation to smooth the skin of this curtain wall panel

Permanent skin flatness has assumed increasing importance in curtain wall panel design. And you'll seldom see a panel with skin so flat, true and smooth—permanently—as you see on this page. Pittsburgh Corning's FOAMGLAS core insulation makes the difference. The unique strength and rigidity of this insulation forms a firm support for the many types of curtain wall skins. Since FOAMGLAS is dimensionally stable, it can't soften, slump or sag . . . prevents dimpling and oil canning after installation. Add this to the lasting insulating value described on an earlier page and the soundness of a FOAMGLAS specification becomes increasingly clear. (To be continued)



☐ FOAMGLAS Insulation for Curtain Walls Name	☐ FOAMSIL®, the Acid-proof Insulating Refractory
Company	_Title

PITTSBURGH



CORNING

With P-B Components any house is-... enclosed in one day ... completed in one to three weeks -and the builder saves 15% of his building costs! HERE'S HOW: The components are **BIG** and custom-built to fit any plan FOR ANY SIZE Your wall components are 8' high and usually 12' to 14' long -Your floor components are 6' wide and up to 20' long- Your ceiling components are 8' wide and span the width of the room— Your roof components are 8' wide and rafter length— Your gable components are generally the width of the building—

HERE'S WHY:

With large components you get savings not obtainable in any other way and—these savings are made possible because of the "Big Sheets" of Homasote that are tough enough to stand the handling of large sections and, at the same time, are not affected by the weather in case a storm stops the operation before the house is closed in.

It takes only 11 seconds longer, with four men, to put an 8' x 14' P-B Component into place than to put an 8' x 4' "baby" panel into place; but you have erected, in less than a minute, 3½ times as many square feet!

Once erected, the components are ready for the exterior finish and the interior decoration.

To save money in conventional building send us your blueprints for a free Cost-Reduction Analysis. They will be returned with an engineering report on the savings you can make with Homasote Materials. Homasote Board-and-Batten and Grooved Vertical Siding construction are lower in cost than anything else you can use currently for exterior walls.

- The floor panels are covered with factory-finished ²⁵/₈₂" oak flooring which you cover immediately with Sisalkraft-type paper, leaving it on until the owner is ready to move in. When you finally take it up, he has bright, shiny new floors and you have eliminated a lot of extra cleaning expense.
- The ceiling panels are ready for decoration as soon as they are in place.
- The roof components have 5%"
 Homasote sheathing already applied, with joints flashed to prevent leaks before the roofing is applied. This, too, saves a lot of field labor.
- And you can erect the average house in one day!

Your selling advantages:

Homasote's 24 years' experience with P-B Components here and abroad gives you a better house to sell than others know how to build.

- You get your customer in fast-3 to 4 weeks, or less.
- Your house is 7 times quieter than a plaster or gypsum board house.
- Your house is free from dampness and drafts.
- Your house heats economically in winter and is cooler in summer.
- You can sell it for less than an equivalent conventionally-built or prefabricated house.
- You can sell it at a greater profit, too!



Please write for our 8-page brochure containing complete details. Kindly mention Department F-5.

HOMASOTE CON

TRENTON 3, NEW JERSEY

Homasote of Canada, Ltd. • 224 Merton Street • Toronto 7, Ontario

World's First Combination Gas Heating/Electric Cooling in One Compact Unit that Fits a 3' x 3' Closet!

Especially created to solve your heating-cooling problems for apartments, motels, dormitories, nursing homes, medical centers, small commercial jobs


Never before so *much* in so little space—40,800 Btuh heating output (all gases)—22,000 Btuh cooling at ARI standard—all from a compact unit measuring only 89" high and taking only 3' x 3' of floor space. Truly a remarkable achievement—a new climax in 65 years of Lennox engineering leadership!

Matching the compactness of this revolutionary new "package" is its unequalled adaptability. Not only is it ideally suited for installation in a 3' x 3' utility closet with exterior wall but, also, it is equally suitable for airshaft or remote applications. It is so compact, it may be installed when building is in finishing stage.

For full information or the name of your Lennox Technical Representative—address: Lennox Industries Inc., 426 South 12th Avenue, Marshalltown, Iowa.


Refrigerant Quick Connectors

No welding! No screwed joints! No adapters! Only one mechanical joint! Pre-charged refrigerant lines with U.L. listed self-sealing "quick couplers" permit safe storage and greatly simplify the field installation of the factory-charged condenser and evaporator units and their connecting tubing.




from Lennox

40,800 Btuh heating output— 22,000 Btuh cooling at ARI standards—from a unit only 89" high



MAY BE INSTALLED 'MOST ANYWHERE!



WORLD LEADER IN INDOOR COMFORT FOR HOMES, BUSINESS, SCHOOLS, INDUSTRY


Lennox Industries Inc. 426 S. 12th Ave., Marshalltown, Iowa

LENNOX

© 1960 Lennox Industries Inc., founded 1895; Marshalltown and Des Moines, Iowa; Syracuse, N.Y.; Columbus, O.; Decatur, Ga.; Ft. Worth; Los Angeles; Salt Lake City. In Canada: Toronto, Montreal, Calgary, Vancouver, Winnipeg.

Palfour doors

deserve your attention



rolling steel service doors doc-port® rolling steel pier doors automatic rolling fire doors pygmee® rolling counter doors rolling steel grilles

Details in Sweet's or write for catalog.

Walter Balfour & Co. Inc. Brooklyn 22, N. Y.

Washington Topics

of any of the funds for fallout shelters in government-owned or leased structures "except where specifically provided." The House Appropriations Committee said that construction costs for public buildings were often "unnecessarily" increased because of the OCDM regulation that these buildings include fallout shelters.

"This may be desirable in some instances," the committee's report read, "but such a requirement should be specifically justified for each project."

The committee approved \$144.8 million to begin construction of 20 Federal buildings under the new direct authorization program passed by Congress. It cut budget requests for each project by some 15 per cent, however, five per cent of the reduction applicable to fallout shelters.

No Shelters, No Monuments

The House committee report dealt with the shelter matter in this way:

"Funds are specifically disallowed for installing a fallout shelter in each project. In arriving at final plans and specifications, the committee desires that good, substantial, and usable buildings be completed, but strongly urges the Administrator (of General Services Administration) to leave out all unnecessary features and trimmings, and that no architect be permitted to build a local monument to himself."

Congress Cuts Urban Renewal To Third of Funds Asked

Congressional appropriation of \$17.5 million in supplemental funds for the Urban Renewal Administration's capital grant program puts it back on the track but not nearly as far in that direction as URA would like to have it.

Commissioner David M. Walker pleaded for \$50 million for the balance of this fiscal period, until June 30. Anything short of this, he said, would mean delays, refinancing of borrowings and added interest charges.

URA held \$80 million in demands for earned grant payments that had continued on page 360



ECONOMICAL! Although priced competitively with conventional forms, Jay-Pans give you more for your money! Always new . . . custom built . . . they eliminate drippage, and the vertical sides mean good savings in concrete, as well as a nice, smooth appearance.

LABOR-SAVING! Jay-Pans are tailored for any job, and when cutting is necessary, all that is required is a saw or pocket-knife. Sand is never placed under a Jay-Pan pour, and jobs stay on schedule because there are always enough Jay-Pans on the job site. Lightweight, easy to use, Jay-Pans end chipped floors, save both time and men!

WEATHER-RESISTANT! These are not regular "paper" pans. Jay-Pans are made of "freezurboard"— a patented, heavy-duty asphalt-impregnated material similar to asphalt roofing, which is saturated with asphalt. Millions of square feet of federal government, state, and private projects have proved the reliability of Jay-Pans under all weather conditions.

ALL SIZES! Tapered, adjustable, longspan, waffle, or cored slab, Jay-Pans give a clean job . . . come in all standard sizes as well as practically any other size you need to fit your most economical module.

For Full Free Information

LAWRENCE PAPER COMPANY Construction Products Division,

Viking 3-8111 Lawrence, Kansas,

When you want
MORE than just
Good Lighting...

You want

Sylvania's CLASSIC

Series

Every Classic Fixture
Now Produced**
Contains the New Solid-Fill
Jefferson DRI-LOK Ballast!

**in standard voltage

"Fluorescent lighting fixtures today must do more than provide good illumination. They must also add a distinct element of attractiveness to the ceiling to complement the overall interior décor."

With this concept in mind, Sylvania's Engineering Department, working together with the renowned industrial designing firm of Peter Muller-Munk Associates, created a new fixture family that is truly outstanding.

This is the CLASSIC Series by Sylvania.

The CLASSIC achieves, through its pointed elliptical shape, the elegance and style demanded by today's leading design concepts. This new fixture group features sleek, trim lines; flared, softly-diffusing side panels; and slim shallowness . . . all of which combine to provide a graceful appearance for any interior. To satisfy individual choice, plastic louvers or plastic panels are available.

And the practical aspect has not been ignored either. In addition to its extreme attractiveness, the CLASSIC also provides other important features . . . high-quality lighting characteristics and excellent installation and maintenance advantages.

But a mere description of the CLASSIC is hardly adequate. To appreciate the true beauty and application possibilities of this series you should see the fixture itself.

Write for full information today . . . and ask to have the CLASSIC* demonstrated in your own office.

Sylvania Lighting Products
A Division of SYLVANIA ELECTRIC PRODUCTS INC.
One 48th Street, Wheeling, West Virginia

*Patent Pending

GO MODERN WITH LIGHTING BY SYLVANIA SUBSIDIARY OF GENERAL TELEPHONE & ELECTRONICS


FLUORESCENT LIGHTING FIXTURES AND SYSTEMS . BEST FIXTURE VALUE IN EVERY PRICE RANGE




110 footcandles of glare-free illumination are maintained throughout, including this attractive lounge for employes.











How Old American Insurance Co. ended the great lighting search with Day-Brite

True to Missouri tradition, Old American Insurance Co. adopted a "Show Me" attitude when considering lighting for their new Kansas City headquarters.


They contacted their local power and light company engineers. Consulted the experts at General Electric's famed Nela Park. Even made their Addressograph Department a "lighting laboratory" and installed competitive fixtures side-by-side.

Result? For lighting effectiveness with high visual comfort, over-all economy with trouble-free maintenance, and pleasing appearance, Day-Brite lighting was the clear-cut choice.

May we show you? Call your Day-Brite representative, listed in the Yellow Pages, for the facts and fixtures! Day-Brite Lighting, Inc., St. Louis, Mo. and Santa Clara, Calif. In Canada: Amalgamated Electric Corp., Ltd., Toronto 6, Ont.



NATION'S LARGEST MANUFACTURER OF COMMERCIAL AND INDUSTRIAL LIGHTING EQUIPMENT



Albro custom curtain wall-in aluminum, bronze and stainless steel-gives the architect any system his design demands. From engineering to installation, ALBRO assumes total responsibility for the quality and performance of all architectural fabrications leaving its plant. This policy has stood for ALBRO's 30-yearsplus of metal engineering know-how. For more information, please ask for ALBRO's complete set of curtain wall, window and architectural metalwork catalogs on your company letterhead.



ALBRO METAL PRODUCTS CORPORATION Dept. M, 944 Longfellow Avenue New York 59, New York

Washington Topics

to be met by the end of the fiscal period, Mr. Walker said. It had but \$33 million left at the time with which to meet this load.

House-Senate conferees trimmed the amount to \$17.5 million after the House had voted no money whatsoever in its action on the second supplemental bill, and the Senate had approved a figure of \$35 million.

New Proposal Considered for Community Facilities Aid

Rep. Blatnik (Minn.) introduced new legislation to authorize loans to municipalities for construction of community facilities. Emphasis would be on the building of hospitals, nursing homes, water and sewer works.

The bill carried a loan fund of \$1 billion to be administered by a Commissioner of Community Facilities, was similar in many respects to bills introduced in the same Congress last year.

Rep. Blatnik's argument, "Our local communities are unprepared for the new demands being placed upon them for additional public services. They are simply unable financially to support them. It is essential that we institute a program on a national scale which will provide these communities with loans at reasonable rates of interest with which to finance these projects."

FHA Bids Field Offices Push Lower Maintenance Costs

The Federal Housing Administration issued a bulletin to its field directors on computing housing expense data on new construction which stirred the industry like few such bulletins had done in the past.

This directed the directors and their underwriting staffs to encourage builders to use materials of more maintenance-free and permanent character to reduce total monthly housing expense. The purpose was to make it possible for a purchaser to carry a larger mortgage without increasing monthly housing expenses. FHA said this approach would make available addicontinued on page 364

CASE HISTORY #1

HOW A MAJOR SCHOOL SYSTEM CUT MAINTENANCE COSTS 50% WITH THIS BOBRICK SOAP DISPENSER

We cannot use names of school officials because they are part of Municipal Administration. They may not endorse any product. But—this interview was factual, voluntary, true to the word. Jakas S. Bakk, Vice President

- Q How many installations?
- A 8,000.
- Q How did you select?
- A Reviewing all available dispensers on a one year trial period.
- Q What were former replacements?
- A 2,400 3,000 per year.
- Q What were Bobrick replacements?
- A Approximately 100.
- What type Dispenser did you choose?
- A Bobrick B-47CP Lather type.
- Q Why?
- A Result of extensive economy tests.
- How did Bobrick valve compare?
- A Fewer working parts than any we tested.
- Q How did lather compare?
- A 5 to 1 bulking as contrasted to others.
- Q Did the manufacturer cooperate?
- A The answer to that lies in the fact that after 27 years in operations and maintenance, we have finally licked the Soap Dispenser problem.

FREE—Complete transcript of interview, detailed specification data and sample dispensers available on request.



Write to: 1214 Nostrand Avenue Brooklyn 25, New York.

AR 6

Manufactured and guaranteed by

BOBRICK DISPENSERS, INC.

NEW YORK LOS ANGELES
"Dependable Dispensers Since 1906"

Sales and service throughout the United States and Canada.



for a lifetime of beauty and convenience...
plan to include



the very best

IN HIGH PRESSURE


PLASTIC LAMINATES

Specify architectural Farlite plastic laminates wherever you need a tough, wear-resistant, long-lasting surface that's easy to clean . . . and stays fresh and bright for years. Hundreds of colors and patterns, including many eye-catching wood grains, allow an almost unlimited variety of creative treatments. Write for a colorful Farlite brochure . . . and samples too, if you wish!

PLASTICS DIVISION

FARLEY & LOETSCHER MFG. CO.

DUBUQUE, IOWA



The finest in Builders' Millwork since 1875



... has LUPTON Aluminum Windows

Modern facilities and modern architecture go hand in hand at Cheltenham High School. This beautiful structure houses such advanced features as an Olympic-size swimming pool, sound-proof music rooms and foreign language booths. It was built with 1,434 units of LUPTON Type "H" and 122 units of LUPTON Type "G" aluminum curtain wall, plus 87 LUPTON "Master" projected windows.

You can design creatively with LUPTON . . . vary sizes and locations of glazed and non-glazed areas as well as types of fenestration; material, color, and texture of opaque areas.

Selection of mullion profiles and spandrel panels is another design advantage.

LUPTON construction is also simple and economical. Standardized tooling and fabrication operations, and the lightness of LUPTON's slim, durable aluminum parts make installation fast and easy. You save floor space . . . save maintenance . . . save foundation and framework costs.

Most advantageous of all, though, is LUPTON's dependability. As proven in hundreds of jobs—including one of the largest curtain-wall installations in the world—Two Broadway,



Cheltenham High School, Wyncote, Pa. Architects: Heacock & Platt, Philadelphia, Pa. Contractor: Baton Construction Co., Philadelphia, Pa.

and Curtain Walls

New York City—you can depend on LUPTON to meet your specifications, to deliver as scheduled. You can pinpoint responsibility, because LUPTON can do the whole job—even install!


See SWEET's (Sections 3 and 17) for the Michael Flynn Aluminum Curtain Wall and Window catalogs, and write for further specific information. Inquire about LUPTON Comfort-Conditioning*—the new curtain-wall system that cools, heats, and ventilates. A call to the nearest LUPTON representative (see the Yellow Pages under "Windows—Metal") will bring fast action without obligation. (*Trade Mark)

LUPTON

METAL WINDOWS . CURTAIN WALLS MICHAEL FLYNN MANUFACTURING CO.

MAIN OFFICE & PLANT: 700 E. GODFREY AVE., PHILADELPHIA 24, PA. WEST COAST OFFICE AND PLANT: CITY OF INDUSTRY, CALIF. SALES OFFICES: STOCKTON, CALIF.; CHICAGO, ILL.; NEW YORK, N. Y.: CINCINNATI, OHIO; CLEVELAND, OHIO; DALLAS, TEXAS.






DOCKBRIDGE AUTOMATIC LOADING RAMP







Specified Most Frequently Because of Installation Ease, Adaptability and Proficiency

You can stake your reputation on "DOCKBRIDGE" with utmost confidence. Throughout industry this fully-automatic, truck activated loading ramp is keeping trucks rolling and producing — eliminating wasted man hours. It accepts trucks up to 16" above and down to 10" below dock level. Provides for full cross traffic when not in use. No need for costly, complicated hydraulics or jury-rigged mechanisms. Only self-contained package ready to install in a prepared dock pit 17½" deep. Where pit is impractical, addition of four sturdy legs make "Dockbridge" a free-standing unit. Adaptable to either existing dock or new construction. Three models available: 6' x 6', 6' x 10'. Write for free catalog.



AMERICAN DOCKBRIDGE, INC.

241 West Oklahoma Avenue, Milwaukee 7, Wis.

Washington Topics

tional funds for other improvements.

The idea was not a new one. The FHA underwriting manuals had required insuring offices to keep files of data on expense of owner-occupied properties. The data include hazard insurance, taxes, operating and maintenance costs.

But FHA found that there had developed a tendency on the part of its field personnel to make the estimates without proper attention to these cost differences in maintenance and operation resulting from the use of alternative materials and equipment.

Areas to Watch

The field offices were told that generally, FHA estimates of housing expenses would reflect a different cost for repainting the exterior of a frame house as compared with a brick house. But this is not enough, it said. Recently coming to FHA's attention, the bulletin continued, was the verified fact that siding with baked enamel finish has withstood exposure to the weather over a period of 10 years and indicates that repainting probably would not be necessary for 15 years or longer. (The product has been under actual test for 10 years.)

Other examples of maintenance saving items noted by FHA: deterioration-resistant windows, siding material with integral color, various types of roofing of a durable nature, and specially treated wood not requiring frequent repainting.

FHA then said it felt it was important to reflect the cost savings on use of such materials in combination or singly, not only for proper estimation of expense but also as an incentive to the use of materials of more maintenance-free and permanent character.

It said the same principle applies to the assembly of heating and cooling data and in estimating annual heating and cooling costs. And the agency held it to be of particular importance that its offices recognize the effect which exterior wall material, insulation, and double glazing and other construction features may have on annual heating and cooling costs.




"It's wise to specify the Miracle 'Thin-Set' method of setting Clay Tile"


TO BE SURE of over-all performance, specify Miracle—the quality adhesive. Let's take a look at the record. Miracle is tried and true over the years. Proof? Miracle tile installations can be found in subways, tunnels, hospitals, office buildings, schools and government projects all over the world. Swimming pools in the Dominican Republic, hospitals in Switzerland, hotels in Canada, projects in the Arctic — all easily installed by the Miracle 'Thin-Set' Method.

In addition, Miracle Adhesives Corporation offers architects and contractors full cooperation in providing specifications and details for all types of tile installations — showers, baths, sink tops, roof decks, promenades, facings, ceiling work.

MIRACLE ADHESIVES CORPORATION

250 Pettit Avenue, Bellmore, L. I., N. Y.






Truly a new dimension in freedom of design . . . Anotec applied to the new Bodine Electric Company building in Chicago.

As a solar screen, there is all the full glory of light, but the glare of the sun's rays are deflected by ANOTEC.

As a walkway, it's practical for exterior maintenance. ANOTEC makes the major contribution toward the three dimensional concept of its free flowing casual beauty. ANOTEC is created in a vast array of Spectra-Colors and Geometric Patterns that add a new concept to interior and exterior applications.




*trade mark

ANOTEC*

Klemp International"

1379 N. North Branch St. • Chicago 22, Illinois • MOhawk 4-4530 In New York, Empire State Bldg., New York 1, N.Y. Offices in 75 cities throughout the United States. In Canada, Raymond Mfg. Co., Ltd., 475 Metropolitan Blvd., Lachine, P.Q.



"OVERHEAD DOOR" opens a <u>new</u> door to climate control

Now doors adapt any building to weather, temperature changes

Now the "Overhead Door" offers you new ideas in climate control. Through unique, imaginative applications you can now design structures that literally adapt to changing seasons, changing temperatures.

One new idea is the movable wall—banks of "Overhead Doors" that make the whole wall open, close . . . quickly, silently. To a basically outdoor structure, they let you add indoor protection. To a basically indoor structure, they let you add measured amounts of sun and fresh air.


The dramatic swimming pool shown at left is an example. Oregon architect Gordon Trapp utilized banks of glass-paned aluminum "Overhead Doors" to bring climate control to this indoor-outdoor swimming pool. They open the pool to warm, fair weather,

tightly close it to cold, foul weather—flood it with light all year 'round.

Many other new ideas in climate control have been developed and tested by Overhead Door Corporation engineers—ideas that are a result of this company's 39 years of experience in the garage door field. Some of these ideas may be of value to you.

Get detailed information from your local distributor (see "Overhead Door" in the white pages) for an application you may now be planning, or write to Overhead Door Corporation, General Office: Hartford City, Indiana—Manufacturing Distributors: Cortland, N.Y.; Hillside, N.J.; Lewistown, Pa.; Nashua, N.H.—Manufacturing Divisions: Dallas, Tex.; Portland, Ore.—In Canada: Oakville, Ontario.

To solve many climate control problems-



Ventilating doors—Protection from winter weather, screened ventilation for summer comfort are both provided with a double-track "OVERHEAD DOOR." This arrangement actually holds two doors one with screen panels (A), one with wood and glass panels (B).



Weather-lock—Doublerows of doors protect shipping areas. An inside row (A) of "OVERHEAD DOORS" is opened after the outer doors (B) have been closed. Trucks or railroad cars are loaded in a protected area, without excessive loss of heated or cooled air.



Movable store front—Stores and markets also utilize movable walls for climate control to stimulate customer traffic. "OVERHEAD DOORS" open the whole store front—attract customers with a store-wide display. At night and in bad weather, doors secure tightly.



the original upward-acting sectional door, made only by

OVERHEAD DOOR CORPORATION

FREE from **BLONDER-TONGUE**



MASTER TV SYSTEM INSTALLATION MANUAL

All the facts that you need to assure top and dependable master TV system performance. Contains information that is the result of more than 2,000,000 master TV installations featuring Blonder-Tongue Masterline equipment:

CONTENTS

TYPES OF SYSTEMS

New construction; old construction; vertically designed systems; horizontally designed systems.

COMPONENTS IN MASTER TV SYSTEMS

Amplifiers; splitters; tapoffs; antennas; transmission line.

THE 'HEART' OF MASTER TV SYSTEMS

"Head-end"; amplifiers; line filters; feed-thru couplers; radiation-proof housings.

'ARTERIES' OF MASTER TV SYSTEMS

'Branching'; splitters; cable; tapoffs; isolation.

ANTENNA INSTALLATION

Orientation, "directivity"; signal strength; towers and masts.

LINE INSTALLATION

Balanced transmission; co-ax cable: RG/11U and RG/59U; 300 ohm ribbon line; baluns, matching transformers.

DESIGNING AND CALCULATING MASTER TV SYSTEMS

Typical system diagrams; vertical cable run systems; hotel.apartment—to 400 outlets, new construction, existing construction; horizontal cable run systems: School, or hospital—100 outlets, new construction; hospital—400 outlets, old construction; trailer park system—148 outlets, new or old construction.

TESTING AND MAINTAINING A SYSTEM

Equipment for servicing a system; substitution method; field repairs; testing and maintaining cable.

CHARTS AND TABLES

Amplifier specifications; tapoff-isolation networks; cable characteristics; attenuator pad construction; half wave open ended stub traps, and more

ARCHITECT'S SPECIFICATIONS

BLONDER-TONGUE-A HISTORY IN MASTER TV

Company background; products; services: Free engineering service.

GLOSSARY OF MASTER TV TERMS Motel Master TV systems.

Write for your free copy today.

BLONDER-TONGUE LABORATORIES, INC. Paris Paris

hi-fi components • UHF converters • Master TV systems • industrial TV cameras • FM-AM radios

Required Reading

continued from page 88

New Listing . . .

is a series of columnar tabulations running across two pages for each product listing. (Products cataloged in Sweet's Architectural File carry Sweet's key numbers.) The pages are planned for 18, 5%-in.-high listings per spread running from top to bottom, and up to as many as 47 columns for information across the two pages. No detail drawings or illustrations are included.


The Register, states the A.I.A., does not test or grade products, place them in preferential order, or issue certificates of approval. The A.I.A. also points out that inclusion of a product in no way implies their approval, nor omission, disapproval.

Product data, says A.I.A., were supplied, certified to be correct, proofread and approved by the manufacturers. A.I.A. does not accept responsibility for accuracy of data or for changes in the product which come after issuance of the Register. The Register is yet another piece of evidence of the tremendous demand for accurate and comprehensive product information.

Norman Italy

APULIA. By C. A. Willemsen and D. Odenthal; translated by Daphne Woodward. Frederick A. Praeger, Inc., 15 W. 47th St., New York 36, 257 pp., illus. \$12.50.

Apulia, in the heel of Italy's boot, lay for about three centuries in the thrall of, first, the Normans and later the Holy Roman Emperors. Its history is knightly and highly romantic. Its architecture is characterized by Norman vigor, seasoned with Byzantine domes and occasional Saracenic decoration, notably in the pierced-screen rose window of the cathedral at Tróia. The authors warn that seekers after the rewards Apulia offers must be ready to put up with the inconveniences of a region off the beaten tourist track, and, sometimes, to look behind the applied Baroque facades. If the excellent plates, made from the authors' photographs, are indicative, the trip is worth it. But if the trip is too difficult, this book will do nicely.



do your weatherstripping detailing faster, easier, more accurately



with Zero's new catalog

FULL SIZE design and installation details make visualization easier... speed incorporation directly into your plans with a minimum of scaling-minimum chance for error. ZERO's new 28-page catalog also contains helpful application data and many time-saving suggestions for detailing weatherstripping.

SEND FOR YOUR COPY TODAY! Weather stripping for:

- doors windows
- saddles lightproofing
- soundproofing
 sliding doors
 saddles for floor hinged doors



ZERO WEATHER STRIPPING CO., INC.

453 East 136th St. • New York 54 Phone: LUdlow 5-3230



1150 Lake Shore Drive Apartments Architects: Hausner & Macsai Painting Contractor: J. M. Eckert Co. Rental Agents: Lake Shore Management Co.

From mosaics to pottery, fabrics to drapery, in every detail the new 1150 Lake Shore Drive Apartments are swank, modern, luxurious. Inside and out they're a tribute to Chicago's beautiful and famous lake front area. And we feel it is a tribute to Devoe paints that they were selected for the interior decoration.

But our service to architects goes beyond the inherent beauty and quality of Devoe paints. Our color consultants and architectural representatives will serve you free and without obligation. They'll assist your specification writer or color specialist. Or, if you wish, they'll prepare your complete color plan.

For industrial plants and tracts, office and apartment buildings, hotels and institutions, they'll carefully analyze costs, lighting problems, traffic, usage, maintenance, and durability as well as color and paint formulation. They'll save you

time, costs, and details. Make your color presentations to show your clients. Build you a color reference library. All free and without obligation.

Deveo's consultants are located in major cities throughout the country. Just write: Devoe Color Consultation Service, Devoe & Raynolds Company, Inc., Louisville, Ky.

FREEI A paint reference guide for every job. Plus special color guides for practically every type of building. Write today for your copies.

206 years of paint leadership




DEVOE

DEVOE & RAYNOLDS CO., Inc. a subsidiary of Merritt-Chapman & Scott Corp.

TLANTA · BOSTON · CHICAGO · CINCINNATI · DALLAS · DENVER · LOS ANGELES · LOUISVILLE · NEW YORK · PHILADELPHIA



Total contracts include residential, nonresidential, heavy engineering contracts





Are Soaring Sixties Really Sagging?

THINGS SEEM to be returning to rationality on the economic front. Earlier this year, the question "What happened to the Soaring Sixties?" became quite popular, and one or two disillusioned souls were heard to refer to the "Sagging Sixties." But April brought a somewhat rosier glow to the business scene than the first three months of the year had indicated, and May seems to have presented an even brighter picture domestically. (It's too bad the same thing can't be said of international developments.)

THE FACT is that nearly every important economic indicator is at or close to record levels. Why, then, the gloom? First, we can probably blame the rash of glowing forecasts for the Sixties which appeared near the end of last year. Probably the public was led to expect to feel the upsurge precisely on January 1 of this year. Secondly, as we have mentioned here before, there were the patently erroneous forecasts that the steel strike would, when terminated, produce a boom—an absurd expectation on the face of it. Halting production of a basic industry for many months is a very poor foundation for a boom.

IF ONE LOOKS BACK at the view presented last November by the 273 leading economists participating in the annual Dodge Economists' Survey, one finds that the economy now is just about on the course they predicted. These economists, on the average, expected 1960 to be a very good year for business: a record year in fact: but without the vigorous forward momentum that characterizes a boom year. The widely held view that economists have recently been revising their earlier rosy predictions downward has very little basis in fact.

THE RECORD of 1960 to date has been far from depressing. In the first quarter, our Gross National Product passed the half trillion dollar mark for the first time in history. Total industrial production reached an all-time high in January, and has held close to that level since. Consumer spending has been running about 6 per cent above last year, and Easter sales set a new record. The arrival of spring brought a fairly sharp increase in auto sales, leading to increased production schedules. Traveling about the country in April and May, one could not help perceiving a generally better feeling about the outlook on the part of businessmen from coast to coast.

IT SEEMS LIKELY that most economic indicators will tend to edge up gradually in the months ahead. There may be no boom in sight, but there is no room for gloom, either. When the final accounting has been made, 1960 will have been, on the average, the most prosperous year in our history.

GEORGE CLINE SMITH
Vice President and Chief Economist
F. W. Dodge Corporation

FORMFILM

Plywood FORM COATING



for finer concrete archi-TFXTURF

The proper art of concrete architecture calls for the combined skills of the architect, engineer, contractor and building materials supplier to produce a work that is architecturally pleasing, structurally sound and efficiently constructed.

That's why A. C. Horn Formfilm plywood form coating is

specified. It means easier, faster, cleaner stripping of form lumber to produce smooth surface textures completely free of all stains, that save up to 85% of normal rubbing costs.

To find out how A. C. Horn Formfilm coated forms can save money on your next concrete structure, write Dept. AR-147 for information.



A. C. HORN COMPANIES

Sun Chemical Corporation

750 Third Avenue, New York 17, N.Y.

for dishwashers • glasswashers

peelers • mixers and accessories

LOOK TO BLAKESLEE



FIRST


catalog number

·26b



in the 1960 SWEETS ARCHITECTURAL FILE

G. S. BLAKESLEE & CO. 1844 S. Laramie Ave.
Chicago 50, Illinois
New York • Los Angeles • Toronto



AEROFIN Smooth-Fin Coils offer you

Greater Heat Transfer per sq. ft. of face area

Lower Airway Resistance

-less power per c.f.m.

Aerofin smooth fins can be spaced as closely as 14 per inch with low air friction. Consequently, the heat-exchange capacity per square foot of face area is extremely high, and the use of high air velocities entirely practical. Tapered fin construction provides ample tube-contact surface so that the entire fin becomes effective transfer surface. Standardized encased units arranged for simple, quick, economical installation.



Write for Bulletin 5-55

AEROFIN CORPORATION

101 Greenway Ave., Syracuse 3, N.Y.

Aerofin is sold only by manufacturers of fan system apparatus. List on request.

ARCHITECTURAL RECORD

Published by F. W. Dodge Corporation.

119 West 40th Street, New York 18.

© 1960

All rights reserved

SEMI-ANNUAL INDEX VOLUME 127 JAN.- JUNE 1960

ABBREVIATIONS: BTS—Building Types Study; AE—Architectural Engineering; TSS—Time-Saver Standards.

A
Abell, Thornton M., and O'Neil Ford & Assocs., archts.; I.B. Adelman House, Beverly Hills, Cal.—Feb. 1960, pp. 181-184
Acoustics. "A Design Tool for Determining Acoustical Privacy Requirements"—March 1960, AE, pp. 222-224. "Toward Greater Ceiling Flexibility"; Union Carbide Building, New York City; Skidmore, Owings & Merrill, archts.—Feb. 1960, AE, pp. 220-225. Technical Roundup: "Airport Terminal Canopy Designed for Minimum Weight, Maximum Sound Absorption"; Pan American World Airways Passenger Terminal, International Airport, New York City; Tippetts-Abbett-McCarthy-Stratton, archts.; Ives, Turano and Gardner, assoc. archts.—March 1960, AE, p. 226

ner, assoc. archts.—March 1960, AE, p. 226
Acton Elementary School, Acton, Mass.;
The Architects Collaborative, archts.—Feb. 1960, BTS, pp. 208-211
Adelman House, Beverly Hills, Cal.; Thornton M. Abell and O'Neil Ford & Assocs., archts.—Feb. 1960, pp. 181-184
Air Conditioning. "Automatic Controls for Heating and Air Conditioning," by Arthur L. Spaet—Jan. 1960, AE, pp. 182-189. "A New Approach to Air Distribution in Operating Rooms," Facilities for Cardiovascular and Neurological Surgery, Clinical Center, National Institutes of Heath, Bethesda, Md.; Kiff, Colean, Voss & Souder, The Office of York & Sawyer, archts.—April 1960, AE, pp. 251-253. Residential Heating and Air Conditioning, Parts 1, 2, 3—March 1960, TSS, pp. 231, 233, 235; Parts 4, 5, 6—April 1960, TSS, pp. 261, 263, 265; Parts 7, 8, 9—May 1960, TSS, pp. 239, 241, 243. "Toward Greater Ceiling Flexibility," Union Carbide Building, New York City; Skidmore, Owings & Merrill, archts.—Feb. 1960, AE, pp. 220-225
Airports. See Transportation Buildings.

& Merrill, archts.—Feb. 1960, AE, pp. 220-225
Airports. See Transportation Buildings.
Allied Arts. "Unesco House Appraised," by John Ely Burchard; Unesco House, Paris, France; Marcel Breuer, Bernard Zehrfuss, archts.; Pier Luigi Nervi, eng.; Pablo Picasso, Jean Arp, Tamayo, Joan Miro, Afro, Alexander Calder, Henry Moore, Isamu Noguchi, Bazaine, Matta, Karel Appel, Brassai, participating artists—May 1960, pp. 145-156
American Institute of Architects, 92nd Annual convention, San Francisco—June 1960, News, pp. 9-15
Anderson, Ralph, and Dale Benedict, archts.; John C. Miller House, Seattle—June 1960, pp. 175-177
Andrews Senior High School, Andrews, Texas; Reid, Rockwell, Bamwell and Taries, archts.—Feb. 1960, BTS, pp. 196-197, 203
Anshen & Allen, archts.; Thomas W. Smith

203
Anshen & Allen, archts.; Thomas W. Smith
House, Sunnydale, Cal.—Mid-May 1960,
pp. 112-115
Apartments. Colonnade Park Apartments,
Newark, N. J.; Ludwig Mies van der
Rohe, archt.—April 1960, pp. 174-177. Lafayette Park Apartments, Detroit; Lud-

wig Mies van der Rohe, archt.—April 1960, pp. 170-173

"Architect and Public Relations, The," by Harold Burson—Feb. 1960, pp. 166-170
Architects Collaborative, The, archts.; Acton Elementary School, Acton, Mass.—Feb. 1960, BTS, pp. 208-211. Stoughton Elementary School, Stoughton, Mass.—Feb. 1960, BTS, pp. 204-207
Architectural Education. "How Should Architectural Education. "How Should Architecture Be Taught?" by Harold Bush-Brown—April 1960, News, pp. 10, 362, 366, 370

chitecture Be Taught?" by Harold BushBrown—April 1960, News, pp. 10, 362, 366,
370

Irchitectural Engineering. "Automatic
Controls for Heating and Air Conditioning," by Arthur L. Spaet—Jan. 1960, pp.
182-189. Conductive Flooring for Operating Rooms—June 1960, pp. 230-232.
"A Design Tool for Determining Acoustical Privacy Requirements"—March
1960, pp. 222-224. Forgotten Engineering;
"Post and Lintel Postdated," by Alan
Burnham; Poulson iron framing system
—May 1960, pp. 227-231. "Harnessing the
Computer for Special Structures." by
Kurt Eisemann, Saul Namyet and Lin
Woo—May 1960, pp. 232-233. Lighting for
Architecture, Part 1: "Lighting: Design
or Accident?" by William M. C. Lam—
June 1960, pp. 219-229. "The Long and
Short of Color Distance," by R. M. Hanes
—April 1960, pp. 254-256, 348. "A New
Approach to Air Distribution in Operating Rooms," Facilities for Cardiovascular
and Neurological Surgery, Clinical Center, National Institutes of Health, Bethesda, Md.; Kiff, Colean, Voss & Souder,
The Office of York & Sawyer, archts.—
April 1960, pp. 251-253. "The New Look
of Lamella Roofs," by G. R. Kiewitt—
Feb. 1960, pp. 226-230. "Parking Garage
Holds 500 Cars and a Hill," O'Hara Parking Plaza, University of Pittsburgh, Pa.;
Tasso Katselas, archts.—May 1960, pp.
224-226. "Thin Shells: Engineering Fitness and Architectural Form," Part I, by
Gunhard-Æstius Oravas—March 1960,
pp. 216-221; Part 2—April 1960, pp. 246250. "Toward Greater Ceiling Flexibility," Union Carbide Building, New York
City; Skidmore, Owings & Merrill, archts.
—Feb. 1960, pp. 220-225. Technical Roundup: "Airport Terminal Canopy Designed
for Minimum Weight, Maximum Sound
Absorption," Pan American World Airways Passenger Terminal, International
Airport, New York City; Tippetts-AbbettMcCarthy-Stratton, archts.; Ives, Turano
and Gardner, assoc. archts.—March 1960,
pp. 226. Technical Roundup: "Heavy Beams
Cold-Bent to Form Arches," Palm House,
Garfield Park Conservatory, Chicago—
March 1960, pp. 225- Product Reports:
"Selecting S

Architectural Graphics. "Letter Forms on Architecture," by Norman Ives; IBM Sign Design Program, Eliot Noyes and Paul Rand, designers—June 1960, pp.

Architectural Practice. "The Architect and Public Relations," by Harold Burson; "Office Organization and Procedures for Present-Day Practice," a survey—Feb. 1960, pp. 165-180. "Office Organization." a survey, continued—June 1960, pp. 187-194. "Organization for Efficient Practice," Part 1; Eggers and Higgins, Architects—April 1960, pp. 207-212; Part 2; Daniel, Mann, Johnson and Mendenhall, Architects—June 1960, pp. 189-193
Arena Stage, Washington, D.C.; Harry Weese, archt.—June 1960, News, p. 20
Articles, "The Architect and Public Relations," by Harold Burson—Feb. 1960, pp. 166-170. "Baths and Kitchens: A Report of New Progress," by Leif Oxaal—Mid-May 1960, pp. 24, 48. "Building with the New FHA Guidebook," by Leonard G. Haeger—Mid-May 1960, pp. 17, 20, 40, 44. "Furnishings, Unity and Space," by Edward Larrabee Barnes—Mid-May 1960, pp. 11, 13, 15. Image of the Architect in Practice: "Office Organization and Procedures for Present-Day Practice," a survey—Feb. 1960, pp. 171-180; survey continued—June 1960, pp. 187-194. Image of the Architect in Practice: "Organization for Efficient Practice, Part 1; Eggers and Higgins, Architects—April 1960, pp. 207-212; Part 2; Daniel, Mann, Johnson and Mendenhall, Architects—June 1960, pp. 189-193. "Letter Forms on Architecture," by Norman Ives—June 1960, pp. 156-156. "New Features of Hydronic Heating," by Ray Schumack—Mid-May 1960, pp. 54. "Planning for Home Lighting," by Noel S. Florence—Mid-May 1960, pp. 7, 9, 28, 32, 34. "Trends in Warm Air Heating," by William B. Foxhall—Mid-May 1960, pp. 56, 60. "Unesco House Appraised," by John Ely Burchard; Unesco House, Paris, France; Marcel Breuer, Bernard Zehrfuss, archts.; Pier Luigi Nervi, eng.—May 1960, pp. 145-156. "The Wellsprings of Design," by John A. Kouwenhoven—April 1960, pp. 181-188. "What's Right with Architecture," by Edith Brazwell Evans; House, Cambridge, Mass.; Paul Rudolph, archt.—Mid-May 1960, pp. 66-75 Asilomar Beach State Park, Conference Housing, Pacific Grove, Cal.; John Carl Warnecke, archt.—March 1960, pp. 150-

Auditoriums. See Recreation Buildings.
Australian Academy of Science Building,
Canberra, Australia; Grounds, Romberg
and Boyd, archts.—Feb. 1960, News, pp.
14-15

Automatic Controls. "Automatic Controls for Heating and Air Conditioning," by Arthur L. Spaet—Jan. 1960, AE, pp. 182-189

Awards. "Architectural League Opens Exhibition of Gold Medalists"—April 1960, News, pp. 11-15. "Design Awards Made at Six Schools in Koppers Competition"—Jan. 1960, News, pp. 14-15. Honor Awards Program, American Institute of Architects—March 1960, News, pp. 12-15. Reynolds Memorial Award, to Nestle Headquarters, Vevey, Switzerland; Jean Tschumi, archt.—May 1960, News, pp. 10, 12-13

Bacardi Headquarters, Mexico City; Ludwig Mies van der Rohe, archt.—April 1960, pp. 178-179

pp. 178-179
Banks. First National Bank of Miami, Miami, Fla.; Weed Johnson Assocs., archts.
—May 1960, pp. 169-174. State Bank of Clearing, Chicago; Harry Weese & Assocs., archts.—May 1960, pp. 163-168
Barber-Greene (Canada) Ltd. Plant, Don Mills, Ont., Canada; John B. Parkin Assocs., archts.—June 1960, pp. 165-167
Barnes, Edward Larrabee, "Furnishings, Unity and Space"—Mid-May 1960, pp. 11, 13, 15

13, 15 "Baths

and Kitchens: A Report of New ress," by Leif Oxaal-Mid-May 1960, Progress, pp. 24, 48

pp. 24, 30 aur, Hermann, archt.; Ste. Therese de l'Enfant et de la Face Church, Hem, France—June 1960, BTS, pp. 202-203

Brance—June 1960, BTS, pp. 202-203
Beckhard, Herbert, assoc. archt., Marcel
Breuer, archt.; George Laaff House, Andover, Mass.—Mid-May 1960, pp. 128-131.
Staehelin House, Feldmeilin, Switzerland
—Jan. 1960, pp. 132-135. With Fuenmayor
& Sayago, assoc. archts.; El Recreo Center, Caracas, Venezuela—June 1960, pp. 181-186

Benedict, Dale, and Ralph Anderson, archts.; John C. Miller House, Seattle— June 1960, pp. 175-177

Bindon & Wright, archts.; Skidmore, Owings & Merrill, assoc. archts.; Norton Building, Seattle—March 1960, AE, p. 225

Blake, Peter, & Julian Neski, archts.; John Martinez House, Pound Ridge, N. Y.— Jan. 1960, pp. 142-143

Bolton and Barnstone, archts.; M. L. Cook House, Friendswood, Texas—May 1960, pp. 190-192

pp. 190-192
Breuer, Marcel, archt.; Current Works:
U. S. Embassy, The Hague, The Netherlands; Vacation House, Aspen, Colo.;
Staehelin House, Feldmeilin, Switzerland;
Laaff House, Andover, Mass.—Jan. 1960,
pp. 123-138. With Herbert Beckhard, assoc.; Fuenmayor & Sayago, assoc. archts.;
El Beereo Center, Caracas, Venezuela soc.; Fuenmayor & Sayago, assoc. arches.; El Recreo Center, Caracas, Venezuela—June 1960, pp. 181-186. With Herbert Beckhard, assoc. archt.; George Laaff House, Andover, Mass.—Mid-May 1960, pp. 128-131. With Bernard Zehrfuss, archt.; Pier Luigi Nervi, eng.; Unesco House, Paris, France—May 1960, pp. 145-156.

Britten, James A., archt.; Clarke School for the Deaf, Northampton, Mass.—Feb. 1960, BTS, pp. 214-215 Browne, Robert B., and Rufus Nims, archts.; Nat Ratner House, Miami Beach,

Fla.—Mid-May 1960, pp. 140-143

Bruce & Russell, Caudill, Rowlett & Scott, assoc. archts.; Robert E. Lee Senior High School, Tyler, Texas—May 1960, BTS, pp.

"Building with the New FHA Guidebook,"
by Leonard G. Haeger—Mid-May 1960,
pp. 17, 20, 40, 44
Burchard, Charles, A. M. Kinney Assocs.,
archts.; Hilltop Elementary School, Wyoming, Ohio—May 1960, BTS, pp. 203-205
Burchard, John Ely, "Unesco House Ap-

Burchard, John Ely, "Unesco House Appraised," Unesco House, Paris, France; Marcel Breuer, Bernard Zehrfuss, archts.; Pier Luigi Nervi, eng.—May 1960, pp. 145-156

urnham, Alan; Forgotten Engineering: "Post and Lintel Postdated," Poulson iron framing system—May 1960, AE, pp. 227-Burnham,

Bush-Brown, Harold, "How Should Architecture Be Taught?"—April 1960, News, pp. 10, 362, 366, 370
Burson, Harold, "The Architect and Public Relations"—Feb. 1960, pp. 166-170

California, University, of, Residence Halls, Berkeley; John Carl Warnecke, archt.— March 1960, pp. 154-160

March 1960, pp. 154-160
Caribe Building, New Orleans; Curtis & Davis, archts.—Feb. 1960, pp. 192-194
Carroll County General Hospital, Westminster, Md.; B. E. Starr, arch.; Edward H. Noakes & Assocs., assoc. archts.—April 1960, BTS, pp. 231-233
Carroll, Grisdale & Van Alen, archts.; Nice Ball Bearing Co. Division, Channing

Corp., Plant, Kumpsville, Pa.—June 1960, pp. 171-174
Carver, Norman F., Jr., designer; House, Gull Lake, Kalamazoo, Mich.—Mid-May 1960, pp. 124-127
Caudill, Rowlett & Scott, Bruce & Russell, assoc. archts.; Robert E. Lee Senior High School, Tyler, Texas—May 1960, BTS, pp. 206-209
Ceiling Systems, "Toward Creater Colling

Ceiling Systems. "Toward Greater Ceiling Flexibility," Union Carbide Building, New York City; Skidmore, Owings & Merrill, archts.—Feb. 1960, AE, pp. 220-225 Chandler House, Issaquah, Wash.; Mithun, Ridenour and Cochran, archts.—Mid-May 1960, pp. 116-119 Channing Corp., Nice Ball Bearing Co. Division Plant, Kumpsville, Pa.; Carroll, Grisdale & Van Alen, archts.—June 1960, pp. 171-174 Chapel, Ecole Saint-Exupery, Versailles, France; Ranier Senn, archt.—June 1960

pp. 171-174 Chapel, Ecole Saint-Exupery, Versailles, France; Ranier Senn, archt.—June 1960, BTS, p. 211 Chapelle Notre Dame, Pontarlier, France; Ranier Senn, archt.—June 1960, BTS, p.

Cherry Hill Shopping Center, Philadelphia; Victor Gruen Assocs., archts.—March 1960, BTS, pp. 202-203
Chevrolet Motor Division, General Motors Corp., Major Supply Depot, Flint, Mich.; Albert Kahn Assoc. Archts. & Engs., Inc., archts.—Jan. 1960, BTS, pp. 170-173
Chrysler Corp., Assembly Plant, St. Louis; Albert Kahn Assoc. Archts. & Engs., Inc., archts.—Jan. 1960, BTS, pp. 166-169
Church Street Urban Renewal Project, New Hayen, Conn.; John Graham and Co.,

Albert Kahn Assoc. Archts. & Engs., Inc., archts.—Jan. 1960, BTS, pp. 166-169
Church Street Urban Renewal Project, New Haven, Conn.; John Graham and Co., archts.—March 1960, BTS, p. 214
Churches. See Religious Buildings.
City and Regional Planning. El Recreo Center, Caracas, Venezuela; Marcel Breuer, archt.; Herbert Beckhard, assoc.; Fuenmayor & Sayago, assoc. archts.—June 1960, pp. 181-186. Downtown Redevelopment, Fresno, Cal.; Victor Gruen Assocs., archts.—March 1960, BTS, p. 208.
Wellington Square, London, Ont.; John Graham and Co., archts.—March 1960, BTS, p. 213. Church Street Urban Renewal Project, New Haven, Conn.; John Graham and Co., archts.—March 1960, BTS, p. 214. Lloyd Center, Portland, Ore.; John Graham and Co., archts.—March 1960, BTS, p. 214. Lloyd Center, Portland, Ore.; John Graham and Co., archts.—March 1960, BTS, pp. 214-215
Clayk Masonry. Clay Masonry Screens, Parts 1, 2—June 1960, TSS, pp. 237, 239
Clinics. See Medical Buildings.
Colbert, Charles, of Colbert-Lowrey-Hess-Boudreaux, archts.; Lawless Area Junior High School, New Orleans—May 1960, BTS, pp. 213-216
College Buildings. Society of Arts & Crafts, Art School, Detroit; Minoru Yamasaki and Assocs., archts.—Feb. 1960, pp. 149-153. Residence Halls, University of California, Berkeley; John Carl Warnecke, archt.—March 1960, pp. 157-162. Undergraduate Library, University of South Carolina, Columbia; Lyles, Bissett, Carlisle and Wolff, archts.; Edward D. Stone, assoc. archt.—May 1960, pp. 17-222. Post Office and Bookstore, Stanford University, Palo Alto, Cal.; John Carl Warnecke, archt.—March 1960, pp. 146-149. Yale University, Palo Alto, Cal.; John Carl Warnecke, archt.—March 1960, pp. 146-149. Yale University, Samuel F. B. Morse and Ezra Stiles Colleges, New Haven, Conn.; Eero Saarinen & Assoos., archts.—Feb. 1960, pp. 159-164
Colonnade Park Apartments, Newark, N. J.; Ludwig Mies van der Rohe, archts. pp. 159-164

N. J.; Ludwig Mies van der Rohe, archts.

April 1960, pp. 174-177

Color. "The Long and Short of Color Distance," by R. M. Hanes-April 1960, AE, pp. 254-256, 348

pp. 254-256, 348

Computers, "Harnessing the Computer for Special Structures," by Kurt Eisemann, Saul Namyet and Lin Woo—May 1960, AE, pp. 232-233

Concrete, "Thin Shells: Engineering Fitness and Architectural Form," Part I, by Gunhard-Æstius Oravas—March 1960, AE, pp. 246-250

Concrete, Prestroggal, Technical, D.

Concrete, Prestressed. Technical Roundup: "Punctured Prestressed Beams Frame West Coast Skyscraper," Norton Building, Seattle; Bindon & Wright, archts.; Skidmore, Owings & Merrill, assoc. archts.—March 1960, AE, p. 225
Conductive Flooring. Conductive Flooring for Operating Rooms—June 1960, AE, pp. 230-232

for Operating pp. 230-232

Cook House, Friendswood, Texas; Bolton and Barnstone, archts.—May 1960, pp.

190-192
Corbusier, Le., archt.; La Tourette, Dominican Priory, Eveux, France—June 1960, BTS, p. 198
Creighton, Marie, Junior High School, Jefferson County, Colo.; G. Meredith Musick and Clayton S. Musick, archts.—Feb. 1960, BTS, pp. 212-213
Crown Zellerbach Building, San Francisco; Hertzka & Knowles and Skidmore, Owings & Merrill, assoc. archts.—April 1960, pp. 197-203

Curtis & Davis, archts.; Caribe Building, New Orleans—Feb. 1960, pp. 192-194. Al-vin K. Halpern House, New Orleans— Mid-May 1960, pp. 144-149. Carolyn Rose Strauss Rehabilitation Center, for Oua-chita Parish Society for Crippled Chil-dren and Adults, Monroe, La.—Jan. 1960, pp. 152-153

Dallas Theater Center, Kalita Humphreys Theater, Dallas, Texas; Frank Lloyd Wright, archt.—March 1960, pp. 161-166 Daniel, Mann, John & Mendenhall, Archi-tects; Image of the Architect in Practice; "Organization for Efficient Practice," Part 2—June 1960, pp. 189-193 Darrow, Lee Stuart, archt.; Alyn B. Reid House, Mill Valley, Cal.—Mid-May 1960, pp. 84-87 Dart, Edward D., archt.; John A. Orb

pp. 54-57 art, Edward D., archt.; John A. Orb House, Barrington, III.—Jan. 1960, pp. 139-141. House, Highland Park, III.—

139-141. House, Highland Park, Ill.— May 1960, pp. 188-189 Desmond, John, archt.; Architect's House, Hammond, La.—Mid-May 1960, pp. 108-

Dominican Priory, Lille, France; Neil Hutchison and Pierre Pinsard, archts.—June 1960, BTS, pp. 199-201
Donne, A. Le, archt.; St. Claire Church Porte de Pantin, Paris, France—June 1960, BTS, pp. 206-207. With M. Patout, archt.; Sacre Coeur Church, Mulhouse, France—June 1960, BTS, pp. 204-205
Dulles International Airport, Washington, D. C.; Eero Saarinen and Assocs., archts.; Ellery Husted, assoc. archtl. consultant—March 1960, pp. 175-182
Dux, Inc., Plant and Office, Burlingame, Cal.; Knorr & Elliot, archts.—Jan. 1960, BTS, pp. 158-161

E Educational Facilities Laboratories, Inc.; "Schools for Tomorrow"—May 1960, BTS, pp. 194-197
Eggers and Higgins, Architects; Image of the Architect in Practice: "Organization for Efficient Practice," Part 1—April 1960, pp. 207-212
El Recreo Center, Caracas, Venezuela; Marcel Breuer, archt.; Herbert Beckhard, assoc.; Fuenmayor & Sayago, assoc. archts.—June 1960, pp. 181-186
Embassies. See Public Buildings.
Engineering. See Architectural Engineering.

Evans, Edith Brazwell, "What's Right with Architecture," House, Cambridge, Mass.; Paul Rudolph, archt.—Mid-May 1960, pp.

Exhibits. U.S. Pavilion, World Agricultural Fair, New Delhi, India; Minoru Yamasaki & Assocs., archts.—May 1960, pp. 175-178. "Stained Glass by Robert Pinart Ex-hibited in New York"—Jan. 1960, News,

Factories. See Industrial Buildings.
FHA Standards. "Building with the New
FHA Guidebook," by Leonard G. Haeger
—Mid-May 1960, pp. 17, 20, 40, 44
First National Bank of Miami, Miami,
Fla.; Weed Johnson Assocs., archts.—
May 1960, pp. 169-174
Fisher and Davis, archts.; Gottsche Rehabilitation Center and Hot Springs Memorial Hospital, Thermopolis, Wyo.—April

1960, BTS, pp. 240-244
Flooring, Conductive Flooring for Operating
Rooms—June 1960, AE, pp. 230-232
Florence, Noel S., "Planning for Home
Lighting"—Mid-May 1960, pp. 7, 9, 28,

Lighting"—Mid-May 1960, pp. 7, 9, 28, 32, 34

Ford, O'Neil, & Assocs., and Thornton M. Abell, archts.; I. B. Adelman House, Beverly Hills, Cal.—Feb. 1960, pp. 181-184

Foreign Architecture. Australian Academy of Science Building, Canberra, Australia; Grounds, Romberg and Boyd, archts.—Feb. 1960, News, pp. 14-15. Chapel and Cathedral, Brasilia, Brazili; Oscar Niemeyer, archt.—March 1960, News, p. 20. Barber-Greene (Canada) Ltd. Plant, Don Mills, Ont., Canada; John B. Parkin Assocs., archts.—June 1960, pp. 165-167. Greater Niagara General Hospital, Niagara Falls, Ont., Canada; John B. Parkin Assocs., archts.—April 1960, BTS, pp. 226-230. "Modern Churches in Postwar France," by Peter Hammond—June 1960, BTS, pp. 195-218. "Unesco House Appraised," by John Ely Burchard; Unesco House, Paris, France; Marcel Breuer, Bernard Zehrfuss, archts.; Pier Luigi Nervi, eng.—May 1960, pp. 145-156. U.S. Pavilion, World Agricultural Fair, New Delhi, India; Minoru Yamasaki & Assocs., archts.—May 1960, pp. 175-178. Bacardi Headquarters, Mexico City, Mexico; Ludwig Mies van der Rohe, archt.—April 1960, pp. 178-179. Re-Yamasaki & Assocs., archts.—May 1960, pp. 175-178. Bacardi Headquarters, Mexico City, Mexico; Ludwig Mies van der Rohe, archt.—April 1960, pp. 178-179. Recent work of van den Broek and Bakema, The Netherlands—May 1960, News, pp. 14-15. Staehelin House, Feldmeilin, Switzerland; Marcel Breuer, archt.; Herbert Beckhard, assoc. archt.—Jan. 1960, pp. 132-135. Nestle Headquarters, Vevey, Switzerland; Jean Tschumi, archt.—May 1960, News, pp. 10, 12-13. El Recreo Center, Caracas, Venezuela; Marcel Breuer, archt.; Herbert Beckhard, assoc.; Fuenmayor & Sayago, assoc. archts.—June 1960, pp. 181-186

mayor & Sayago, assoc. archts.—June 1960, pp. 181-186
Foreign Building Operations, U.S. State Department; U.S. Embassy, The Hague, The Netherlands; Marcel Breuer, archt.—Jan. 1960, pp. 123-129
Foxhall, William B., "Trends in Warm Air Heating"—Mid-May 1960, pp. 56, 60
Franzen, Ulrich, archt.; House, Essex, Conn.—Mid-May 1960, pp. 94-99
Fuenmayor & Sayago, assoc. archts.; Marcel Breuer, archt.; Herbert Beckhard, assoc., El Recreo Center, Caracas, Venezuela—June 1960, pp. 181-186
"Furnishings, Unity and Space," by Edward Larrabee Barnes—Mid-May 1960, pp. 11, 13, 15

Garages. "Parking Garage Holds 500 Cars and a Hill," O'Hara Parking Plaza, University of Pittsburgh, Pa.; Tasso Katselas, archt.—May 1960, AE, pp. 224-226 General Atomic, a Division of General Dynamics Corp., John Jay Hopkins Laboratory for Pure and Applied Science, Torrey Pines Mesa, Cal.; Pereira & Luckman, archts.—Jan. 1960, BTS, pp. 177-180 Gilbert House, Seattle; Paul Hayden Kirk & Assocs., archts.—Feb. 1960, pp. 185-188 Gillet, Guillaume, archts.; Notre Dame de Royan Church, France—June 1960, BTS, pp. 214-215 Goddard, George, archt.; Architect's House.

Royan Church, France—June 1900, B18, pp. 214-215
Goddard, George, archt.; Architect's House, Belvedere, Cal.—Jan. 1960, pp. 144-146
Gottsche Rehabilitation Center and Hot Springs Memorial Hospital, Thermopolis, Wyo.; Fisher and Davis, archts.—April 1960, BTS, pp. 240-244
Graham, John, and Co., archts.; Northgate Shopping Center, Seattle; Lloyd Center, Portland, Ore.; Wellington Square, London, Ont.; Church Street Urban Renewal Project, New Haven, Conn.; Bergen Mall Shopping Center, N. J.—March 1960, BTS, pp. 211-214
Graphics. Architectural Graphics: "Letter Forms on Architecture," by Norman Ives; IBM Sign Design Program, Eliot Noyes and Paul Rand, designers—June 1960, pp. 149-164

pp. 14-15

Greater Niagara General Hospital, Niagara Falls, Ont.; John B. Parkin Assocs., archts.—April 1960, BTS, pp. 226-230 Grounds, Romberg and Boyd, archts.; Australian Academy of Science Building, Canberra, Australia—Feb. 1960, News, pp. 14-15

Gruen, Victor, Assocs., archts.; Cherry Hill Shopping Center, Philadelphia—March 1960, BTS, pp. 202-203. Downtown Redevelopment, Fresno, Cal.—March 1960, BTS, p. 208. Midtown Plaza Shopping Center, Rochester, N. Y.—March 1960, BTS, p. 206. Randhurst Shopping Center, Chicago—March 1960, BTS, pp. 200-201. Westchester Terminal Plaza Shopping Center, New Rochelle, N. Y.—March 1960, BTS, p. 205
Gruen, Victor, "Retailing and the Automobile"—March 1960, BTS, pp. 192-210
Gustavson, Dean L., archt.; Architect's House, Salt Lake City, Utah—Mid-May 1960, pp. 136-139

1960, pp. 136-139

Haeger, Leonard G., "Building with the New FHA Guidebook"—Mid-May 1960, pp. 17, 20, 40, 44 Halpern House, New Orleans; Curtis & Davis, archts.—Mid-May 1960, pp. 144-149 Hammond, Peter, "Modern Churches in Postwar France"—June 1960, BTS, pp. 105,218 195-218

Hampton, Mark, archt.; Albert Weis House, Savannah, Ga.—Mid-May 1960, pp. 154-

Hancock, John, Western Home Office Build-

Hancock, John, Western Home Office Building, San Francisco; Skidmore, Owings & Merrill, archts.—April 1960, pp. 204-206
Harrison & Abramovitz, archts.; Loeb Student Center, New York University, New York City—May 1960, pp. 157-162
Hatt House, Sarasota, Fla.; William Rupp, archt.—Mid-May 1960, pp. 120-123
Heating. "Automatic Controls for Heating and Air Conditioning," by Arthur L. Spaet—Jan. 1960, AE, pp. 182-189. "New Features of Hydronic Heating," by Ray Schumack—Mid-May 1960, p. 54. Residential Heating and Air Conditioning, Parts 1, 2, 3—March 1960, TSS, pp. 231, 233, 235; Parts 4, 5, 6—April 1960, TSS, pp. 261, 263, 265; Parts 7, 8, 9—May 1960, TSS, pp. 239, 241, 243. "Trends in Warm Air Heating," by William B. Foxhall—Mid-May 1960, pp. 56, 60
Henderson House, Hillsborough, Cal.; Wurster, Bernardi and Emmons, archts.—April 1960, pp. 189-192
Hertzka & Knowles and Skidmore, Owings & Merrill, assoc. archts.; Crown Zellerbach Building, San Francisco—April 1960, pp. 197-203
Hewitt and Royer, archts.; Harry L. Wag-

197-203

pp. 197-203

Hewitt and Royer, archts.; Harry L. Wagner, assoc. archt.; North Kansas City Memorial Hospital, North Kansas City, Mo.—April 1960, BTS, pp. 222-225

Hilltop Elementary School, Wyoming, Ohio; Charles Burchard, A. M. Kinney Assocs., archts.—May 1960, BTS, pp. 203-205

Helton House Asson Color, Langdon Morally, Markey Royer, Asson Color, Langdon Morally, Markey Royer, Color, Langdon Morally, Color, Color, Langdon Morally, Color, Langdon Morally, Color, Color, Langdon Morally, Color, Color, Langdon Morally, Color, Col

Charles Burchard, A. M. Kinney Assocs., archts.—May 1960, BTS, pp. 203-205
Holton House, Aspen, Colo.; Langdon Morris, archt.—Mid-May 1960, pp. 150-153
Hospitals. Buildings Types Study No. 281—April 1960, pp. 221-244. Carroll County General Hospital, Westminster, Md.; B. E. Starr, archt.; Edward H. Noakes & Assocs., assoc. archts.—April 1960, BTS, pp. 231-233. Gottsche Rehabilitation Center and Hot Springs Memorial Hospital, Thermopolis, Wyo.; Fisher and Davis, archts.—April 1960, BTS, pp. 240-244. Greater Niagara General Hospital, Niagara Falls, Ont.; John B. Parkin Assocs., archts.—April 1960, BTS, pp. 226-230. Misericordia Hospital, Bronx, New York; Kiff, Colean, Voss & Souder, The Office of York & Sawyer, archts.—April 1960, BTS, pp. 234-239. North Kansas City Memorial Hospital, North Kansas City Moo.; Hewitt and Royer, archts.; Harry L. Wagner, assoc. archt.—April 1960, BTS, pp. 222-225. "A New Approach to Air Distribution in Operating Rooms," Facilities for Cardiovascular and Neurological Surgery, Clinical Center, National Institutes of Health. Bethesda. Md.: Kiff. Facilities for Cardiovascular and Neurological Surgery, Clinical Center, National Institutes of Health, Bethesda, Md.; Kiff, Colean, Voss & Souder, The Office of York & Sawyer, archts.—April 1960, AE, pp. 251-253. Conductive Flooring for Operating Rooms—June 1960, AE, pp. 230-232. Hot Springs Memorial Hospital and Gottsche Rehabilitation Center, Thermopolis, Wyo.; Fisher and Davis, archts.—April 1960, BTS, pp. 240-244. Houses. I. B. Adelman House, Beverly Hills, Cal.; Thornton M. Abell, and O'Neil Ford & Assocs., archts.—Feb. 1960, pp. 181-184.

Joe A. Chandler House, Issaquah, Wash.; Mithun, Ridenour and Cochran, archts.—Mid-May 1960, pp. 116-119, M. L. Cook House, Friendswood, Texas; Bolton and Barnstone, archts.—May 1960, pp. 190-192. Architect's House, Hammond, La.; John Desmond, archt.—Mid-May 1960, pp. 108-111. Frank L. Gilbert House, Seattle; Paul Hayden Kirk & Assocs., archts.—Feb. 1960, pp. 185-188. Architect's House, Belevedere, Cal.; George Goddard, archt.—Jan. 1960, pp. 186-188. Architect's House, Salt Lake City, Utah; Dean L. Gustavson Assocs., archts.—Mid-May 1960, pp. 136-139. Alvin K. Halpern House, New Orleans; Curtis & Davis, archts.—Mid-May 1960, pp. 136-139. Alvin K. Halpern House, New Orleans; Curtis & Davis, archts.—Mid-May 1960, pp. 120-123. Wellington Henderson House, Hillsborough, Cal.; Wurster, Bernardi and Emmons, archts.—April 1960, pp. 180-123. Jean Holton House, Aspen, Colo.; Langdon Morris, archt.—Mid-May 1960, pp. 150-153. George Laaff House, Andover, Mass.; Marcel Breuer, archt.; Herbert Beckhard, assoc. archt.—Jan. 1960, pp. 136-138; Mid-May 1960, pp. 128-131. John Martinez House, Pound Ridge, N. Y.; Peter Blake & Julian Neski, archts.—Jan. 1960, pp. 142-143. John C. Miller House, Seattle; Ralph Anderson and Dale Benedict, archts.—June 1960, pp. 175-177. John A Orb House, Barrington, Ill.; Edward D. Dart, archt.—Jan. 1960, pp. 139-141. Architect's House, Miadimir Ossipoff, archt.—Mid-May 1960, pp. 187-190. George Pope House, El Peco Ranch, Madera, Cal.; Wurster, Bernardi and Emmons, archts.—April 1960, pp. 187-190. George Pope House, El Peco Ranch, Madera, Cal.; Wurster, Bernardi and Emmons, archts.—April 1960, pp. 193-141. Robert B. Browne and Rufus Nims, archts.—Mid-May 1960, pp. 187-190. George Pope House, El Peco Ranch, Madera, Cal.; Wurster, Bernardi and Emmons, archts.—April 1960, pp. 193-196. Nat Ratner House, Miami Beach, Fla.; Robert B. Browne and Rufus Nims, archts.—Mid-May 1960, pp. 132-135. Richard J. Neutra, archt.—Mid-May 1960, pp. 185-187. House, Chiengo; Harry Weese, archt.—Mid-May 1960, pp. 185-187. Al

Humphreys, Kalita, Theater, Dallas Theater Center, Dallas; Frank Lloyd Wright, archt.—March 1960, pp. 161-166 Hunter, E. H. & M. K., archts.; Richard Wagner House, Hanover, N. H.—Mid-May 1960, pp. 104-107

May 1960, pp. 104-107

Husted, Ellery, assoc. archtl. consultant;
Eero Saarinen and Assocs., archts.; Dulles International Airport, Washington,
D. C.—March 1960, pp. 175-182

Hutchison, Neil, and Pierre Pinsard,
archts.; Dominican Priory, Lille, France
—June 1960, BTS, pp. 199-201

IBM Sign Design Program; Eliot Noves and Paul Rand, designers—June 1960, pp. 157-164

Image of the Architect in Practice: The Architect and Public Relations," by Harold Burson; "Office Organization and Procedure for Present-Day Practice," a survey—Feb. 1960, pp. 165-180. "Office Organization," a survey, continued—June 1960, pp. 187-194. "Organization for Efficient Practice," Part 1: Eggers and Higgins, Architects—April 1960, pp. 207-212; Part 2: Daniel, Mann, Johnson and Mendenhall, Architects—June 1960, pp. 184-193

Industrial Buildings. Building Types Study No. 278—Jan. 1960, pp. 157-180. Barber-Greene (Canada) Ltd. Plant, Don Mills, Ont.; John B. Parkin Assoc., archts.—June 1960, pp. 165-167. Chevrolet Motor Division, General Motors Corp., Major Supply Depot, Flint, Mich.; Albert Kahn Assoc. Archts. & Engs., Inc., archts.—Jan. 1960, BTS, pp. 170-173. Chrysler Corp., Assembly Plant, St. Louis; Albert Kahn Assoc. Archts. & Engs., Inc., archts.—Jan. 1960, BTS, pp. 166-169. Dux, Inc., Plant and Office, Burlingame, Cal.; Knorr & Elliot, archts.—Jan. 1960, BTS, pp. 158-161. General Atomic, a Division of General Dynamics Corp., John Jay Hopkins Laboratory for Pure and Applied Science, Torrey Pines, Mesa, Cal.; Pereira & Luckman, archts.—Jan. 1960, BTS, pp. 177-180. National Clay Pipe Manufacturers Inc., D. M. Strickland Research Laboratory, Crystal Lake, Ill.; George Fred Keck-William Keck, archts.—Jan. 1960, BTS, pp. 174-176. Nice Ball Bearing Co. Division, Channing Corp., Plant, Kumpsville, Pa.; Carroll, Grisdale & Van Alen, archts.—June 1960, pp. 171-174. Owens-Illinois Glass Co., Paper Products Division Plant, Chicago; Skidmore, Owings & Merrill, archts.—Jan. 1960, BTS, pp. 162-165. Pioneer Saws Division, Outboard Marine Corp., Plant, Waukegan, Ill.; Ralph Stoetzel, archt.—June 1960, pp. 168-170

168-170
Ives, Norman, "Letter Forms on Architecture"—June 1960, pp. 150-156
Ives, Turano and Gardner, assoc. archts.;
Tippetts - Abbett - McCarthy - Stratton, archts.; Pan American World Airways
Passenger Terminal, International Airport, New York City—March 1960, AE,

K
Kahn, Albert, Assoc. Archts, & Engs., Inc., archts.; Chevrolet Motor Division, General Motors Corp., Major Supply Depot, Flint, Mich.—Jan. 1960, BTS, pp. 170-173. Chrysler Corp., Assembly Plant, St. Louis—Jan. 1960, BTS, pp. 166-169
Katselas, Tasso, archt.; O'Hara Parking Plaza, University of Pittsburgh, Pa.—May 1960, AE, pp. 224-226
Keck, George Fred-William Keck, archts.; National Clay Pipe Manufacturers, Inc., D. M. Strickland Research Laboratory, Crystal Lake, Ill.—Jan. 1960, BTS, pp. 174-176

Ketchum and Sharp, archts.; Smithtown Central High School, Smithtown, N. Y.— May 1960, BTS, pp. 210-212
Kiff, Colean, Voss & Souder, The Office of York & Sawyer, archts.; Misericordia Hospital, Bronx, N. Y.—April 1960, BTS, pp. 234-239. Facilities for Cardiovascular and Neurological Surgery. Clinical Center, National Institutes of Health, Bethesda, Md.—April 1960, AE, pp. 251-253
Kinney, A. M., Assocs., Charles Burchard, archts.; Hilltop Elementary School, Wyoming, Ohio—May 1960, BTS, pp. 203-205
Kirk, Paul Hayden, & Assocs., archts.; Frank L. Gilbert House, Seattle, Wash.—Feb. 1960, pp. 185-188
Knorr & Elliot, archts.; Dux, Inc., Plant and Office, Burlingame, Cal.—Jan. 1960, BTS, pp. 158-161
Kouwenhoven, John A., "The Wellsprings of

BTS, pp. 158-161
Kouwenhoven, John A., "The Wellsprings of Design"—April 1960, pp. 181-188
Krebs & Fader, archts.; P. F. Pfeister Building, Detroit—Feb. 1960, pp. 189-191

Laaff House, Andover, Mass.; Marcel Breu-er, archt.; Herbert Beckhard, assoc. archt.

—Jan. 1960, pp. 136-138; Mid-May 1960, pp. 128-131

Lafayette Park Apartments, Detroit; Ludwig Mies van der Rohe, archt.—April 1960, pp. 170-173

Lamella Roofs. "The New Look of Lamella Roofs," by G. R. Kiewitt-Feb. 1960, AE, рр. 226-230

pp. 226-230

Lawless Area Junior High School, New Orleans; Charles R. Colbert of Colbert-Lowrey-Hess-Boudreaux, archts.—May 1960, BTS, pp. 213-216

Lee, Robert E., Senior High School, Tyler, Texas; Caudill, Rowlett & Scott and Bruce & Russell, assoc. archts.—May 1960, BTS, pp. 206-209

"Letter Forms on Architecture" by Nor-

"Letter Forms on Architecture" by Norman Ives—June 1960, pp. 156-157
Libraries. Undergraduate Library, University of South Carolina, Columbia; Lyles, Bissett, Carlisle and Wolff, archts.; Edward D. Stone, assoc. archt.—May 1960, pp. 217-292

pp. 217-222

pp. 217-222
Lighting. Lighting for Architecture, Part 1; "Lighting: Design or Accident?" by William M. C. Lam—June 1960, AE, pp. 219-229. "Planning for Home Lighting," by Noel S. Florence—Mid-May 1960, pp. 7, 9, 28, 32, 34. "Toward Greater Ceiling Flexibility," Union Carbide Building, New York City; Skidmore, Owings & Merrill, archts.—Feb. 1960, AE, pp. 220-225

Lloyd Center, Portland, Ore.; John Graham

Lloyd Center, Portland, Ore.; John Graham and Co., archts.—March 1960, BTS, p. 212 Lusk and Wallace, archts.; Maytag Aircraft Corp. Offices, Colorado Springs, Colo.— May 1960, pp. 182-184 Lyles, Bissett, Carlisle and Wolff, archts.; Edward D. Stone, assoc. archt.; Under-graduate Library, University of South Carolina, Columbia—May 1960, pp. 217-222

Mann and Harrover, archts.; Memphis Air-port, Memphis, Tenn.—April 1960, pp. 213-220

Marot, Michel, archt.; Ste. Agnes Church, Fontaine-les-Gres, France—June 1960, BTS, p. 212

Martinez House, Pound Ridge, N. Y.; Peter Blake & Julian Neski, archts.—Jan. 1960, pp. 142-143

Blake & Julian Neski, archts.—Jan. 1960, pp. 142-143

Masonry. Clay Masonry Screens, Parts 1, 2
—June 1960, TSS, pp. 237, 239

Matsumoto, George, and G. Milton Small (for Small & Boaz), assoc. archts.; Gregory Poole House, Raleigh, N. C.—March 1960, pp. 187-190

Maytag Aircraft Corp. Offices, Colorado Springs, Colo.; Lusk and Wallace, archts.—May 1960, pp. 182-184

Medical Buildings. Outpatient Rehabilitation Center for Crippled Children's Society, Miami, Fla.; Weed-Russell-Johnson Assocs., archts.—Jan. 1960, pp. 154-156. Carolyn Rose Strauss Rehabilitation Center, for Ouachita Parish Society for Crippled Children and Adults, Monroe, La.; Curtis and Davis, archts.—Jan. 1960, pp. 152-153. Texas Institute for Rehabilitation and Research, Houston, Texas; Wilson, Morris, Crain and Anderson, archts.—Jan. 1960, pp. 147-151. Gottsche Rehabilitation Center and Hot Springs Memorial Hospital, Thermopolis, Wyo.; Fisher and Davis, archts.—April 1960, BTS, pp. 240-244

Memphis Airport, Memphis, Tenn.; Mann and Harrover, archts.—April 1960, pp. 213-220

Midtown Plaza Shopping Center, Rochester,

Midtown Plaza Shopping Center, Rochester, N. Y.; Victor Gruen Assocs., archts.—March 1960, BTS, p. 206
Mies van der Rohe, Ludwig, archt.; Past and Current Work, including: Lafayette Park Apartments, Detroit; Colonnade Park Apartments, Newark, N. J.; Bacardi Headquarters, Mexico City—April 1960, pp. 165-180. Winner, Gold Medal, American Institute of Architects—March 1960, News, p. 25

can Institute of Architects—March 1900, News, p. 25
Miller House, Seattle; Ralph Anderson and Dale Benedict, archts.—June 1960, pp. 175-177
Mills High School, San Bruno, Cal.; John Lyon Reid & Partners, archts.—Feb. 1960, BTS, pp. 196-201
Musick, G. Meredith, and Clayton S. Mu-

sick, archts.; Marie Creighton Junior High School, Jefferson County, Colo.— Feb. 1960, BTS, pp. 212-213 Misericordia Hospital, Bronx, N. Y.; Kiff, Colean, Voss & Souder, The Office of York & Sawyer, archts.—April 1960, BTS, pp. 234-239

Mithun, Ridenour and Cochran, archts.; Jo A. Chandler House, Issaquah, Wash.-Mid-May 1960, pp. 116-119

Morris, Langdon, archt.; Jean Holton House, Aspen, Colo.—Mid-May 1960, pp. 150-153

National Clay Pipe Manufacturers, Inc., D.
M. Strickland Research Laboratory, Crystal Lake, Ill., George Fred Keck-William Keck, archts.—Jan. 1960, BTS, pp. 174-176
National Cultural Center for the Performing Arts, Washington, D. C.; Edward D. Stone, archt.—Jan. 1960, News, p. 10
National Institutes of Health, Facilities for Cardiovascular and Neurological Surgery, Clinical Center, Bethesda, Md.; Kiff, Colean, Voss & Souder, The Office of York & Sawyer, archts.—April 1960, AE, pp. 250-253 250-253

Nervi, Pier Luigi, eng.; Marcel Breuer, Bernard Zehrfuss, archts.; Unesco House, Paris, France; "Unesco House Ap-praised," by John Ely Burchard—May 1960, pp. 145-156. Winner, Gold Medal, Royal Institute of British Architects—

March 1960, News, p. 25 Nestle Headquarters, Vevey, Switzerland; Jean Tschumi, archt.—May 1960, News,

pp. 10, 12-13 Neutra, Richard J., archt.; Maury Sorrells House, Shoshone, Cal.—March 1960, pp. 183-186

"New Features of Hydronic Heating," by Ray Schumack—Mid-May 1960, p. 54 New York University, Loeb Student Center, New York City; Harrison & Abramovitz, archts.—May 1960, pp. 157-162 Niemeyer, Oscar, archt.; Chapel and Cathe-dral, Brasilia, Brazil—March 1960, News,

p. 20

p. 20 Nims, Rufus, and Robert B. Browne, archts.; Nat Ratner House, Miami Beach, Fla.—Mid-May 1960, pp. 140-143 Nice Ball Bearing Co. Division Plant, Chan-ning Corp., Kumpsville, Pa.; Carroll, Grisdale & Van Alen, archts.—June 1960,

Nice Ball Bearing Co. Division Plant, Channing Corp., Kumpsville, Pa.; Carroll, Grisdale & Van Alen, archts.—June 1960, pp. 171-174

Noakes, Edward H., & Assocs., assoc. archts.; B. E. Starr, archt.; Carroll County General Hospital, Westminster, Md.—April 1960, BTS, pp. 231-233

Northgate Shopping Center, Seattle; John Graham and Co., archts.—March 1960, BTS, p. 211

North Kansas City Memorial Hospital, North Kansas City, Mo.; Hewitt and Royer, archts.; Harry L. Wagner, assoc. archt.—April 1960, BTS, pp. 222-225

Norton Building, Seattle; Bindon & Wright, archts.; Skidmore, Owings & Merrill, assoc. archts.—March 1960, AE, p. 225

Notre Dame de Lourdes Church, Auxerre, France; Pierre Prunet, archt.—June 1960, BTS, p. 208

Notre Dame de Royan Church, France; Guillaume Gillet, archt.—June 1960, BTS, pp. 214-215

pp. 214-215
Novarina, M., archt.; Sacre Coeur Church,
Audincourt, France—June 1960, BTS, pp.
196-197

Noyes, Eliot, and Paul Rand, designers; IBM Sign Design Program—June 1960, pp. 157-164

Office Buildings. Bacardi Headquarters, Mexoffice Buildings. Bacardi Headquarters, Mexico City; Ludwig Mies van der Rohe, archt.—April 1960, pp. 178-179. Caribe Building, New Orleans; Curtis and Davis, archt.—Feb. 1960, pp. 192-194. Crown Zellerbach Building, San Francisco; Hertzka & Knowles and Skidmore, Owings & Merrill, assoc. archts.—April 1960, pp. 197-203. Dux, Inc., Plant and Office, Burlingame, Cal.; Knorr & Elliot, archts.—Jan. 1960, BTS, pp. 158-161. John Hancock Western Home Office, San Francisco; Skidmore, Owings & Merrill, archts.—April 1960, pp. 204-206. Maytag Aircraft Corp. Offices, Colorado Springs, Colo.; Lusk and Wallace, archts.—May 1960, pp. 182-184. Nestle Headquarters, Vevey, Switzerland; Jean Tschumi, archt.—May 1960, News, pp. 10, 12-13. Norton Building, Seattle; Bindon & Wright, archts.; Skidmore, Owings & Merrill, assoc. archts.—March 1960, AE, p. 225. P. F. Pfeister Building, Detroit; Krebs & Fader, archts.—Feb. 1960, pp. 189-191. St. Lawrence Seaway Development Corp. Offices, Massena, N. Y.; Sargent-Webster-Crenshaw and Folley, archts.—May 1960, pp. 179-181. Union Carbide Building, New York City; Skidmore, Owings & Merrill, archts.—Feb. 1960, AE, pp. 220-225 "Office Organization and Procedures for Present-Day Practice," a survey—Feb. 1960, pp. 171-180. "Office Organization," a survey, continued—June 1960, pp. 187-194

194
Orb House, Barrington, Ill.; Edward D. Dart, archt.—Jan. 1960, pp. 139-141
Osborn Elementary School, Rye, N. Y.; Sherwood, Mills and Smith, archts.—Feb. 1960, BTS, pp. 216-218
Ossipoff, Vladimir, archt.; Architect's House, Honolulu—Mid-May 1960, pp. 76-79

Outboard Marine Corp., Pioneer Saw Division Plant, Waukegan, Ill.; Ralph Stoetzel, archt.—June 1960, pp. 168-170
Outpatient Rehabilitation Center for Crippled Children's Society, Miami, Fla.; Weed-Russell-Johnson Assocs, archts.—Jan. 1960, pp. 154-156
Owens-Illinois Glass Co., Paper Products Division Plant, Chicago; Skidmore, Owings & Merrill, archts.—Jan. 1960, BTS, pp. 162-165
Oxaal, Leif, "Baths and Kitchens; A Report of New Progress"—Mid-May 1960, pp. 24, 48

Paints Paints for Various Surfaces—June 1960, TSS, p. 241
Pan American World Airways Passenger Terminal, International Airport, New York City; Tippetts-Abbett-McCarthy-Stratton, archts.; Ives, Turano and Gardner, assoc. archts.—March 1960, AE, p. 226

Stratton, archts.; Ives, Turano and Gardner, assoc. archts.—March 1960, AE, p. 226

Pancoast, Ferendino, Skeels & Burnham, archts.; Russell T. Pancoast House, Miami, Fla.—June 1960, pp. 178-180

Pancoast House, Miami, Fla.; Pancoast, Ferendino, Skeels & Burnham, archts.—June 1960, pp. 178-180

Parkin, John B., Assocs., archts.; Barber-Greene (Canada) Ltd., Plant, Don Mills, Ont.—June 1960, pp. 165-167. Greater Niagara General Hospital, Niagara Falls, Ont.—April 1960, BTS, pp. 226-230

Parking, "Parking Garage Holds 500 Cars and a Hill," O'Hara Parking Plaza, University of Pittsburgh, Pa.; Tasso Katselas, archt.—May 1960, AE, pp. 224-226

Patout, M., and A. Le Donne, archts.; Sacre Coeur Church, Mulhouse, France—June 1960, BTS, pp. 204-205

Pereira & Luckman, archts.; General Atomic, a Division of General Dynamics Corp., John Jay Hopkins Laboratory for Pure and Applied Science, Torrey Pines Mesa, Cal.—Jan. 1960, BTS, pp. 177-180

Pfeister, P. F., Building, Detroit; Krebs & Fader, archts.—Feb. 1960, pp. 189-191

Pinsard, Pierre, and Neil Hutchison, archts.; Dominican Priory, Lille, France—June 1960, BTS, pp. 199-201

Pioneer Saws Division Plant, Outboard Marine Corp., Waukegan, Ill.; Ralph Stoetzel, archt.—June 1960, pp. 168-170

Pittsburgh, University of, O'Hara Parking Plaza, Pa.; Tasso Katselas, archt.—May 1960, AE, pp. 224-226

"Planning for Home Lighting," by Noel S. Florence—Mid-May 1960, pp. 7, 9, 28, 32, 34

Poole House, Raleigh, N. C.; G. Milton Small (for Small & Boaz) and George

oole House, Raleigh, N. C.; G. Milton Small (for Small & Boaz) and George Matsumoto, archts.—March 1960, pp. 187-Poole

Pope House, El Peco Ranch, Madera, Cal.;
Wurster, Bernardi and Emmons, archts.
—April 1960, pp. 193-196
Poulson iron framing system, Forgotten
Engineering: "Post and Lintel Postdated," by Alan Burnham—May 1960,
AE, pp. 227-231

Prefabrication. Prefabricated Church Pro-ject; Ranier Senn, archt.—June 1960,

Price, Robert Billsbrough, archt.; Richard N. Wegner House, Tacoma, Wash.—May 1960, pp. 185-187
Prunet, Pierre, archt.; Notre Dame de Lourdes Church, Auxerre, France—June 1960, BTS, p. 208. Ste. Agnes de Beauregard Church, Nancy, France—June 1960, BTS, p. 209
Public Buildings. National Cultural Center for the Performing Arts, Washington, D. C.; Edward D. Stone, archt.—Jan. 1960, News, p. 10. "Unesco House Appraised," by John Ely Burchard; Unesco House, Paris, France; Marcel Breuer, Bernard Zehrfuss, archts. Pier Luigi Nervi, eng.—May 1960, pp. 145-156. U.S. Embassy, The Hague, The Netherlands; Marcel Breuer, archt.—Jan. 1960, pp. 123-129

R

Rand, Paul, and Eliot Noyes, designers; IBM Sign Design Program—June 1960, pp. 157-164 Randhurst Shopping Center, Chicago; Vic-tor Gruen Assocs., archts.—March 1960, BTS. pp. 200-201

Randhurst Shopping Center, Chicago; Victor Gruen Assocs., archts.—March 1960, BTS, pp. 200-201
Ratner House, Miami, Fla.; Robert B. Browne and Rufus Nims, archts.—Mid-May 1960, pp. 140-143
Recreation Buildings. Conference Housing, Asilomar Beach State Park, Pacific Grove, Cal.; John Carl Warnecke, archt.—March 1960, pp. 150-153. Australian Academy of Science Building, Canberra, Australia; Grounds, Romberg and Boyd, archts.—Feb. 1960, News, pp. 14-15. Kalita Humphreys Theater of the Dallas Theater Center, Dallas; Frank Lloyd Wright, archt.—March 1960, pp. 161-166. National Cultural Center for the Performing Arts, Washington, D. C.; Edward D. Stone, archt.—Jan. 1960, News, p. 10. Arena Stage, Washington, D.C.; Harry Weese, archt.—June 1960, News, p. 20
Rehabilitation Centers. See Medical Buildings.

Reid House, Mill Valley, Cal.; Lee Stuart Darrow, archt.—Mid-May 1960, pp. 84-87 Reid, John Lyon, & Partners, archts.; Mills High School, San Bruno, Cal.—February 1960, BTS, pp. 196-201

Reid, John Lyon, & Partners, archts.; Mills High School, San Bruno, Cal.—February 1960, BTS, pp. 196-201
Reid, Rockwell, Bamwell and Tarics, archts.; Andrews Senior High School, Andrews, Texas—Feb. 1960, BTS, pp. 196-197, 203
Religious Buildings. Building Types Study No. 283—June 1960, pp. 195-218. Chapelle Notre Dame, Pontarlier, France; St. Andre-de-Nice, France; Chapel, Ecole Saint-Exupery, Versailles, France; Prefabricated church project; Ranier Senn, archt.—June 1960, BTS, pp. 210-211. Dominican Priory, Lille, France; Neil Hutchison and Pierre Pinsard, archts.—June 1960, BTS, pp. 199-201. Notre Dame de Lourdes Church, Auxerre, France; Pierre Prunet, archt.—June 1960, BTS, pp. 208. Notre Dame de Royan Church, France; Guillaume Gillet, archt.—June 1960, BTS, pp. 214-215. Sacre Coeur Church, Audincourt, France; M. Novarina, archt.—June 1960, BTS, pp. 196-197. Sacre Coeur Church, Mulhouse, France; A. Le Donne and M. Patout, archts.—June 1960, BTS, pp. 204-205. St. Agnes Church, Fontaine-les-Gres, France; Michel Marot, archt.—June 1960, BTS, pp. 209. St. Claire Church, Porte de Pantin, Paris, France; A. Le Donne, archt.—June 1960, BTS, pp. 213. Ste. Therese de l'Enfant Jesus et de la Ste. Face Church, Hem, France; Hermann Baur, archt.—June 1960, BTS, pp. 213. Ste. Therese de l'Enfant Jesus et de la Ste. Face Church, Hem, France; Hermann Baur, archt.—June 1960, BTS, pp. 198. Warren Methodist Church, Warren, Mich.; Yamasaki, Leinweber & Assocs., archts.—Feb. 1960, pp. 154-158. Chapel and Cathedral, Brasilia, Brazil; Oscar Niemeyer, archt.—March 1960, News, p. 20. "Modern Churches in Postwar France," by Peter Hammond—June 1960, BTS, pp. 195-218
Research Buildings. General Atomic, a Division of General Dynamics Corp., John Jay Hopkins Laboratory for Driverse.

Research Buildings. General Atomic, a Divi-sion of General Dynamics Corp., John Jay Hopkins Laboratory for Pure and

Applied Science, Torrey Pines Mesa, Cal.; Pereira & Luckman, archts.—Jan. 1960, BTS, pp. 177-180. National Clay Pipe Manufacturers, Inc., D. M. Strickland Research Laboratory, Crystal Lake, Ill.; George Fred Keck-William Keck, archts.—Jan. 1960, BTS, pp. 174-176. Product Reports: "Selecting Service Fixtures for School Labs," by Carl Spatt—May 1960, AE, pp. 234-235
"Retailing and the Automobile," by Victor Gruen—March 1960, BTS, pp. 192-210 Riley House, Atherton, Cal.; George Rockrise, archt.—Mid-May 1960, pp. 132-135
Rockrise, George, archt.; William T. Riley House, Atherton, Cal.—Mid-May 1960, pp. 132-135

Roofing. Asphalt Strip Shingles, Parts 1, 2, 3—Feb. 1960, TSS, pp. 235, 237, 239 Roofs. "The New Look of Lamella Roofs," by G. R. Kiewitt—Feb. 1960, AE, pp. 226-230

Rothstein House, Raleigh, N. C.; G. Milton Small, of Small & Boaz, archt.—Mid-May 1960, pp. 100-103 Rudolph, Paul, archt.; Sarasota Senior High School, Sarasota, Fla.—May 1960, BTS, pp. 198-202. House, Cambridge, Mass.— Mid-May 1960, pp. 66-75 Rupp, William, archt.; William Swazey Hatt House, Sarasota, Fla.—Mid-May 1960, pp. 120-123

132-135

Saarinen, Eero, and Assocs., archts.; Ellery Husted, assoc. archtl. consultant; Dulles International Airport, Washington, D. C. —March 1960, pp. 175-182. Yale Univer-sity, Samuel F. B. Morse and Ezra Stiles Colleges, New Haven, Conn.—Feb. 1960, pp. 159-164 Sacre Coeur Church, Audincourt, France; M. Novarina, archt.—June 1960, BTS, pp. 196-197

Sacre Coeur Church, Mulhouse, France; A.
Le Donne and M. Patou, archts.—June
1960, BTS, pp. 204-205
Ste. Agnes Church, Fontaine-les-Gres,

te. Agnes BTS, p. 212

BTS, p. 212
Ste. Anne de Beauregard Church, Nancy, France; Pierre Prunet, archt.—June 1960, BTS, p. 209
St. Andre-de-Nice Church, France; Ranier Senn, archt.—June 1960, BTS, p. 211
St. Claire Church, Porte de Pantin, Paris, France; A. Le Donne, archt.—June 1960, BTS, pp. 206-207
St. Leguer Church, Grenoble, France; Vin-

St. Jacques Church, Grenoble, France; Vincent, Pupat, Potié, archts.—June 1960, BTS, p. 213

St. Lawrence Seaway Development Corp.
Offices, Massena, N. Y.; Sargent-WebsterCrenshaw and Folley, archts.—May
1960, pp. 179-181

Ste. Therese de l'Enfant Jesus et de la Ste. Face Church, Hem, France; Hermann Baur, archt.—June 1960, BTS, pp. 202-203
Sarasota Senior High School, Sarasota, Fla.; Paul Rudolph, archt.—May 1960, BTS, pp. 198-202

Fla.; Paul Rudolph, archt.—May 1960, BTS, pp. 198-202

Sargent-Webster-Crenshaw and Folley, archts.; St. Lawrence Seaway Development Corp. Offices, Massena, N. Y.—May 1960, pp. 179-181.

Schools. Building Types Study No. 279—Feb. 1960, pp. 195-218. Building Types Study No. 282—May 1960, pp. 193-216. Acton Elementary School, Acton, Mass.; The Architects Collaborative, archts.—Feb. 1960, BTS, pp. 208-211. Andrews Senior High School, Andrews, Texas; Reid, Rockwell, Bamwell and Tarics, archts.—Feb. 1960, BTS, pp. 196-197, 203. Clarke School for the Deaf, Northampton, Mass.; James A. Britten, archt.—Feb. 1960, BTS, pp. 214-215. Marie Creighton Junior High School, Jefferson County, Colo.; G. Meredith Musick and Clayton S. Musick, archts.—Feb. 1960, BTS, pp. 212-213. Hilltop Elementary School, Wyoming, Ohio; Charles Burchard, A. M. Kinney Assocs., archts.—May 1960, BTS, pp. 203-205. Lawless Area Junior High School, New Orleans; Charles R. Colbert, of Colbert-Lowrey-Hess-Boudreaux, archt.—May 1960, BTS, pp. 213-216. Robert E. Lee Senior High School, Tyler, Texas; Caudill, Rowlett & Scott and Bruce & Russell, assoc. archts.—May 1960, BTS, pp. 206-209. Mills High School, San Bruno, Cal.; John Lyon Reid

& Partners, archts.—Feb. 1960, BTS, pp. 196-201. Osborn Road Elementary School, Rye, N. Y.; Sherwood, Mills and Smith, archts.—Feb. 1960, BTS, pp. 216-218. Sarasota Senior High School, Sarasota, Fla.; Paul Rudolph, archt.—May 1960, BTS, pp. 198-202. Smithtown Central High School, Smithtown, N. Y.; Ketchum and Sharp, archts.—May 1960, BTS, pp. 210-212. Stoughton Elementary School, Stoughton, Mass.; The Architects Collaborative, archts.—Feb. 1960, BTS, pp. 204-207. "Schools for Tomorrow," prepared by Education Facilities Laboratories, Inc.—May 1960, BTS, pp. 194-197. Product Reports: "Selecting Service Fixtures for School Labs," by Carl Spatt—May 1960, AE, pp. 234-235
Schumack, Ray, "New Features of Hydronic Heating"—Mid-May 1960, p. 54
Senn, Ranier, archt.; Chapelle Notre Dame, Pontarlier, France; St. Andre-de-Nice Church, France; Chapel, Ecole Saint-Exupery, Versailles, France; Prefabricated church project—June 1960, BTS, pp. 210-211
Sherwood, Mills and Smith, archts.: Os-

210-211

Exupery, Versailles, France; Prefabricated church project—June 1960, BTS, pp. 210-211

Sherwood, Mills and Smith, archts.; Osborn Road Elementary School, Rye, N. Y.—Feb. 1960, BTS, pp. 216-218

Shingles, Asphalt Strip Shingles, Parts 1, 2, 3—Feb. 1960, TSS, pp. 235, 237, 239

Shopping Centers. Building Types Study No. 280—March 1960, pp. 191-214. Cherry Hill Shopping Center, Philadelphia; Victor Gruen Assocs., archts.—March 1960, BTS, pp. 202-203. Church Street Urban Renewal Project, New Haven, Conn.; John Graham and Co., archts.—March 1960, BTS, pp. 202-203. Church Street Urban Renewal Project, New Haven, Conn.; John Graham and Co., archts.—March 1960, BTS, p. 2112. Midtown Plaza Shopping Center, Rochester, N. Y.; Victor Gruen Assocs., archts.—March 1960, BTS, p. 206. Northgate Shopping Center, Seattle; John Graham and Co., archts.—March 1960, BTS, p. 200. 201. Wellington Square, London, Ont.; John Graham and Co., archts.—March 1960, BTS, pp. 200-201. Wellington Square, London, Ont.; John Graham and Co., archts.—March 1960, BTS, pp. 207-201. Wellington Square, London, Ont.; John Graham and Co., archts.—March 1960, BTS, pp. 213. Westchester Terminal Plaza, New Rochelle, N. Y.; Victor Gruen Assocs., archts.—March 1960, BTS, pp. 192-210

Skidmore, Owings & Merrill, archts.; John Hancock Western Home Office Building, San Francisco—April 1960, AE, pp. 220-225. As assoc. archts.; Bindon & Wright, archts.; Norton Building, Seattle—March 1960, AE, pp. 225. As assoc. archts.; Bindon & Wright, archts.; Norton Building, Seattle—March Building, San Francisco—April 1960, AE, pp. 220-225. As assoc. archts.; Bindon & Wright, archts.; Norton Building, Seattle—March 1960, AE, pp. 225. As assoc. archts. with Hertzka & Knowles; Crown Zellerbach Building, San Francisco—April 1960, pp. 197-203

Small, G. Milton, of Small & Boaz, archt.; Philip L. Rothstein House, Raleigh, N. C.—Mid-May 1960, pp. 100-103. As assoc. archt. with George Matsumoto; Gregory Poole House, Raleigh, N. C.—March 1960, pp. 187-190.

Poole House, Raleigh, N. C.—March 1960, pp. 187-190
Smith House, Sunnydale, Cal.; Anshen & Allen, archts.—Mid-May 1960, pp. 112-115
Smithtown Central High School, Smithtown, N. Y.; Ketchum and Sharp, archts.—May 1960, BTS, pp. 210-212
Society of Arts & Crafts, Art School, Detroit; Minoru Yamasaki and Assocs., archts.—Feb. 1960, pp. 149-153
Sorrells House, Shoshone, Cal.; Richard J.

Sorrells House, Shoshone, Cal.; Richard J. Neutra, archt.—March 1960, pp. 183-186 South Carolina, University of, Undergraduate Library, Columbia; Lyles, Bissett, Carlisle and Wolff, archts.; Edward D. Stone, assoc. archt.—May 1960, pp. 217-222

Staehelin House, Feldmeilin, Switzerland; Marcel Breuer, archt.; Herbert Beckhard, assoc. archt.—Jan. 1960, pp. 132-135

Stanford University, Post Office and Book-store, Palo Alto, Cal.; John Carl War-necke, archt.—March 1960, pp. 146-149

Starr, B. E., archt.; Edward H. Noakes & Assocs., assoc. archts.; Carroll County General Hospital, Westminster, Md.—April 1960, BTS, pp. 231-233

State Bank of Clearing, Chicago; Harry Weese & Assocs., archts.—May 1960, pp. 163-168
Steel. Technical Roundup: "Heavy Beams Cold-Bent to Form Arches," Palm House, Garfield Park Conservatory, Chicago—March 1960, AE, pp. 225-226
Steel, Prestressed. Technical Roundup: "Airport Terminal Canopy Designed for Minimum Weight, Maximum Sound Absorption," Pan American World Airways Passenger Terminal, International Airport, New York City; Tippetts-Abbett-McCarthy-Stratton, archts.; Ives, Turano and Gardner, assoc. archts.—March 1960, AE, p. 226
Steel Tubing. Structural Uses of Welded Steel Tubing—Jan. 1960, pp. 190, 195, 197, 199

Steel Tubing—Jan. 1900, pp. 190, 190, 191, 199
Stoetzel, Ralph, archt.; Pioneer Saw Division, Outboard Marine Corp.; Plant, Waukegan, Ill.—June 1960, pp. 168-170
Stone, Edward D., archt.; National Cultural Center for the Performing Arts, Washington, D. C.—Jan. 1960, News, p. 10. As assoc. archt.; Lyles, Bissett, Carlisle and Wolff, archts.; Undergraduate Library, University of South Carolina, Columbia—May 1960, pp. 217-222
Stoughton Elementary School, Stoughton, Mass.; The Architects Collaborative, archts.—Feb. 1960, BTS, pp. 204-207
Strauss, Carl A., archt.; House, Cincinnati—Mid-May 1960, pp. 80-83
Strauss, Carolyn Rose, Rehabilitation Center for Ouachita Parish Society for Crippled Children and Adults, Monroe, La.; Curtis and Davis, archts.—Jan. 1960, pp. 152-153

Structure. "The New Look of Lamella Roofs," by G. R. Kiewitt—Feb. 1960, AE, pp. 226-230

Texas Institute for Rehabilitation and Research, Houston; Wilson, Morris, Crain and Anderson, archts.—Jan. 1960, pp. 147-

Theaters. See Recreation Buildings.
Thin Shells. "Thin Shells: Engineering Fitness and Architectural Form," Part 1, by Gunhard-Æstius Oravas—March 1960, AE, pp. 216-221; Part 2—April 1960, AE, pp. 246-250

AE, pp. 246-250

Time-Saver Standards. Asphalt Strip Shingles, Parts 1, 2, 3—Feb. 1960, pp. 235, 237, 239. Clay Masonry Screens, Parts 1, 2—June 1960, pp. 237, 239. Paints for Various Surfaces—June 1960, p. 241. Residential Heating and Air Conditioning, Parts 1, 2, 3—March 1960, pp. 231, 233, 235; Parts 4, 5, 6—April 1960, pp. 261, 263, 265; Parts 7, 8, 9—May 1960, pp. 239, 241, 243. Structural Uses of Welded Steel Tubing—Jan. 1960, pp. 190, 195, 197, 199

Tippetts-Abbett-McCarthy-Stratton, archts.; Ives, Turano and Gardner, assoc. archts.; Pan American World Airways Passenger Terminal, International Airport, New York City—March 1960, AE, p. 226

Tourette, La, Dominican Priory, Eveux, France; Le Corbusier, archt.—June 1960, BTS, p. 198

Transportation Buildings. Dulles International

BTS, p. 198
Transportation Buildings. Dulles International Airport, Washington, D. C.; Eero Saarinen and Assocs., archts.; Ellery Husted, assoc. archtl. consultant—March 1960, pp. 175-182. Memphis Airport, Memphis, Tenn.; Mann and Harrover, archts.—April 1960, pp. 213-220. Pan American World Airways Passenger Terminal, International Airport, New York City; Tippetts-Abbett-McCarthy-Stratton, archts.; Ives, Turano and Gardner, assoc. archts.—March 1960, AE, p. 226. "Jet Airports"—March 1960, pp. 167-174
"Trends in Warm Air Heating," by William B. Foxhall—Mid-May 1960, pp. 56, 60
Tschumi, Jean, archt.; Nestle Hequarters, Vevey, Switzerland—May 1960, News, pp. 10, 12-13

"Unesco House Appraised," by John Ely Burchard; Unesco House, Paris, France; Marcel Breuer, Bernard Zehrfuss, archts.; Pier Luigi Nervi, eng.—May 1960, pp. 145-

Union Carbide Building, New York City; Skidmore, Owings & Merrill, archts.— Feb. 1960, AE, pp. 220-225

U. S. Embassy, The Hague, The Netherlands; Marcel Breuer, archt.—Jan. 1960, pp. 123-129
U. S. Pavilion, World Agricultural Fair, New Delhi, India; Minoru Yamasaki & Assocs., archts.—May 1960, pp. 175-178
Urban Redevelopment. See City and Regional Planning.

V Van den Broek and Bakema, archts.; Recent Works, The Netherlands—May 1960, News, pp. 14-15
Ventilation. "A New Approach to Air Distribution in Operating Rooms," Facilities for Cardiovascular and Neurological Surgery, Clinical Center, National Institutes of Health, Bethesda, Md.; Kiff, Colean, Voss & Souder, The Office of York & Sawyer, archts.—April 1960, AE, pp. 251-253

Vincent, Pupat, Potié, archts.; St. Jacques Church, Grenoble, France—June 1960, BTS, p. 213

Wagner, Harry L., assoc. archt.; Hewitt and Royer, archts.; North Kansas City Me-morial Hospital, North Kansas City, Mo. —April 1960, BTS, pp. 222-225 Wagner House, Hanover, N. H.; E. H. & M. K. Hunter, archts.—Mid-May 1960, pp.

Warnecke, John Carl, archt.; Portfolio of Current Work: Post Office and Bookstore, Stanford University, Palo Alto, Cal.; Housing, Asilomar Beach State Park, Pa-cific Grove, Cal.; Residence Halls, Uni-versity of California, Berkeley—March 1960, pp. 145-160

cific Grove, Cal.; Residence Halls, University of California, Berkeley—March 1960, pp. 145-160

Warren Methodist Church, Warren, Mich.; Yamasaki, Leinweber & Assocs., archts.—Feb. 1960, pp. 154-158

Weed Johnson Assocs., archts.; First National Bank of Miami, Miami, Fla.—May 1960, pp. 169-174

Weed-Russell-Johnson Assocs., archts.; Crippled Children's Society, Miami, Fla., Outpatient Rehabilitation Center for Crippled Children's Society, Miami, Fla.,—Jan. 1960, pp. 154-156

Weese, Harry, & Assocs., archts.; State Bank of Clearing, Chicago—May 1960, pp. 163-168. Architect's House, Chicago—Mid-May 1960, pp. 88-93. Arena Stage, Washington, D.C.—June 1960, News, p. 20

Wegner House, Tacoma, Wash.; Robert Billsbrough Price, archt.—May 1960, pp. 185-187

185-187

Weis House, Savannah, Ga.; Mark Hampton, archt.—Mid-May 1960, pp. 154-159
Wellington Square, London, Ont.; John Graham and Co., archts.—March 1960, BTS, p. 213

"Wellsprings of Design, The," by John A. Kouwenhoven—April 1960, pp. 181-188

Kouwenhoven—April 1960, pp. 181-188
Westchester Terminal Plaza Shopping Center, New Rochelle, N. Y.; Victor Gruen Assocs., archts.—March 1960, BTS, p. 205
Wilson, Morris, Crain and Anderson, archts.; Texas Institute for Rehabilitation and Research, Houston, Texas—Jan. 1960, pp. 147-151
Wright, Frank Lloyd, archt.; Kalita Humphreys Theater, Dallas Theater Center, Dallas—March 1960, pp. 161-166
Wurster, Bernardi and Emmons, archts.; Wellington Henderson House, Hillsborough, Cal.; George Pope House, El Peco Ranch, Madera, Cal.—April 1960, pp. 189-196

YAYZ

Yale University, Samuel F. B. Morse and Ezra Stiles Colleges, New Haven, Conn.; Eero Saarinen & Assocs., archts.—Feb. 1960, pp. 159-164

Yamasaki, Leinweber & Assocs., archts.; Warren Methodist Church, Warren, Mich.—Feb. 1960, pp. 154-158

Yamasaki, Minoru, and Assocs., archts.; Society of Arts & Crafts, Art School, Detroit—Feb. 1960, pp. 149-153. U. S. Pavilion, World Agricultural Fair, New Delhi, India—May 1960, pp. 175-178

Zehrfuss, Bernard, Marcel Breuer, archts.; Pier Luigi Nervi, eng.; Unesco House, Paris, France; "Unesco House Appraised," by John Ely Burchard—May 1960, pp. 145-156

Index to Advertising

PRE-FILED CATALOGS of the manufacturers listed below are available in the 1960 Sweet's Catalog Files as follows: (A) Architectural	Eljer	A-IC Montgomery Elevator Co. 141 A Mosler Safe Company, The 325 A Mueller Brass Co. 285 A Multi Electric Mfg., Inc. 379
Files as follows: (A) Architectural File (green), (IC) Industrial Con- struction File (blue), (LC) Light- Construction File (yellow).	A-10 Executone, Inc. 11	National Tube Div., U. S. Steel
Construction File (yellow).	A-IC Facing Tile Institute	Corp
	A-LC Farley & Loetscher Mfg. Co. 2nd Cover, 361	A Neo-Ray Products, Inc 98 Nesbitt Inc., John J 334-335
A-IC Adam Electric Co., Frank 281 A Adams-Rite Manufacturing Com-	A IC Femantum Inc. 112 to 115	Nibco, Inc
A Adams & Westlake Company, The 304	A-IC Flexicore Co., Inc., The 99 A-IC Flintkote Co., The 110-111 A-IC Flynn Mfg. Co., Michael 362-363 A Follansbee Steel Corporation 317	
Advance Transformer Company 235 Aerofin Corporation 371	A-IC Flynn Mfg. Co., Michael362-363 A Follansbee Steel Corporation 317	A Olin Mathieson Chemical Corp. 88 A-IC-LC Overhead Door Corporation 366-367
Albina Engine & Machine Works 342	Freightliner Corporation 276 A-IC Frick Company 120	A Overly Manufacturing Co 346-347 A-IC-LC Owens-Corning Fiberglas Corp.
A Albro Metal Production Corpora-	A Frantz Mfg. Co	Ozalid, Div. of General Aniline &
A-IC Allegheny Ludlum Steel Corpora-	A-IC Fyr-Fyter Co., The 8	Film Corp 274
Alpha Portland Cement Company 92 A-IC Altec Lansing Corporation . 276	A-LC General Electric Company 64-65	Patterson Kelley Co., Inc 59, 322
A-LC American Brass Company, The . 273 American District Telegraph	General Fireproofing Co., The 283 A Glynn-Johnson Corporation 103	A Penn Metal Co., Inc
Company	A-LC Goodrich Chemical Co., B. F 62 A-IC Granco Steel Products Co 2-3	A Penn Ventilator Co., Inc
American Gas Association 46, 126-127 American Laundry Machinery	A Gridwall Company 259	A-LC Pittsburgh Plate Glass Co 330-331
Co., The	Griffin Mfg. Co	A Pittsburgh Plate Glass Co.,
tion	Hager & Sons Mfg. Co., C 252	Paint Div
A-IC American Standard, Industrial	A Hall-Mack Company	A Pratt & Lambert, Inc 318
Div	A-LC Harris Manufacturing Co 31 A Haskelite Mfg. Div., Evans	A Puffer-Hubbard Refrigerator Co. 322
Appleton Electric Company 66-67	Products Co 48-49	A Radio Corporation of America . 314
A-IC Armco Drainage & Metal Prod- ucts	A Haughton Elevator Co 100 A Haws Drinking Faucet Company 292	A-IC Ramset Fastening System 88 A-IC-LC Raynor Mfg. Co 272
A Autocall Co., The 44	A Hillyard Chemical Co	Reproduction Engineering Corp. 65 A Republic Steel Corporation 326-327
A-LC Azrock Floor Products 279	A Hobart Mfg. Co	A-IC-LC Revere Copper and Brass, Inc. 86-87 A-IC Reznor Mfg. Co
A-IC Balfour & Co. Inc., Walter 356 A Bally Case and Cooler, Inc 314	A Hope's Windows, Inc 63 A Hunter Douglas Division 343	A Rixson Company, Oscar C 68 A-IC Robertson Co., H. H 85
A-IC Barber-Colman Company 290-291, 380 A-IC-LC Barrett Division, Allied Chemical	A Huntington Laboratories 77	A-LC Roddis Plywood Corporation 129 A Rohm & Haas Company 109
Corp	Inland Mfg. Division 238	A-IC Rust-Oleum Corporation 266
A-LC Bell & Gossett Company 305	A-IC-LC Inland Steel Products Co 106-107 A-LC In-Sink-Erator Mfg. Co 90-91	A-LC Sargent & Company 294-295
A-IC-LC Bestwall Gypsum Company 101	A-IC Insulrock Div., Flintkote Co 341 A International Molded Plastics,	A Sedgwick Machine Works
A-IC Bethlehem Steel Company 50, 93 to 96, 136, 310-311 Bigelow Sanford Carpet Com-	Inc., Structoglas Div 320	A-IC Shlagro Steel Products Corp 296 A-IC Simpson Logging Company 33 to 38
pany 262	A Jamison Cold Storage Door Co. 144	A Simpson Redwood Company 33 to 38
A-IC Bituminous Coal Institute 301	Johnson Co., S. T	A Sinko Mfg. and Tool Co 277 A-IC Sloan Valve Company 4th Cover A Smith Corp., A. O 322
A Blakeslee & Company, G. S 371 Blonder - Tongue Laboratories,		A-IC Smith & Co., Inc., Elwin G 268 A-IC-LC Sonoco Products Company 88
Inc	A-IC Kaiser Aluminum54 to 57 Karagheusian Inc., A. & M 71	A Speakman Company 30 Stephens-Adamson Mfg. Co 26
A Bogen-Presto, Inc	A-IC-LC Keasbey & Mattison Co	A-IC Stran-Steel Corporation 271 A Structoglas, Div. of Internation-
A-IC Bradley Washfountain Company 251	A-LC Kentile, Inc	al Molded Plastics, Inc
A-IC Burt Manufacturing Co., The 316 A-IC Butler Manufacturing Company 43	Co., Inc 64 A-IC Klemp International 365	A Sunbeam Lighting Company 250 A Sun Chemical Corporation 371
A-IC Byers Company, A. M 4	A-IC Koppers Co., Inc., Tar Products	Sweet's Catalog Service
A Canvas Awning Institute, Inc.	Div 329	A Sylvania lagning 110daea
and National Cotton Council 313 A-LC Caradeo, Inc 137	Lawrence Paper Company 356	A-IC Tectum Corporation
Carpenter & Company, L. E 267	A LCN Closers, Inc	A Tremco Mfg. Co., The 2
A-IC-LC Carrier Corporation	A-IC-LC Libbey-Owens-Ford Glass Co. 146-147 A Linen Supply Association of	A United States Ceramic Tile Co. 2
Chrysler Corporation 97 A Cleaver-Brooks Company 308	America	A-IC-LC United States Gypsum 286-28 IC United States Steel Corp.
IC Cleveland Crane & Engineering Co., The	Loomis Machine Co	(Sub.)
Committee on Steel Pipe Research	Lone Star Cement Corporation 7 A Lowell Mfg. Company 82	A Universal Atlas Cement 10 A-LC Uvalde Rock Asphalt Co 27
A-IC Concrete Reinforcing Steel Insti- tute 246	A Ludowici-Celadon Company 47	A Van-Packer Div., Flintkote Co. 11
A Connor Lumber and Land Company 322	A-IC Macomber 125	A-IC Van Range Co., John 28 Varner Steel Products Inc., R. G. 33
A-IC Cookson Company, The 314 A Corbin Division, P. & F 3rd Cover	A-IC Macomber	Vibroflotation Foundation Co 28 Vogt Machine Company, Henry 29
A Cramer Posture Chair Co., Inc. 116 A-LC Crane Company	A-IC Marmet Corporation 345 Masterfreeze Corporation 276	A Vonnegut Hardware Co 27
112-140	A Mastic Tile Division	A Waterloo Register Co., Inc 25
A-IC Day-Brite Lighting, Inc 358-359 A-LC Detroit Hardware Mfg. Co 49	A Medart Products Co., Inc., Fred 297 Metropolitan Wire Goods Corp 348	A-IC-LC West Coast Lumbermen's Asso-
A-LC Devoe & Raynolds Co., Inc 369 Dietzgen Co., Eugene 89	A-LC Miller Sliding Glass Door Co., Inc	A-IC-LC Westinghouse Electric Corp. 318-319, 337 to 34
A-IC-LC Dow Chemical Company, The 130-131 A Duriron Company, Inc., The 1	A Mills Company, The 236 A-LC Miracle Adhesives Corp. 364	A-IC Wheeling Corrugating Company 302-30
to business company, que, the ti	Modine Mfg. Co 52-53 A Moe Light Div., Thomas Indus-	A Williams Equipment & Supply Co
Eastern Products Corp 245 A-IC Eastman Chemical Products Inc. 236	tries Inc	A Zero Weather Stripping Co., Inc. 36
Electric Storage Battery Co., The 268	Div 22-23	A-IC Zonolite Company 16-1

New York—Claude B. Riemersma, Sales Manager, Tom Tredwell, Advertising Mgr.; Blake Hughes, Marketing Mgr.; Richard C. Crabtree, Business Mgr., Benton B. Orwig, Director of New Business Development; Joseph R. Wunk, Advertising Production Mgr.; Harry M. Horn, Jr.; Michael J. Davin, 119 W. 40 St.; BOSTON—Harry M. Horn, Jr., 355 Park Square Bldg.; BUFFALO—Benton B. Orwig, 70 Niagara St.; CHI-CAGO—Claude B. Riemersma, Sales Mgr.; Robert T. Franden, David K. Bortz, James A. Anderson, Charles L. Reed, Jr., 919 N. Michigan Ave.; CLEVELAND—John C. Jackson, Regional Mgr.; Joseph F. Palmer, Louis F. Kutscher, 321 Hanna Bldg.; LOS ANGELES—Wettstein, Nowell & Johnson, Inc., 672 S. Lafayette Park Pl.; MIAMI—Benton B. Orwig, 892 N. W. First St.; PHILADELPHIA—Tom Tredwell, Harry M. Horn, Jr., 1321 Arch St.; PITTSBURGH—John C. Jackson, 411 Seventh Ave.; PORTLAND—Wettstein, Nowell & Johnson, Inc., 1921 S. W. Washington St.; ST. LOUIS—Robert T. Franden, John I. Howell, 3842 W. Pine Blvd.; SAN FRANCISCO—Wettstein, Nowell & Johnson, Inc., 417 Market St.

A-IC-LC

These symbols tell you which advertisers' catalogs are INSTANTLY ACCESSIBLE in your office

The great majority of Architectural Record advertisers employ Sweet's Catalog Service to maintain their catalogs continuously in architectural, engineering and building-contractor offices.

By doing so, these manufacturers make it easier than is otherwise possible for you always to have instant access to further information about their products or services.

The above symbols* are included in the facing Advertisers' Index as a quick guide to which advertisers' catalogs are in *your* Sweet's File—classified by product type, indexed, up-to-date, and always ready for use whenever you want them.



Sweet's Catalog Service

Division - F. W. Dodge Corporation 119 West 40th Street New York 18, N. Y.



*A (Architectural Catalog File)

IC (Industrial Construction Catalog File)

LC (Light Construction Catalog File)

PROVIDE HIGH LEVELS OF QUALITY ILLUMINATION


FOR CONTESTANTS and SPECTATORS
WITH MULTI
GYMNASIUM EQUIPMENT



BUSCH JR. HIGH SCHOOL

CENTERLINE, MICHIGAN

FOR SURFACE MOUNTING



CAT. NO. 3098A, 300-500W



This MULTI No. 3098A Unit is one of a line that will do an excellent job of efficient gymnasium lighting at a minimum of cost.

The sturdy steel skirt and guard fully protect the reflector and lamp. The reflector, of course, is white porcelain enamel, the lifetime finish. The skirt and guard are finished in white baked enamel. The guard is easily removable for ease of reflector cleaning and lamp maintenance.

There is a complete Multi line of quality lighting equipment for industrial, hospital, airport and other school uses. Industrial, incandescent and fluorescent RLM Units, Floodlights, Parking Area Post Lights, Yard Lights, Spar Lights—Lampholders, Boxes, Fittings, Lenses and Accessories.

All Multi Lighting Equipment is completely produced and assembled under rigid standards of quality control in our own factory. For more than 30 years it has been the choice of users in leading industrial plants, schools, hospitals, and institutions everywhere. See the Multi Catalog in Sweets or write for your copy today.




FROM ROTTERDAM and all parts of the world,

to the world's newest seaport, freight and cargo speed in and out of Chicago's Navy Pier through Barber-Colman OVERdoors. 52 OVERdoors handle inner-lane rail and truck freight traffic. 20 OVERdoors accommodate outer-side sea cargo. In all extremes of temperature and humidity conditions, the OVERdoors must provide dependable, trouble-



free operation – maximum protection for all types of freight and cargo. A constant day-and-night flow of traffic is handled smoothly and efficiently by the positive operation of these 72 OVERdoors. Write for complete data on Barber-Colman OVERdoors, Radio Door Controls and Electric Operators for industrial, institutional, and residential use.





BARBER-COLMAN COMPANY

Dept. PO1, Rockford, Illinois